





FIA FOUNDATION RESEARCH SERIES, PAPER 13

November 2020

Commissioned by: The FIA Foundation, 60 Trafalgar Square, London WC2N 5DS, United Kingdom

The FIA Foundation is an independent UK registered charity which supports an international programme of activities promoting road safety, the environment and sustainable mobility, as well as funding motor sport safety research. Our aim is to ensure 'Safe, Clean, Fair and Green' mobility for all, playing our part to ensure a sustainable future.

The FIA Foundation Research Paper series seeks to provide interesting insights into current issues, using rigorous data analysis to generate conclusions which are highly relevant to current global and local policy debates.

© 2020 REN21 and FIA Foundation

Unless otherwise stated, material in this publication may be freely used, shared, copied, reproduced, printed and/or stored, provided that appropriate acknowledgement is given of REN21 and the FIA Foundation as the sources and copyright holders and provided that the statement below is included in any derivative works. Material in this publication that is attributed to third parties may be subject to separate terms of use and restrictions, and appropriate permissions from these third parties may need to be secured before any use of such material. This publication should be cited as REN21 & FIA Foundation (2020), Renewable Energy Pathways in Road Transport, REN21 and FIA Foundation.

Disclaimer

This publication and the material herein are provided "as is". All reasonable precautions have been taken by REN21 and the FIA Foundation to verify the reliability of the material in this publication. However, neither REN21, the FIA Foundation nor any of their respective officials, agents, data or other third-party content providers provides a warranty of any kind, either expressed or implied, and they accept no responsibility or liability for any consequence of use of the publication or material herein. The information contained herein does not necessarily represent the views or policies of the respective individual Members of REN21 or the FIA Foundation. The mention of specific companies or certain projects or products does not imply that they are endorsed or recommended by REN21 or the FIA Foundation in preference to others of a similar nature that are not mentioned. The designations employed and the presentation of material herein, including any data and maps, do not imply the expression of any opinion whatsoever on the part of REN21 and the FIA Foundation concerning the legal status of any region, country, territory, city or area or of its authorities, and is without prejudice to the status or sovereignty over any territory, to the delimitation of international frontiers or boundaries and to the name of any territory, city or area.

Acknowledgements

This report was written by Marion Vieweg and Flávia Guerra under the guidance of Rana Adib (REN21), Hannah E. Murdock (REN21) and Sheila Watson (FIA Foundation). Hend Yaqoob (REN21) provided valuable research support.

This report benefited from valuable input and feedback from: Ahmed Al Qabany (ISDB), Daniel Bongart (GIZ), Till Bunsen (ITF), Carlos Cadena Gaitán (City of Medellín), Maruxa Cardama (Slocat), Pierpaolo Cazzola (ITF), Holger Dalkmann, Rob De Jong (UNEP), Lewis Fulton (UC Davis), Alagi Gaye (ISDB), Saehoon Kim (Hyundai), Pharoah Le Feuvre (IEA), Hugo Lucas (Government of Spain), Nikita Pavlenko (ICCT), Patrick Oliva (PPMC), Marcel Porras (City of Los Angeles), Eric Scotto (Akuo Energy), Philip Turner (UITP), Noé van Hulst (Government of the Netherlands/IPHE), Christelle Verstraeten (Chargepoint), Nick Wagner (IRENA).

It also benefited from discussions at a workshop held in September 2020 with most of the above and additionally: Thomas André (REN21), Veronica Arias (CC35), Dalia Assoum (REN21), Jonathan Bonadio (EEB), Naomi Chevillard (SolarPower Europe), Clotilde de Rossi (SE4AII), Paolo Frankl (IEA), Drew Kodjak (ICCT), Shuxin Lim (GWEC), Indradip Mitra (GIZ India), Antina Sander (RGI).


RENEWABLE ENERGY PATHWAYS IN ROAD TRANSPORT





CONTENTS

EXECUTIVE SUMMARY		1	7. KEY CHALLENGES HOLDING BACK RENEWABLE ENERGY IN TRANSPORT		
1.	INTRODUCTION	9			
			8. GUIDELINES FOR ACTION	73	
2.	KEY CONCEPTS	15			
2.1	SUSTAINABILITY	16	ANNEXES	79	
2.2	THE AVOID-SHIFT-IMPROVE FRAMEWORK FOR DECARBONISING TRANSPORT	16	ANNEX I COMPARISON OF SUSTAINABILITY CONCEPTS	79	
2.3	ACTORS	18	ANNEX II OVERVIEW OF BIOENERGY CLASSIFICATIONS	80	
			ANNEX III OVERVIEW OF RENEWABLE ENERGY PRODUCTION PROCESSES FOR TRANSPORT	81	
3.	TECHNOLOGY SOLUTIONS FOR ENHANCING RENEWABLES IN	19			
	TRANSPORT		ACRONYMS	83	
3.1	RENEWABLE ENERGY: THE FUEL PERSPECTIVE	20			
3.2	TRANSPORT SECTOR PERSPECTIVES	25	GLOSSARY	84	
3.3	THE NEXUS OF RENEWABLE ENERGY AND TRANSPORT	31			
			OTHER NOTES	84	
4.	MARKET TRENDS FOR RE SOLUTIONS IN TRANSPORT	35			
4.1	RENEWABLE ENERGY PRODUCTION	36	INDEXES	85	
4.2	TRANSPORT MARKETS	42	FIGURES	85	
4.3	THE NEXUS OF RENEWABLE ENERGY AND TRANSPORT	44	TABLES	85	
			BOXES	86	
5.	POLICY AND REGULATORY FRAMEWORKS	49	SIDEBARS	86	
5.1	THE RENEWABLE ENERGY PERSPECTIVE	50			
5.2	THE TRANSPORT SECTOR PERSPECTIVE	53	ENDNOTES	87	
5.3	THE NEXUS OF RENEWABLE ENERGY AND TRANSPORT	59			
			FOOTNOTES	103	
6.	RENEWABLE ENERGY PATHWAYS FOR TRANSPORT	65			




EXECUTIVE SUMMARY

Road transport is estimated to represent over 70% of GHG emissions from the overall transport sector by 2050, if no further measures are taken. Energy demand for transport is growing much faster than any other sector. Transport still relies heavily on fossil fuels

and has the lowest share of renewables, lagging far behind developments in the power generation sector as well as other end-use sectors. In 2018, transport represented 29% of total final energy consumption, but only 3.7% of this was met by renewable sources.

ENERGY CONSUMPTION AND RENEWABLE ENERGY SHARE IN THE TRANSPORT SECTOR, 2018



Source: own illustration based on IEA sources.

A rapid and fundamental shift is required in the transport sector to enable the decarbonisation required to meet the objectives of the Paris Climate Agreement. Renewable energy will need to play a fundamental role in the transport systems of the future, which will be much more complex, with multiple players, technologies and direct implications for energy generation.

The transport and energy sectors are highly interlinked.

To decarbonise our economy the transport and energy sectors thus need to align their strategies. The uptake of renewables in road transport depends on the rapid decarbonisation of the electricity sector, for direct use of electricity and for the production of renewable hydrogen,

supplemented by the supply of advanced biofuels, particularly for use in heavy-duty trucks.

Renewable energy solutions for the road transport sector need to be embedded in a wider framework of actions that also reduce the demand for transport services, shift the choice of transport modes and increase the efficiency of vehicles (other elements of the Avoid-Shift-Improve framework). Decarbonising the sector with renewables will only be possible with ambitious policies that address all these aspects and that take an integrated view of the implications for the wider energy system, considering the sustainability of the overall supply chain of different technology solutions.

Experts need to make it easy for decision-makers and customers to manage increasing complexity.

Renewable transport solutions need to be tailored to the specific context and use case. To achieve this, a large variety of actors need to improve collaboration to develop economically and financially viable solutions

that appeal to end users.

Investment decisions on renewable energy generation and distribution infrastructure focus on finding the right technology for a given local context and depend on the specific local combination of demand, available energy sources and feedstocks, distribution options and economically feasible production processes. In comparison, the road transport sector is traditionally more concerned with the vehicle technology and the required fuel infrastructure.

ACTORS IN THE RENEWABLE ENERGY AND TRANSPORT SECTORS

	Rene	wable energy a	ctors	Both		Т	ransport sector acto	rs
Advocacy		RE producer associations	RI advo comm	cacy Union nunity	tran	Sustainable sport advocacy community	Transport associations	
				Developmen organisation				
Investors		Fossil fuel	RE developers	Financial institution & investor	S	Electric vehicle producers	Automotive industry	
Operators	RE operators	dominated utilities	Grid operators	Electricty		Freight operators	Public transport & mobility service providers	Charging infrastructure operators
Customers				Customers	;	Private vehicle buyers		
Governance			Energy ministries	City governmen	ts	Transport ministries	City planners	
Energy providers			Coal industry		& ga lustr			

Source: own illustration.


Which vehicle technology - with its corresponding renewable fuel - is most appropriate depends strongly on the type of vehicle and the use case. Passengers or freight, small or large vehicles, urban or non-urban, short or long distance, individual vehicles or fleets - all have different demands on the vehicle technology. Finally, there are differences in the development level of countries and regions, influencing renewable transport challenges and opportunities. There is no 'one size fits all solution' for enhancing the uptake of renewables in road transport.

Biofuels are still the dominating renewable energy source in the transport sector, largely driven by blending mandates, which exist in at least 70 countries, although mostly with low blending rates. Biofuel production is still mostly first-generation ethanol and biodiesel, although the production of advanced diesel substitute fuels (HVO/HEFA) is increasing. The production of renewable electricity-based hydrogen is still very low, although the number of projects and installed hydrogen electrolyser capacity have grown considerably. Production processes for advanced biofuels and for PtX are not yet available at commercial scale, with the exception of HVO/HEFA.

Internal combustion engines dominate the vehicle market, accounting for 99% of the passenger cars produced worldwide, with the majority of these being gasoline or diesel. Shifts to new powertrains, such as battery electric or fuel cell electric vehicles, require major investments from the automotive sector as well as for charging and fuelling infrastructure. Many countries have put in place incentives for vehicle purchases as well as for the development of associated infrastructure. As a result, electric car sales have been growing steadily in recent years.

Increasing demand from transport electrification and growing variable renewable energy generation require a new paradigm concerning how electricity systems work. Technical solutions to capture synergies between the transport and energy system exist: unidirectional controlled charging (V1G) solutions are already commercially available. However, bi-directional vehicle-to-grid (V2G) solutions and vehicle-to-home/building (V2H/B) technologies remain in early deployment stages. Flexible power tariffs and power market reforms to enable and support such solutions are only slowly being implemented in individual countries.

Currently, only a few policies directly link renewable energy and transport ambitions. Truly integrated planning across sectors is largely absent, although the EU is in the process of developing a pioneering energy system strategy that integrates transport and other end-use sectors. At least 28 cities and 39 countries or states/provinces had independent targets both for



EVs and renewable power generation, but the level of ambition varies and is in most cases not sufficient for a full decarbonisation across sectors. Only two countries have incentive schemes that link renewable energy requirements to vehicle or infrastructure subsidies.



The following recommendations aim to provide high-level guidance regarding what needs to happen to increase the share of renewable energy in road transport:

DEFINE A NATIONAL LONG-TERM ROADMAP FOR ENERGY AND TRANSPORT SYSTEM **DECARBONISATION**

- Set long-term legally binding decarbonisation targets with a clear deadline and intermediate targets. GHG emission targets need to be set economy-wide, energy sector wide, transport sector wide, and for individual transport sub-sectors. These targets need to be complemented by a clear vision regarding the renewable energy pathways to achieve them. Energy and transport sector targets need to be aligned and are ideally the result of integrated planning. Assigning clear responsibilities for target achievement is paramount.
- Be clear on technology choices. In designing policy instruments, decision-makers need to make a conscious decision in terms of whether they favour specific vehicle technologies such as battery electric or fuel cell electric vehicles, and thus specific renewable fuels, or if they leave this up to the market.
- Ensure a life-cycle approach. The transport sector needs to be accountable for up- and downstream emissions. A 'well-to-cradle' approach should be adopted as battery electric vehicles, hydrogen vehicles and biofuels gain market shares, extending beyond vehicle operation to vehicle production and recycling/disposal as well as fuel production and distribution.



ENHANCE COLLABORATION BETWEEN THE ENERGY AND TRANSPORT SECTORS AND ENSURE MULTI-LEVEL GOVERNANCE FOR THE IMPLEMENTATION OF RENEWABLE ENERGY SOLUTIONS

- Create space for collaboration across sectors. Energy and transport actors at all levels need institutionalised and permanent platforms to exchange and discuss tailored low-carbon vehicle choices and renewable energy solutions for their local context.
- levels of government. National regulation and policies need to enable local actors to implement renewable energy solutions that build on the locally available resources and are fit for the local circumstances and needs of their transport systems.

Ensure collaboration, coherence and consistency between decisions and policies made at different

TAILOR POLICY INSTRUMENTS TO EFFECTIVELY IMPLEMENT THE ENERGY-TRANSPORT **ROADMAP**

Ensure the consistency of policy instruments.

There are several instruments in place that promote either renewable energy or low-carbon transport technologies. These instruments are often not well coordinated and might be inconsistent, which compromises their effectiveness to increase the share of renewables in transport. Other existing instruments such as fossil fuel subsidies provide counteracting incentives for renewable transport and

starting with the 'low-hanging fruit' which is electric mobility. With the growing electrification of vehicle fleets, grid integration of EVs is one of the key areas where challenges and synergies across sectors need



IMPROVE CROSS-SECTORAL KNOWLEDGE, DIALOGUE AND AWARENESS BETWEEN THE RENEWABLE ENERGY AND TRANSPORT COMMUNITIES

Develop a better narrative.

Both the renewable energy community and the transport community would highly benefit from a joint/cross-sectoral narrative that clearly emphasises the benefits of renewable energy and other complementary elements of the ASI framework in addressing the mobility needs of citizens and businesses, namely the provision of clean, reliable and affordable transport.

Ramp up formal training for new skillsets.

Enhanced formal training is needed in the context of the energy and transport systems of the future. Training programmes at universities and vocational trainings need to be updated to account for the linkages across sectors to better educate new generations of policy-makers, engineers, transport/energy/urban planners, economists, business owners, entrepreneurs, and other future decision makers.

DEVELOP TOOLS FOR ASSESSING CONTEXT-SPECIFIC CHALLENGES AND SOLUTIONS

• While many challenges for enhancing the uptake of renewables in road transport are relatively universal, the details vary - and so do the solutions. A toolset is needed to conduct context-specific diagnosis of the barriers and solutions for specific renewable fuels/electricity and low-carbon vehicles. This will support policy-makers in designing more adequate and effective regulatory and policy frameworks.






1. INTRODUCTION

When we talk about renewable energy, we first think about wind turbines, solar photovoltaic (PV) systems and other technologies for power generation. This is not surprising, seeing the tremendous development in this area over the last decades. Variable renewable energy (VRE) has become a mainstream electricity source and is increasingly cost-competitive compared to conventional fossil fuel-fired power plants. However, over 80% of final energy demand comes from heating, cooling and transport where the advance of renewable energy continues to lag far behind.

Energy demand for transport is growing much faster than any other sector and has the smallest share of renewables than any other sector. In 2018, transport represented 29% of total final energy consumption, but only 3.7% of this was met by renewable sources.2

Because of a high reliance on fossil fuels, the transport sector was responsible for 25% of global energyrelated carbon dioxide (CO₂) emissions in 2018.³ Unlike other sectors, there is no sign of a change in trend and enhanced efforts are clearly needed.4

FIGURE 1.1: ENERGY CONSUMPTION AND RENEWABLE ENERGY SHARE IN THE TRANSPORT SECTOR, 2018



Source: own illustration based on IEA sources.⁵


Even if all of the announced policy measures are implemented, the transport sector is expected to increase greenhouse gas (GHG) emissions by 60% up to 2050, largely driven by increasing freight and nonurban transport.6

This report focuses on road transport, which is estimated to represent over 70% of GHG emissions from the sector by 2050, if no further measures are

taken (see Figure 1.2).7 This report therefore explores options for speeding up the deployment of renewable energy in road transport.i

A rapid and fundamental shift is required in the sector to enable the decarbonisation required to meet the objectives of the Paris Climate Agreement.8 Renewable energy will need to play a fundamental role in the transport systems of the future.

FIGURE 1.2: CO₂ EMISSIONS GROWTH UNDER CURRENT POLICIES 2015 - 2050



Source: own illustration based on data from ITF.9

This will need to be a part of an integrated effort that increases the efficiency of the transport system and of vehiclesⁱ, promotes non-motorised modes of transport and avoids some transport activity altogether, while securing mobility of people and goods (see Section 2.2). At the same time, electrification of the transport sector provides an opportunity for demand-side management through electric vehicles (EVs).¹⁰

The renewable energy community has been mainly concerned with finding economically viable combinations of supply and demand, often supported by policy instruments that trigger demand for renewables or make renewable options more competitive. With the rapid decrease in cost for many renewable electricity technologies, if fully renewable scenarios are increasingly feasible and cheaper the transport sector has had a strong focus on the efficiency of vehicles in the past, although efficiency gains have largely been offset by the growing number and increasing size of vehicles. 12

Electrification receives increasing attention, mainly driven by developments in China, and more recently the EU and California. Electrification offers a good opportunity to decrease transport-related GHG

emissions, particularly for countries with high shares of renewables in power generation. Although efforts to reduce air pollution have been the main driver for the EV exponential market growth over the last years, linkages between renewable power which also has air quality benefits, and electric vehicles are rare.¹³

Direct electrification is not (yet) a broad solution for some transport modes, like long-haul freight, shipping and aviation. The development of electricityderived liquid or gaseous fuels, so-called electrofuels, is a new pathway to develop renewable-based fuels, including renewable hydrogen or ammonia. These could be added to the renewable solutions portfolio available to decarbonise transport, which has so far mostly relied on conventional biofuels. These are technically mature, need no alterations to the vehicle - at least for lower blends - and have a history of government support, especially in Brazil and the United States (US). Advanced biofuels and renewable electro-fuels are mostly still in the development phase and require additional support to accelerate large-scale solutions and reduce costs.14

To date, most policy support for transport decarbonisation has focused on conventional biofuels and fuel economy policies. More integrated

planning, dedicated policies and investment are needed to link alternative propulsion transport such as electric vehicles to renewable energy sources.

Increasing the share of renewables in the transport sector requires massive investments for production capacity and, for some solutions, also for distribution infrastructure and in the automotive industry. A joint understanding of the future trajectory for renewables in the transport sector will allow for targeted policy frameworks and provide long-term certainty for investors and project developers to ramp up investment in renewable energy solutions.

This report explores both the renewable energy supply perspective and the transport sector perspective in order to foster enhanced mutual understanding of the challenges and opportunities to rapidly increase the use of renewables in the transport sector. The focus is on where and how enhanced collaboration and better integration of the sectors is needed for the benefit of all.

The transport and energy sectors are highly interlinked. To decarbonise our economy the transport and energy sectors thus need to align their strategies. These sectors and all of the actors involved (see Figure 2.2) must work together to make the radical shift needed to phase out fossil fuels, address climate change and ensure the health of citizens.¹⁵

To ensure a common understanding, **Part I** of the report provides an overview of key concepts, available technologies and their market trends, as well as existing policy frameworks. **Part II** discusses potential future pathways and analyses key challenges deterring renewables penetration in the transport sector. Finally, the report presents guidelines for action that aim to overcome the identified challenges.

In developing this report, a workshop was held in September 2020 with stakeholders from the renewable energy and transport communities Discussions of the key challenges and recommendations which took place at the workshop are reflected in the findings of this report.



SIDEBAR 1: IMPACT OF COVID-19 ON THE UPTAKE OF RENEWABLE ENERGY IN THE ROAD TRANSPORT SECTOR.



As lockdowns were imposed by governments worldwide in 2020 in response to the global health crisis of coronavirus (Covid-19), economic activities decreased substantially and total energy demand fell. Oil prices also dropped due to recent dynamics in the global oil market. Renewable energy has so far been the energy source most resilient to Covid 19 lockdown measures.

In the first quarter of 2020, global use of renewable energy in all sectors increased by about 1.5% relative to the same period in 2019. Although renewable electricity has been largely unaffected, demand has fallen for other uses of renewable energy, including transport.¹⁶

Calls for a "green recovery" have gained momentum, with a broad coalition of actors advocating for ambitious stimulus packages that prioritise renewable energy, energy efficiency, grid modernisation and resource-efficient transport.

Rebalancing transport options post-Covid to ensure communities have access to reliable, convenient, affordable and sustainable transport will be essential to decarbonise and reboot our economy. The shift in travel demand and the operating landscape from Covid-19 will require new strategies and commercial models.¹⁷ Despite governments' stressing the need for recovery plans that contain actions towards cleaner energy use in the transport sector, only a few have included climate actions for transport in their recovery plans.¹⁸

The following are some examples of the inclusion of the transport sector in national recovery plans:

- **Spain's** plan for boosting the automotive industry refers explicitly to decarbonisation and the need to achieving climate neutrality by 2050 through an economic and technological transformation.¹⁹
- In France, a EUR 20 million (approximately USD 22 million) fund was launched to support cycling when lockdown measures were eased, subsidizing bicycle repairs, cycling parking spaces and cycling training.²⁰ The recovery package also contains a EUR 7 billion (USD 7.8 billion) commitment to develop green hydrogen.²¹
- As part of the Polish recovery plan, the Climate Ministry provided a total of EUR 90 million (USD 101 million) subsidies for electric buses, of which EUR 15 million (USD 17 million) are aimed at financing electric school buses in rural areas and EUR 75 million (USD 84 million) are dedicated towards urban transport companies.²²
- The **United Kingdom** (UK) approved an emergency travel fund of EUR 275 million (USD 308 million) to promote pop-up bike lanes, wider pavements, safer junctions, cycle and bus-only corridors as well as vouchers for bike repairs. Additionally, EUR 11 million (USD 12 million) enable local authorities to install up to 7,200 electric car chargers and an e-scooter trial will be fast-tracked to assess the benefits of the technology as well as its impact on public spaces.²³
- China extended its subsidies and tax reductions for electric cars until the end of 2020. Moreover, China plans to expand its charging network by 50% this year to stimulate electric vehicle deployment.²⁴

As the Covid-19 crisis continues to disrupt mobility routines, some regional governments and cities are also seizing what they perceive as a unique opportunity to promote new mobility behaviours that favour active mobility. These policies include speed limits and car-free zones in city centres (e.g. London and Athens), making road reallocations away from cars permanent, and investing in new infrastructure such as bicycle lanes, bicycle parking and expanded walkways. Cities are also providing rental services and subsidies for the purchase and maintenance of traditional and electric bicycles.

NEGATIVE IMPACTS OF COVID-19

Slowdown of transport biofuel production. Like other industries, renewables are exposed to new risks from

Covid-19, which vary significantly by market sector and technology. Even though countries all over the world began to gradually lift some lockdown measures in early May, their impacts are still far-reaching. Social distancing guidelines and lockdown measures have been triggering supply chain disruption and delays in project construction, as well as having a direct impact on the commissioning of renewable electricity projects, biofuel facilities and renewable heat investments.²⁵ The sharp reduction in crude oil prices puts further pressure on the biofuels industry, as lower petroleum product prices drag down biofuel prices. The effect of lower biofuel demand, drives stocks higher in many markets which reduces prices and compromises the profitability of production.²⁶ As a result, transport biofuel production is expected to contract by 13% in 2020 - its first drop in two decades.²⁷

Decreased ridership of public transport. Public transport operations in cities have been severely affected. As metro and bus services have decreased, so has ridership, with usage falling 50-90% worldwide leading to severe impacts on employment in the sector and on the business model of operators. While some of the travel was diverted to walking and cycling, there has been an increase in use of private motorised vehicles, with negative impacts on air quality and congestion. As cities come out of lockdown, ramping up services to provide as much capacity as is feasible while ensuring safety and security for those who rely on the metro, light rail and bus will be challenging. With an estimated EUR 40 billion (USD 45 billion) of revenue losses in the European Union alone in 2020 due to the pandemic, many operators are in a critical financial situation and require assistance. The inclusion of USD 25 billion in emergency support for transit agencies in the US CARES Act, approved in March 2020, is one example of necessary policy support being provided in a timely fashion.²⁸ Additionally, the pandemic has highlighted the lack of health and hygiene concepts in mass public transport, which is now starting to be addressed by operators and will be crucial for the future of sustainable public transport.

POSITIVE IMPACTS OF COVID-19

Decrease in transport activity. The lockdown resulted in new ways of working and interacting. Home office and videoconferencing are now a common feature in everyday life, even where lockdowns are slowly being lifted. Companies had to quickly set up or broaden their IT infrastructure to enable continuation of work, and many have experienced how well this can work. While this is not an option for everyone and also comes with its own

downsides, it can be expected that there will be a sustained change in how we work and interact, allowing for more flexibility and reducing unnecessary business travel.

Shift to active modes of transport. Unlike with public transport, there has been a resurgence in active modes of transport such as walking and cycling particularly in cities worldwide, particularly as lockdowns are lifted. To support this trend, a number of cities, such as Milan, Paris, Rome, Brussels, Berlin, Budapest and Bogotá, have reallocated street and public space to pedestrians and cyclists.²⁹

Surge in sales of e-bikes. Between January and April 2020, cars sales dropped by about 9 million (roughly one-third of sales during the same period in 2019). The timing and extent of plummeting sales were dictated by the timing and stringency of lockdowns. In China, the world's largest car market, February 2020 sales were 80% lower than in February 2019. By April, US sales relative to 2019 had dropped by 50%, in Germany by 60%, and in France by 90%.30 As lockdowns ease, initial signs point to robust latent demand for cars, and demand rebounds may be bolstered by the perceived safety and security benefits of cars compared for instance with public transport.³¹ Rapid and continuous growth in EV sales has also stalled as a result of lockdowns, but so far electric car sales have generally been hit less hard than non-electric sales.³² Indeed, EV sales prospects for the rest of 2020 are likely a silver lining in the current crisis cloud. Battery-powered bikes have become a compelling alternative for commuters who are being discouraged from taking public transport and/or ridesharing services. In March, sales of e-bikes jumped 85% from a year earlier. Amazon, Walmart and Specialized are sold out of most models. Even smaller brands like Ride1Up and VanMoof have waiting lists.33





2. KEY CONCEPTS

2.1 SUSTAINABILITY

Sustainability is a broad concept and there is no generally agreed definition. While there is an agreed framework for assessing sustainability, encompassing economic, social and environmental dimensions, in detail the concept means different things to different groups and in different contexts. Views on what is sustainable (or not) also change with the time horizon used; measures that may be less sustainable if looked at the short-term, may be very sustainable in the long-term, and vice-versa. Despite the challenge in operationalising the concept, it is essential for assessing the viability and attractiveness of different renewable energy solutions and decarbonisation pathways for transport. It is important to understand the different views to reach a joint understanding of the best way forward for decarbonisation.

Under the umbrella of the Sustainable Mobility for All (SUM4ALL) platform, the transport community has largely agreed that sustainable mobility needs to ensure universal access, efficiency, safety and "green" mobility, of which the latter should minimise GHG emissions, noise and air pollution.³⁴ In the renewable energy community, sustainability is mostly discussed within the context of hydropower, especially largescale installations, and bioenergy, mostly related to the feedstocks used.³⁵ More specifically in the electrification of transport, the sustainability of batteries is increasingly discussed, resulting in the formulation of ten principles for a sustainable battery value chain by the Global Battery Alliance.³⁶

Although the details differ, the sustainability discussions in the renewable energy and transport sector share many common elements and challenges (See Annex I). Both struggle with assessing related GHG emissions and defining the scope and methods for calculations³⁷ and with the multitude of tools and models³⁸ delivering substantial variations in results.

For bioenergy, sustainability largely hinges on the feedstock used, in combination with the selected production process. In a first stage, bioenergy is often grouped based on the feedstocks used.³⁹ Annex II provides an overview. First generation, or conventional biofuels, are based on food and animal feed crops. Biofuels based on energy crops¹, waste and agricultural residues which achieve GHG emissions savings above a defined threshold are often defined as second generation or advanced

biofuels. Energy crops have a potential to compete with food crops for land, while waste and residues are limited in supply (see Section 3.1), encouraging the development of alternative vegetable oil feedstocks such as jatropha, camelina, and carinata. These can be grown on marginal lands and thus arguably do not compete with food production – a widely understood barrier to the use of conventional fuels. However, the development of entirely new feedstock supply chains has proven challenging and only limited volumes of alternative feedstocks are yet available. Growing energy crops on marginal lands produces a certain amount of energy and non-energy-related GHG emissions and is, as such, not able to deliver zero GHG emissions.

For the electrification of mobility, sustainability largely depends on how far the electricity used is generated from renewable energy sources and on the sustainability of batteries. For the latter, sustainability issues arise from the mining of raw materials, with related social and environmental problems. The lack of traceability of the supply chain is not encouraging confidence in the sustainability of the end product. A further issue is the end-of-life treatment of batteries. When no longer fit for use in vehicles, batteries can and should be used for other purposes, for example to provide stationary storage for grid balancing. Once the end of their usefulness is reached, they need to be recycled, preventing harm to people and the environment, while at the same time limiting the need for input materials.⁴¹

For the purpose of this report, sustainable renewable energy sources for road transport deliver absolute GHG emissions reductions compared to fossil fuel alternatives across the value chain, do not provide health risks for workers and the public and do not compete with resources used to food production.

With sustainability at the core of many of the drivers and barriers for the deployment of bioenergy, including the setting of sustainability criteria⁴² (see Section 5), and other renewable options for the transport sector, we come back to these concepts and definitions throughout the report.

2.2 THE AVOID-SHIFT-IMPROVE FRAMEWORK FOR DECARBONISING TRANSPORT

Experts in the transport sector developed a holistic approach that provides a framework for overall sustainable transport system design.

The avoid-shift-improve (ASI) framework prioritises the mobility needs of people and goods instead of road infrastructure and vehicles.⁴³

The framework aims to develop transport systems that reduce the overall demand for transport services (avoid) and incentivise more efficient modes of transport, such as high-capacity public transport and rail freight (shift). This also includes motivating a shift to non-motorised transport modes, i.e. walking and cycling. All of these elements contribute to transport systems that generate less travel and are overall more efficient, using less energy per kilometre travelled for each passenger (passenger-kilometres) and for each tonne of freight (tonne-kilometres).⁴⁴

Avoid and shift measures require changes in the overall transport system setup – and are closely linked to urban and rural planning. Additional measures then address the efficiency of the individual vehicles and the carbon content of the fuels used (improve). The ASI framework is widely used by the transport community

as a basic framework to define measures to enhance the sustainability of the sector.⁴⁵

Another useful way to look at the required system changes has emerged over the last years. This approach differentiates the mobility and the energy transition, looking at all measures required to reduce the energy need without compromising mobility. This includes avoid, shift and energy efficiency measures for vehicles. The energy transition then aims to replace the remaining energy demand with renewable energy sources.⁴⁶

Although this report focuses on the latter, it is essential to be aware that renewable energy solutions need to be embedded in the broader context of the ASI framework or the mobility transition. Without these other elements, energy demand from the transport sector will increase substantially, increasing the challenge of the transition to renewable energy alternatives. Renewable solutions include the use of (1) bioenergy, (2) electro-fuels based on renewable electricity, (3) hydrogen produced using renewable electricity, and (4) the direct use of

renewable electricity. Some of these options can be used in conventional motors, others require new propulsion technologies. Figure 2.1 illustrates the different options for the deployment of renewable energy in the transport sector within the context of the ASI framework.

2.3 ACTORS

When we talk about 'the (renewable) energy sector' or 'the transport sector', we need to be aware that each encompass a wide variety of actors that have sometimes complementary, sometimes opposing views - there is no single 'sector perspective'.

In this report, we try to provide an overview of the issues that the different actors face in transitioning to higher shares of renewable energy in the transport sector, providing a foundation for fruitful discussion on how to overcome barriers and speed up the uptake of renewables.


While some actors are currently only working in one of the two fields, either renewable energy or transport,

others are active in both. Still, that does not necessarily mean that the same people are working on both topics. Development organisations and financial institutions, for example, invest in both sectors, but that does not necessarily mean that each individual entity does that, or that departments within institutions share a common view regarding the development of renewables in the transport sector.

Figure 2.2 provides an overview of relevant actors in both sectors. It includes the fossil fuel industry and associated actors as these strongly influence the discussion and decision-making in both sectors.

It is important to note that only part of the sustainable transport community is working on or aware of the importance of climate and related topics, such as renewable energy. The focus is mostly on access to mobility and tailpipe emissions, while upstream GHG emissions, for example from electricity generation, only play a minor role.

FIGURE 2.1: RENEWABLE ENERGY IN THE CONTEXT OF THE AVOID-SHIFT-IMPROVE FRAMEWORK IN THE TRANSPORT SECTOR




Source: adapted from REN21; Agora Verkehrswende et al.⁴⁷

FIGURE 2.2: ACTORS IN THE RENEWABLE ENERGY AND TRANSPORT SECTORS

	Renewable energy actors		Both	Transport sector actors			
Advocacy		RE producer associations	RE advoca commu	icy Union trans	Sustainable sport advocacy community	Transport associations	
Investors		Fossil fuel	RE developers	Financial institutions & investors	Electric vehicle producers	Automotive industry	
Operators	RE operators	dominated utilities	Grid operators	Electricty	Freight operators	Public transport & mobility service providers	Charging infrastructure operators
Customers				Customers	Private vehicle buyers		
Governance			Energy ministries	City governments	Transport ministries	City planners	
Energy providers			Coal industry	Oil & ga industry			

Source: own illustration





3. TECHNOLOGY SOLUTIONS FOR ENHANCING RENEWABLES IN TRANSPORT

This section discusses the main technology options to decarbonise the transport sector, as perceived by the renewable energy and transport sectors. Section 3.1 focuses on the supply of renewable fuels and electricity for transportation applications and the elements that encourage or deter investment in supply capacity, from the renewable energy perspective. Section 3.2 analyses the transition to renewable energy from the transport sector perspective, where the mentioned renewable energy options have different implications for vehicle technology and distribution infrastructure. Section 3.3 assesses the nexus of the two sectors and which technologies are key for better integration.

3.1 RENEWABLE ENERGY: THE FUEL PERSPECTIVE

There are four general options for renewable energy use in the road transport sector, as illustrated by Figure 2.1: (1) gaseous or liquid biofuels, (2) renewable electricity-based synthetic fuelsⁱ, (3) renewable electricity-based hydrogen and (4) the direct use of renewable electricity. Renewable electricity-based synthetic fuels and electricity-based hydrogen are often also referred to as power-to-X (PtX)ⁱⁱ as they include the conversion of renewable electricity to other forms of energy.

Most people are familiar with the options to produce renewable electricity, namely solar PV, wind power (onshore and offshore), geothermal power, hydropower, bioenergy and ocean energy. The available technologies for producing other transport fuels are less known, particularly since many are still under development. Understanding the different options is crucial, as source materials and processing technology have a large influence on their suitability for transport purposes, the cost-competitiveness of the resulting products and their attractiveness for investment. Figure 3.1 provides a simplified overview of the available conversion pathways.

Investment decisions on renewable energy infrastructure focus on finding the right technology for a given local context. Different generation technologies are available, and the individual investment will depend

on the specific local combination of demand, available energy sources and feedstocks, distribution options and economically feasible production processes. The next sections briefly discuss these different elements and outline the main challenges for increasing production from the perspective of investors and project developers with a view to assessing their suitability for use in the transport sector.

Demand is key to make investment financially attractive


Transport is only one of many uses for renewable energy and electricity and many of the fuels – liquid or gaseous – and intermediate products can be put to a variety of uses. From a transport sector perspective that means that it is competing with other uses for the available renewable energy sources.

While many other factors play a role, investment in a new production facility is only attractive if there is certain – and ideally growing – demand. Related to demand a potential investor will ask:

- What is the current demand for the end product and any by-products of the production process?
- What is the expected future demand?
- Where is this demand located and how expensive is transport?
- How far are products usable for more applications, i.e. is there potential for larger demand?
- How cost-competitive is the end product in compared to fossil fuel alternatives?

While the focus is often on the final product and its potential uses, an important factor for the financial viability of production facilities is the demand for intermediate products and 'waste' outputs such as heat, oxygen, animal feed or fertilisers. These products can either reduce production cost, if for example waste heat is re-used within the production process, or can generate additional income streams.

FIGURE 3.1: OVERVIEW OF CONVERSION PATHWAYS FOR RENEWABLE ENERGY USE IN TRANSPORT



Notes: Syngas = synthetic natural gas, a mixture of gases, mainly carbon monoxide, hydrogen and methane; FT = Fischer Tropsch; FAME = Fatty acid methyl ester; Drop-in fuels include diesel substitute fuels (hydrotreated vegetable oil, or HVO, and hydrotreated esters and fatty acids, or HEFA); numbers relate to the options for renewable energy use in transport, as presented in Figure 2.1: 1) Gaseous and liquid biofuels; 2) Gaseous and liquid renewable electricity based synthetic fuels; 3) Renewable electricity based hydrogen; and 4) Renewable electricity.

Source: adapted from Baldino et al.; Danish Energy Agency and Energinet; Krishnaraj and Yu.⁴⁸

Generally, **electricity** consumption is still growing and efficiency measures are still being overcompensated by growing demand, due to increasing electrification in end use sectors.⁴⁹ However, demand depends on the transmission grid to which the generation is connected and is thus limited to the consumers connected to the particular grid, although decentralised renewable

electricity generation at the point of demand or at low and medium voltage levels is becoming increasingly popular globally, often combined with battery storage. Apart from the availability of the natural resources for renewable power generation, grid infrastructure is therefore key in determining demand for individual renewable power installations.

Hydrogen, generated through electrolysis using renewable electricity or through bioprocesses, and called "green hydrogen", is chemically identical to fossil fuel-based hydrogen and is fully compatible with all uses of hydrogen. The differences from fossil fuelbased hydrogenⁱ are in the production process and the related cost, similar to electricity. Hydrogen demand for transport is currently still in its infancy. The majority of hydrogen consumed today is for ammonia production (mostly for fertilisers) and in oil refineries. Limited demand also comes from iron and steel production, glass, electronics, specialty chemicals and bulk chemicals. However, current hydrogen production is almost exclusively fossil-fuel based (about 99%).50 For the required full decarbonisation of the economy, all of the fossil-fuel based hydrogen will need to be replaced by renewable hydrogen, creating additional demand for new renewable hydrogen production facilities.⁵¹

Biogasⁱⁱ is a much less standardised product. Depending on the production process and the stage of upgrading, it can contain different shares of various gases, meaning that the energy content and chemical properties can vary. In its most refined form, it consists mostly of biomethane which can be used to replace conventional natural gas and is often fed into existing natural gas networks. Alternatively, syngas can be refined to biomethane or liquid fuels. However, less refined biogases, with varying shares of methane or hydrogen, can also already be used for combustion.⁵² Biogas from small-scale digesters is often directly used for heating and cooking. Almost two thirds of the biogas produced today is used for power and heat generation.⁵³ It is also used as a feedstock for the chemical industry. Further to refining the biogas to more concentrated levels, it can also be compressed or liquefied, which enables further applications, such as the use in heavy-duty vehicles.⁵⁴

Liquid biofuels come in a variety of forms and are mostly used for transport. First generation ethanol and biodiesel are currently the main consumer products. They differ from fossil fuels in their blend wall properties of and are mostly used in blends with fossil gasoline and diesel. Advanced biofuels represented only 9% of biofuel production in 2018. Current demand has been largely triggered by corresponding policies and future developments will also largely depend on policy choices regarding the energy pathways in transport, as most of these fuels are not yet cost-competitive with their fossil fuel competitors (see Sections 3.1 and 5).

Supply of sustainable feedstocks remains challenging

Availability of energy resources and feedstocks is key for deciding which renewable energy technology to adopt in a specific local setting. Considerations for investment include the energy content of available resources, the availability on a continuous basis, cost of the feedstock and the availability and cost of transport of any required inputs to the production facility.

For non-biomass renewable electricity generation, the feedstock comes for free, so the main considerations are availability and energy content in a specific location, which need to be high enough to make an investment economically viable.

For bio-based renewable energy, the main challenges are the continuous availability of feedstocks and changes in properties over time. To mitigate this, many biogas and biofuel plants can operate on a limited range of different feedstocks, although flexibility in feedstocks and in managing feedstock quality over time normally increases cost for pre-treatment. Plants can operate most cost-effective with a continuous feed, but not all feedstocks are available all year round.⁵⁷

Energy, food and feed crops, for example, are only available once or twice a year at harvest and need to be stored, leading to losses of about 5-10%. Wastes are typically available throughout the year and low in cost, but rarely available in large enough quantities within reasonable transport distance to production facilities if not used on site. In general, low energy content limits the economically viable transport distance for feedstocks.⁵⁸

There is often a trade-off between the cost of the feedstock and cost for pre-treatment. Waste and lignocellulosic feedstocks are cheap, but require complex and expensive pre-treatment and/or collection processes and the amounts available in the local radius of the plants are often limited. Producers typically address these challenges by using a mix of waste, residues and energy crops.⁵⁹



BOX 1:

SUPPLY OF OTHER RENEWABLE FUEL PRODUCTION INPUTS



Feedstocks are the key issue for most bioenergy forms. However, other materials that are required in the production process for all types of renewable energy can also be a limiting factor. For the production of hydrogen, for example, the main feedstock – water – is normally not scarce, but can be an issue in water-stressed areas. Other individual components required in the production process, for example for electrolyser membranes, can also be limited in supply. This highlights the need to develop full supply chains, creating a big potential for jobs and economic activity, and also opportunities to create local added value, although this also requires a close look at the sustainability of input production.

Production processes for advanced biofuels and PtX are not yet commercial

Most of the modern renewable electricity technologies are available at commercial scale and are increasingly cost competitive with fossil fuel alternatives, in some regions even becoming the cheapest available source and seeing tremendous growth over the last decade. Solar PV and wind energy are technologically mature and proven in many local contexts. Concentrated solar power (CSP) has also reached commercial maturity and most new installations come with integrated thermal storage, reducing the variability of power supply. Geothermal and bio-power generation are also commercially available. Ocean power is still largely in the development stage and there are a number of different technologies around tidal stream and wave energy being tested.

The maturity of a technology in most cases directly translates into cost for installations (CAPEX) and thus the more mature it is, the less initial investment is required. It also indicates that earlier challenges in the production process have been overcome. However, with increased production new challenges can emerge. Larger shares of renewable electricity from variable

sources will require enhanced grid balancing and higher shares of biofuels necessitate modifications in engines. These issues are already being addressed in some countries as demonstrated by VRE shares of 60% in Denmark and high shares of biofuel consumption in Brazil, respectively.⁶⁴

Production processes for advanced biofuels and for PtX are not yet available at commercial scale, with the exception of HVO/HEFA. For some of the advanced bioenergy processes, it is difficult to achieve the economies of scale needed for fully commercial operations, owing to limited availability of regionally available feedstocks.⁶⁵ To solve this, plants can be built as bolt-on facilities, for example to existing first generation ethanol facilities, to reduce cost and enhance commercial viability.⁶⁶ Another option is to enhance efficiency through integration of production steps with existing refineries, which could work particularly for advanced drop-in fuels.⁶⁷

Hydrogen production processes from fossil fuels are well established. Producing hydrogen with electrolysers using renewable electricity is still in its early stage, although alkaline electrolysis is a mature technology that has been around since the 1920s and

proton exchange membrane electrolysis since the 1960s. Solid oxide electrolysis cells (SOEC) are still under development but have the advantage that they can be used in reverse mode as fuel cells, allowing them to easily provide grid balancing services. ⁶⁸ This also means that fuel cell manufacturers are in a good position to build SOEC electrolysers, possibly enabling rapid commercialisation.

Cost assessments for different bioenergy processes show that for some processes, especially advanced cellulosic ethanol production, capital cost play the major role in overall costs, while for others, such as HVO production, feedstock cost is the main factor. Producing biofuels or biomethane from wastes is significantly cheaper than from biomass feedstocks, as the overall cost is influenced by the negative waste feedstock costs. Producing Fischer Tropsch products or gasoline synthetic fuels are significantly more expensive than producing methane or methanol, given the added process complexity and energy requirements.⁶⁹

Distribution remains crucial and can add to cost

Commercial production of renewable energy is only attractive if the product can be distributed to the customer in a cost effective way. Accessing existing distribution infrastructure where suitable helps to reduce cost and makes the products more competitive. This is the case for renewable electricity, which mostly uses existing transmission grids, and for biomethane that is injected into existing natural gas grids. Liquid biofuels can also largely utilise existing distribution infrastructure, including those at filling stations. However the use of existing gas and electricity grid infrastructure comes with cost, usually to ensure the quality of the end product, although it still saves substantial capital investment compared to building up completely new distribution channels.

Where biogas cannot be injected into existing gas grids, the gas is usually transported by truck in high-pressure gas containers, or it is liquefied to increase energy density. Liquefying is energy intensive and expensive and only justified for long transport distances (>100 km) particularly where there are few available stops for refuelling.⁷²

For renewable electricity the use of existing grid infrastructure comes with the challenge of how to integrate VRE, which can lead to additional investment needs for transmission lines and grid management as the share increases. Only solar PV, wind and CSP produce power variably, depending on weather, seasons and the time of the day. Solar PV and wind

power have seen the largest growth over the last decade among renewable energy technologies, most of which has been without integrated storage.⁷³ There are a number of available solutions within the power sector to balance variability, including:

- **Supply-side:** enhanced weather forecasting, flexible generation options
- **Grid flexibility:** regional markets & interconnections, supergrids, large-scale storage
- System-wide: mini-grids & distributed systems providing services, optimising system operation, utility-scale battery solutions, PtX solutions, enabling technologies such as electric vehicles and heat pumps

Many renewable power solutions are dispatchable, such as hydropower, geothermal energy and biomass-based power generation. Additionally, enabling technologies that improve grid integration for variable sources already exist, including combining variable generation installations with battery storage, pumped hydro energy storage and the use of hydrogen, with different options suitable for different time scales, and with improved shortterm forecasting for renewable power generation.74 New CSP installations, for example, already typically come with thermal storage, and hybrid systems aim to use complementary generation patterns to reduce variability. 75 Additionally, enhancing and optimising the grid infrastructure and operations is key for a fully renewable power generation pathway (see also Section 3.3).

Managing demand is another alternative to address variable power generation from VRE. Traditionally, demand side management was mostly aimed at curtailing demand of larger, often industrial, customers. This developed further towards managing individual appliances and technologies, using modern communication technologies and appropriate incentives, such as time-of-use tariffs. Increasing rooftop PV systems with battery storage and electrification in heating and cooling now allows for those systems to also provide two-way services, delivering power to the grid for balancing, and even including the creation of virtual power plants, which could reduce cost for transmission systems. To

The transport sector has traditionally not been involved in grid stabilisation, with the very limited demand for electricity - mostly from rail services - taken directly from the grid. With increasing electrification of the sector, it can, however, play a critical role for grid stability (see Section 3.3).

3.2 TRANSPORT SECTOR PERSPECTIVES

The road transport sector is traditionally most concerned with the vehicle technology and the required fuel infrastructure. Sustainability concerns have long centred both on air quality and on GHG emission. In the US, for example, the first legislation regulating air pollutants from light-duty motor vehicles was passed as early as 1965.78 For decades, the number of vehicle technologies was rather limited, with combustion engines being the only commercially available option, and gasoline dominating the passenger vehicle market and diesel dominated freight vehicles. In some countries, liquefied petroleum gas (LPG) is also playing a role, mostly driven by the comparatively low cost for the fuel compared to gasoline and diesel and often supported by low taxes or other support systems. Gas, in compressed or liquefied form (CNG, LNG), has played only a small role at the global level.⁷⁹

The landscape of vehicle technologies has broadened over the last decades (see Figure 3.2), starting with the (re)introduction of hybrid models (HEVs) in 1997 that use a combination of an electric motor and an internal combustion engine. Here the battery is charged through regenerative braking and by the internal combustion engine with no external battery charging. In the early 2000s, this was followed by plug-in hybrid electric vehicles (PHEVs) that have the additional option to charge the battery externally.

The last decade saw substantial growth in fully electric carsⁱⁱ which run exclusively on electric power. The overall market shares are still small (only about 2% of the global market), and still much lower than PHEVs, but growth rates have been enormous (see Section 4.2). Fuel cell vehicles (FCEVs) are a special type of electric vehicle, where the electricity is not stored in batteries, but generated within the vehicle using hydrogen that combines with oxygen in a fuel cell.

ROX 2

GHG EMISSIONS VS TAILPIPE EMISSIONS

The term 'emissions', can meanvery different things to different people, especially if they come from different sectors. It is therefore necessary to clarify the use of the concept in the context of renewable energy in road transport:

GHG emissions refer to the amount of greenhouse gases that are emitted by the vehicle through the combustion of energy or through other processes along the value chain, such as fugitive emissions from oil extraction or from agricultural processes during the production of biofuels.


Tailpipe emissions refer to the air pollutants emitted during the operation of a vehicle and in addition to the GHG gases emitted by the vehicle include particulate matter, volatile organic compounds, nitrogen oxides, carbon monoxide and sulphur dioxide. These affect people's health and can lead to ill health and premature death.⁸¹

Many measures that reduce GHG emissions from transport also reduce tailpipe emissions. However, not all measures to reduce tailpipe emissions also contribute to GHG emission reductions. A shift to electric or fuel cell vehicles, for example, can drastically improve local air pollution, but has no or little effect on GHG emissions if the electricity or hydrogen used is produced from fossil fuels.

In this context, it is important to note that the terms "zero-emission vehicles" and "clean vehicles" normally relate to tailpipe emissions.



FIGURE 3.2: OVERVIEW OF VEHICLE TECHNOLOGIES FOR ROAD TRANSPORT



*Charging points can also be supplied by off-grid generation capacity and in the form of battery switching stations

** On-road means all solutions that charge vehicles while driving on the road, such as catenary lines

Hybrid vehicles have both a liquid fuel tank and a battery that is only charged through internal energy recovery

Plug-in hybrid vehicles have a liquid fuel tank and a battery that is charged from internal energy recovery, but that can also be charged externally from the grid

Source: own illustration.

The technology has only become commercial over the last few years and the number of vehicles deploying it is still very small.⁸²

There are further variations to the main technologies. Bi-fuel vehicles, for example, add a second fuel supply system and storage tank to a gasoline engine, usually as a retrofit. Such systems can then run on either gasoline or the alternative fuel, normally biomethane or LPG. Dual-fuel engines use diesel fuel and gas simultaneously, with limited modifications required to the engine.⁸³

Which vehicle technology – with its corresponding fuel – is most appropriate depends strongly on the type of vehicle and the use case. Passengers and freight have different demands on the technology. Whether a vehicle is used in an urban context, for regional transport outside urban centres or for long distances also plays an important role (see Figure 3.3 for an overview). There are also differences depending on whether individual vehicles or fleets are considered, for example for taxis, company vehicles or shared mobility services. Finally, there are differences in the development level of countries and regions, influencing challenges and opportunities.

Range, fuelling infrastructure and cost of vehicles and fuel play a central role in technology choices for most applications. For passenger vehicles other factors play an equally important role. Vehicles are still very much linked to social status and have a representative value, and the status of alternative fuel vehicles in this context is not yet established.

There is no 'one size fits all solution' for decarbonisation. Fully electric vehicles and fuel cells are only part of the story. It depends on the vehicle size and use case as to what powertrain is most suitable. A The view on what the most appropriate solution for increasing the use of renewable energy in a given use context will also differ depending on the actor. The next sections provide an overview of the critical issues from the perspectives of some of the main actors.

The shift to EVs and other alternative vehicles requires substantial investments from the automotive industry

For cars and sport utility vehicles (SUVs), only a very limited number of producers control the majority of vehicle production. For other vehicles, the market is less concentrated, but the issues that manufacturers are facing are very similar. Production lines are highly automated, and complex supply chains exist, often deploying just-in-time approaches. Engineers and workers have been trained for decades to optimise internal combustion engine design and relating vehicle technology and vehicle design and maintenance. It is therefore not surprising that the industry has been struggling to embrace electric vehicle technology, which requires a completely new skill set for engine manufacturing, energy storage and vehicle design.

FIGURE 3.3: OVERVIEW OF MAIN VEHICLE TYPES AND MAIN AREA OF USE

		Urban	Regional	Long-distance
		Short- to medium distances within an urban area	Short- to medium distances outside of urban areas	Distances >500 km, including inter-city travel
icles	Motorbikes, Rickshaws	2- and 3-wheelers		
Passenger vehicles	Used for carriage of no more than 8 passengers*	Pa	assenger cars	
Pass	Used for carriage >8 passengers*		Busses	
	Cargo bicycles with electric support	Electric cargo bikes		
Freight vehicles	Distribution vans, etc. <3.5 t*	Light commercial vehicles		
Freight	Trucks between 3.5 t and 12 t*		Medium-sized trucks	
	Trucks > 12 t*		Heavy-dut	y trucks

^{*} Based on classification of the European Alternative Fuels Observatory: https://www.eafo.eu/knowledge-center/european-vehicle-categories

Note: These represent only high-level categories. Most categories contain a variety of sub-categories that can have different implications for the suitability of individual renewable options.

Source: own illustration.

Uncertainty about which technology will prevail in the end hampered the willingness to invest large sums in research and development and the setup of alternative production lines for a long time.⁸⁶

Research and development. Traditionally, car manufacturers have invested highly in research and development, although most of this has revolved around optimisation of the end product and the production process. Seven of the top 25 companies with the highest R&D investment in 2018 are car manufacturers, but they do not feature among rankings of the most innovative enterprises. Only one automotive company – Tesla – appears in one ranking of the world's 10 most innovative companies.⁸⁷

Production lines. From the automotive industry perspective, blending of biofuels and development of drop-in fuels has been the most appealing solution. Existing vehicles need no or only limited adaptation, which means that current production lines, component supply chains and skills remain operational. For the electrification of vehicles and for hydrogen solutions, on the other hand, massive investments are required across the supply chain that will require new levels of collaboration and strategic partnerships to tap into new knowledge and innovation.⁸⁸

Maintenance. Large-scale electrification will lead to much lower maintenance needs. Vehicle dealers and mechanics are likely to face major implications. BEVs require less maintenance compared to conventional vehicles, because they have fewer fluids that need to be changed and far fewer moving parts that may need replacement. A main focus for maintenance becomes the battery, where manufacturers already offer different options, from long-term guarantees to renting out the batteries and replacing them when needed.

Skills. The need for new skills also needs to reflect in training curricula at all levels and across the value chain. With a growing pace of electrification, also continuous training and career reorientation will be rapidly needed. With increasing numbers of BEVs and FCEVs, the skill needed for producing the vehicles will change as will those of mechanics maintaining the vehicles and those disposing of the vehicles – and batteries – at the end of their lifetime. There are also job opportunities in these developments.

Business models. At the same time, business models are quickly changing, with a focus away from the production and sales of vehicles to the use

of vehicles through shared mobility and automated driving. Ownership models of passenger vehicles are already changing, with more and more cars being leased instead of bought. Pall of these factors affect vehicle sales, maintenance, intensity of vehicle usage and vehicle lifetimes. Manufacturers and vehicle dealers are starting to adapt to this new way of doing business and governments need to make sure that regulatory frameworks enable new business models. In parallel, new business models, inter alia, for charging and grid services are developing, offering new opportunities.

Consumers are largely concerned with convenient mobility

Private passenger vehicles

For the individual consumer, the decision of which vehicle to buy can be a complex process that is only partly determined by objective criteria. It is a decision that is not only very subjective, but also highly dependent on local circumstances, such as the existence of other means of transportation, local culture and available vehicle choices. While vehicle manufacturers do react to customer preferences, the end user can only buy what is on the market and locally available. A number of factors impact consumer choices:

Vehicle cost. The cost of the vehicle and the affordability compared to income is a key element in any purchase decision. Most customers focus on the initial price of the vehicle, rather than looking at overall lifetime cost. This puts more costly technologies, such as BEVs and FCEVs, at a disadvantage to ICE vehicles that can be run on conventional or advanced biofuels or electro-fuels. Potential cost savings through lower maintenance or lower cost fuels rarely factor in purchase decisions unless differences are significant and publicly discussed.

Fuel prices. The price of fuel plays a minor role for most purchase decisions. Only if the price difference is high enough or the customer is planning to drive extensively (e.g. taxis or sales representatives) will lower fuel cost outweigh higher vehicle cost. This was, for example, the case for LPG in Australia or diesel in Germany, where substantial price differences to regular gasoline led to a moderate uptake of these fuel technologies. Once a vehicle is owned, changes in fuel prices have limited impact on the distances travelled or on decisions to change the vehicle, unless forced by regulation or with extreme price differences.

Convenience. Consumers want to be able to travel whatever distance they want as fast as possible. Vehicles need to be easy to re-fuel and filling stations or charging points need to be available with sufficient coverage. For electric vehicles, for example, more than 85% of charging points are at home and/or the workplace. 95 Being able to charge your electric vehicle at home is not possible for everybody, especially in densely populated urban centres. Further development of battery range and expansion of public charging is essential to alleviate concerns about range-anxiety and to enable electric vehicles in urban areas. The time required for charging is also an important aspect for consumers.

Attractiveness. Private owners rarely make their choice purely on objective criteria. Criteria such as comfort, perceived reliability and brand also play a role. Yehicles also convey status and are often linked to a specific image of success, daring or adventure – which is largely influenced by advertising, traditionally favouring larger cars and SUVs. To some extent, customers express their personality through their vehicle. A wide enough range of models is needed to make any technology attractive for widespread uptake. This has favoured technologies that can be easily retrofitted in existing models or fuels that work with existing motors. With major brands starting to offer an increasing model variety of alternative propulsion vehicles, this situation is slowly changing.

Commercial vehicles

For buses, trucks, fleets and other commercially used vehicles, similar considerations apply. However, economic and operational considerations play a much more fundamental role compared to more subjective elements, such as attractiveness. Conventional biofuels, for example, do not meet the energy density requirements for long-distance applications. Commercial operators take a much closer look at overall lifetime cost, including fuel and maintenance. A key criterion for commercial activities is range and ease of re-fuelling. If range limits or long idle times for refuelling limit the use time of the vehicle, this seriously reduces the likelihood for uptake of a technology.

The type of renewable solutions selected for different transport applications need to fit with the wider energy system of an economy

From a societal perspective, decisions in the transport sector mainly aim to find the most appropriate technology solution for specific use cases and subsectors, with differences depending on the local context. The transport system is a crucial backbone

of economies and social life. It needs to ensure access to mobility for passengers and efficient movement of goods. At the same time, air pollution, safety and congestion are posing increasing challenges, especially in urban centres, around the world.¹⁰⁰

Overall system optimisation of transport systems will require drastic measures to change the mobility patterns towards more efficient modes (see Section 2.2). To maximise the share of renewable energy supply in transport we need to reduce the energy demand from the sector as far as possible (through avoid, shift and efficiency measures) and to balance transport sector energy demands for renewables with other sectors (See Sections 3.1 and 3.3). In short, to enable a maximum uptake of renewables across sectors, renewable energy needs to be deployed as efficiently as possible.

There are huge differences in the efficiency of transforming different types of renewable energy to the motive energy of a vehicle. Multiple conversion steps not only add cost, they also come with efficiency losses. While a fully electric vehicle can use around 69% of the renewable electricity generated, the additional losses for hydrogen conversion in a fuel cell vehicle lead to a significant drop in efficiency to 26%. Electro-fuels, with their additional step to produce the liquid fuel from the hydrogen, only use 13% of the original renewable energy for propulsion. This means that with widespread deployment of renewable electricity-based synthetic fuels compared to the direct use of electricity, renewable electricity demand for transport would be more than five times higher. 101 Similarly, production processes for biofuels have different levels of efficiency, depending on the feedstock used and the complexity of the production process.¹⁰²

Solutions that are limited in their efficiency and availability for scale-up could be used as transitory solutions and for applications where more widely available and efficient solutions are not (yet) technically feasible - within and outside the transport sector. With only 30 years to reach the net zero emission objective set in Paris, solutions also need to avoid investments in infrastructure and vehicles that do not have the potential for full decarbonisation, ¹⁰³ such as LPG and natural gas. Similarly, renewable electricity-based synthetic fuels can directly replacegasoline and diesel, making it unnecessary to develop a hydrogen supply infrastructure and introduce EVs. However, if they do not materialise, valuable time is lost. This poses a significant risk. Therefore, deployment of renewable electricity-based synthetic fuels should be focused on sectors where

no viable alternatives exist. 104 Table 3.1 provides an overview and brief analysis of the different renewable energy options for road transport.

Production capacity and infrastructure development will be key to the success of most of the renewable energy options available in transport. Biofuels

and synthetic fuels partially benefit from existing infrastructure, although some can require specific infrastructure or imply cost for additional treatment (see Section 3.1). Electric charging and hydrogen refilling networks will require substantive investments to create the network density required for widespread deployment.¹⁰⁵

TABLE 1: THE CASE STUDY PARAMETERS AND COMPARING THE APPROACH

	COST*	ENERGY EFFICIENCY	SUSTAINABILITY**	COMPETITIVENESS WITH OTHER USES	AVAILABILITY AT LARGE-SCALE	MOST APPROPRIATE USE CASE
CONVENTIONAL GASEOUS AND LIQUID BIOFUELS	\$	depending on feedstock & process	Low: high competition with food production	Medium: some use in power generation and residential heating/cooking	Not without compromising sustainability	Bridge towards other renewables, fuel for residual ICE stock
ADVANCED GASEOUS AND LIQUID BIOFUELS	\$\$	process	Medium: mostly indirect land-use change (ILUC)	Low	Availability of feedstocks limits production	MDV, HDV
RENEWABLE ELECTRICITY- BASED GASEOUS AND LIQUID SYNTHETIC FUELS	\$\$\$	Very low	High	Medium: high competition for intermediate product hydrogen, less for end product	Production technology not yet mature	
RENEWABLE HYDROGEN	\$\$\$	Low	High	High: chemical industry, power generation (storage) + replacement of current fossil hydrogen	Vehicle technology not yet mature, fuelling infrastructure limits deployment	
DIRECT ELECTRICITY FROM RENEWABLE SOURCES	\$\$	High	High	High: other end-use sectors + replacement of current fossil power generation	Charging infrastructure limits deployment	Passenger vehicles (all types), LDV

^{*} Cost indications cover total cost, including fuel, infrastructure and vehicles in the short- to medium term. Total cost is expected to decrease with technology maturity over time and with increasingly established infrastructure in place.

^{**} Apart from conventional biofuels, sustainability depends strongly on local circumstances, so assessment is only indicative. Sources: based on Baldino et al.; Danish Energy Agency and Energinet; Krishnaraj and Yu.¹⁰⁶

Hydrogen, with its low efficiency and high cost for infrastructure will likely target specific road transport applications that are hard to electrify, such as heavyduty long-distance transport. ¹⁰⁷ It can also play a role in shipping, aviation and some other industries. The need for dedicated distribution infrastructure may limit its use to specific countries or regions. ¹⁰⁸

3.3 THE NEXUS OF RENEWABLE ENERGY AND TRANSPORT

The discussion of how to integrate a growing number of electric vehicles with existing power systems is gaining momentum. However, there are further implications for the wider energy system.

The following sections discuss aspects of the nexus between renewable energy and the transport sector.

Managing the energy system is becoming increasingly challenging

In traditional electricity systems, demand is viewed as variable but relatively inflexible and predictable. Small variations historically have been covered by operational reserves at fossil fuel or hydropower generators, where dispatchable power plants can be ramped up and down where necessary. Including growing VRE generation capacity and increasing demand from transport electrification requires a new paradigm concerning how electricity systems work.¹⁰⁹

BOX 3

VEHICLE-INTEGRATED SOLAR PV



The most direct way to ensuring renewable electricity is used in road transport is to directly integrate power generation from renewables into the vehicle. With technology improvements, cost reductions and increasing electrification, integrating high-performance solar cells into vehicles is attracting increasing interest from car manufacturers. The first car models are on the brink of becoming commercially available, enabling range extension without using larger batteries.

For larger vehicles, such as buses and trucks, integrated solar PV systems can go a long way to provide power for auxiliary systems as well as extending their travel range. With higher usage in commercial vehicles, integrated systems could soon become economically viable.¹¹⁰

Increasing energy demand. From a global energy perspective, renewable energy has seen tremendous growth over the last decade. However, modern renewable energy (excluding the traditional use of biomass) still represented only 11% of total final energy consumption in 2018. This is because the last decade has also seen a rapid increase in energy consumption, la leading to a situation where the additional renewable energy capacity has mostly

supported additional capacity needs from growing consumption. This leaves a large amount of fossil fuel use that remains to be replaced to achieve the agreed decarbonisation of the global economy by 2050, especially in the transport sector, which is still largely dominated by fossil fuels and is growing faster than other sectors. This poses challenges in allocating potentially scarce resources for the full decarbonisation of all sectors.

Biofuels, mostly in the form of biogas, are already used for power generation and in the industrial and residential sectors. Apart from the already existing uses for hydrogen, renewable hydrogen could additionally play a role for energy storage in the power sector, enabling short-term as well as seasonal flexibility. He share of electricity in final energy use is expected to increase significantly, and IRENA for example estimates that it could reach 45% to 60% depending on the region by 2050, up from 7% to 25% in 2017. Apart from electric vehicles, this includes heat pumps to provide heating and cooling for buildings and shifts in industrial processes towards electric furnaces, solar thermal, and heat pumps. IIS

With all sectors aiming to increase their use of renewable energy, scaling up renewable energy to provide sufficient supply in the appropriate form for different uses will be the challenge. This will require careful alignment of supply and demand planning.

Peak demand. Supporting moments of exceptionally high electricity demand requires large and expensive backup capacity within any energy system. Adding EV charging to existing power demand patterns, could potentially add to the peak demand, particularly if based on current charging patterns which favour overnight charging when owners return home from work in the evening and buses and fleets returning to their bases. Charging patterns vary for different use cases and vehicle types, but current patterns could increase peak demand, if left unmanaged. ¹¹⁶

Power grids. Electric charging stations can have significant impact on local grids on cables, distribution transformers, and other components as well as power quality or reliability. Especially for high concentrations of EVs, for high-voltage charging and in remote areas where this can pose challenges for the affected grids. Grids in remote areas, for example along transit corridors, are often not yet equipped for higher power levels. ¹¹⁷

Household electric systems. EV charging, especially if combined with renewable energy generation at the household level, can provide challenges for household electrical systems and local distribution transformers.¹¹⁸

Technical solutions to capture synergies between the transport and energy system exist

Grid services from EVs. Private vehicles spend most of their lifetime parked, although patterns may change with increased shared mobility solutions, especially in urban settings. Nevertheless, with the steep increase in the total number of electric vehicles, total storage capacity in vehicles is projected to dwarf stationary

battery storage capacity in the longer term. ¹¹⁹ Smart charging solutions can help to reduce peak demand, by adjusting the rate of charging to times with less overall demand. Unidirectional controlled charging (V1G) can do this. Vehicle-to-grid (V2G) solutions go even further and allow vehicle batteries to act as storage that can be used for grid balancing and system servicesⁱⁱ. Similarly, vehicle-to-home/building (V2H/B) solutions integrate the vehicle battery storage with household or building electricity systems and can supplement household power storage (See also Section on solar-battery-EV systems below).¹²⁰

To enable uptake of such technologies, business models need to account for the needs of the power system (remuneration from providing services to power systems) as well as of the vehicle owners (mobility and preserving the condition of the vehicle). Time-of-use tariffs or real-time-pricing can provide incentives to use such technologies, but in most cases more regulatory reforms are needed to enable EVs to provide auxiliary services to the grid (see Section 5).¹²¹

The key to any form of smart charging is communication technology. It not only allows customers to access public charging points and to manage billing, it is also essential to exchange information flows about grid loads, vehicle status and customer preferences. One example is the new 'Plug and Charge' technology, which is currently under development and which can help balance the grid while making the charging more convenient for customer.¹²²

EV smart charging still requires comprehensive on-site testing and research to fully understand its costs and value. It also requires new enabling technologies (e.g. Internet of Things, artificial intelligence and big data), business models (e.g. pay-as-you-go), and system operation innovations (e.g. cooperation between TSOs and DSOs) to support implementation at scale.¹²³ With data exchange being at the heart of all smart charging solutions, standardised data exchange protocols and data protection are key to move the technologies forward


Hydrogen for 'sector coupling'. The hydrogen production process through electrolysis can be used to balance the grid. The idea is basically to use excess renewable power to produce hydrogen and then use this for transport and other sectors. 124 However, this impacts the financial viability of the still costly production process and can increase the cost of the fuel for transport and other purposes, if not compensated through payments for grid services, as it reduces the operating time of the electrolysers.

ROX 4

OPTIONS FOR GRID SERVICES FROM EVS

The most frequently discussed service that can be provided by EVs is the reduction of peak demand or 'peak shaving' which involves reducing the local stress on distribution grids. There are, however, other flexibility services that can have positive effects on system integration. For example, increasing the rate of renewable energy self-consumption has a direct influence on the uptake of renewables through electrification (see Figure 3.4).¹²⁵

FIGURE 3.4: POTENTIAL RANGE OF FLEXIBILITY SERVICES PROVIDED BY EVS



Source: IRENA.¹²⁶

Despite the low cost of the electricity in those times, electrolysers work most economically if they run continuously, and not only when excess renewable power is available.

Adapted grid design. Transmission and distribution grid networks can be designed in a more decentralised way, for example by incorporating larger scale storage systems at strategic points throughout the system, to allow meeting local peak load requirements without the need for transporting electricity through congested grid lines.¹²⁷

Strategic infrastructure siting. Locating charging points at strategic points to encourage daytime charging, for example at the workplace or at shopping malls can help reduce peak demand. ¹²⁸ Siting should also consider available grid infrastructure and loads.

Integrated solar-battery-EV systems. Directly integrating solar PV home systems with batteries and EVs can increase the financial viability of such systems and reduce pressure on the grid through self-consumption, especially in rural and suburban areas. Such systems could become even more attractive under policy frameworks that allows households to sell their solar power at wholesale power market prices, and to earn grid services income. 129 Such solutions can also offer great opportunities for combining renewable power generation with electric mobility in remote areas in developing countries, where smaller EVs (often two-wheelers) can be used to add to or even replace stationary storage. For public charging, especially in urban environments, solar charging solutions can prevent the need for digging trenches for cables and save construction cost.130

However, with shorter parking times and the demand for fast and ultra-fast charging, the technical requirements for public solar-based charging are much higher. To maximise the use of solar power, different charging stations can also be aggregated into microgrids with shared battery storage, so that power generated or stored in unused stations can be used elsewhere.^[3]


Battery swapping. Here the battery is exchanged with a fully charged one, eliminating the need to wait during charging. The batteries in the 'swap hubs' can be used for grid services. Battery swapping can reduce 'range anxiety,' since fuelling up is as fast as with conventional ICE vehicles, while also reducing the need for high- and ultra-high voltage charging and the related challenges to the transmission grid. Solutions that combine fixed batteries that are charged

when parking with exchangeable batteries could bring further flexibility and allow combining home charging with increased range.

The role of digital solutions. For EV charging, the key benefits of digital solutions, such as blockchain, are the possibility to have secure and cheap transactions, direct settlement and high interoperability and automation of services, enabling customer-to-customer solutions, for example to allow charging while at a friend's house.¹³³

Overall, the technical solutions exist, but some are still under development and all require concerted efforts by policy-makers, grid operators, manufacturers and the ICT sector to enable a rapid scaling up of deployment.





4. MARKET TRENDS FOR RENEWABLE ENERGY SOLUTIONS IN TRANSPORT

This section discusses the main market trends underlying the decarbonisation of road transport from the renewable energy and transport perspectives in 4.1 and 4.2, respectively. Section 4.3 highlights examples of where the shift to "clean" vehicles and the transition to renewable fuels and electricity have developed together.


4.1 RENEWABLE ENERGY PRODUCTION

In 2017, the majority of renewable energy in total primary energy supply came from biofuels and waste (10%), most of this being from the use of solid biomass. Wind, solar, and other modern renewables still only represented 2% of total energy supply.¹³⁴

Overall, shares mask the tremendous increases in renewable energy capacity deployed over the last decade (see Figure 4.1). In 2018, for example, investment in renewables capacity was about three times higher than the global investment in coal and gas-fired generation capacity combined.¹³⁵

The overall share of modern renewable energy in total final energy consumption remains moderate at 11.1% in 2018. Most of this is from the use of renewable thermal energy (an estimated 4.4% of total final energy consumption), followed by hydropower (3.6%), other renewable power sources including solar PV and wind power (2.1%), and transport biofuels (1%).¹³⁶

FIGURE 4.1: TOTAL PRIMARY ENERGY SUPPLY BY SOURCE (2017) AND RENEWABLE ELECTRICITY GENERATION BY SOURCE 1990-2017









FIGURE 4.2: GLOBAL PRODUCTION OF ETHANOL, BIODIESEL AND HVO/HEFA, BY ENERGY CONTENT, 2009-2019



Source: REN21.138

Biofuels production has almost doubled over the last decade

Biofuel production and use in transport has been largely triggered by policies (e.g. biofuel blend mandates) which were instrumental in driving investment in biofuel production capacity (see Section 5). ¹³⁹ Nevertheless, total investment in biofuels has been marginal compared to wind power and solar PV. ¹⁴⁰ Global investments in biofuels production, including conventional and advanced biofuels, have been on a declining trend since the late 2000s/early 2010s. ¹⁴¹

Global production of **liquid biofuels** totalled 161 billion litres, equivalent to 4 EJ, in 2019 (see Figure 4.2). The liquid biofuels industry is concentrated on the production of ethanol and biodiesel. In addition, production capacity has increased for other diesel substitute fuels (HVO/HEFA)^{1,143} In 2019, ethanol accounted for around 59% of biofuel production (in energy terms), FAME biodiesel for 35% and HVO/HEFA for 6%. Other biofuels included biomethane and a range of advanced biofuels, but their production remained less than 1% of total biofuels production. 144

The largest producers of liquid biofuels were the United States (41% share) and Brazil (26%), both of which mostly produce ethanol, and, more distantly, Indonesia (4.5%), China (2.9%) and Germany (2.8%). Consumption is largely domestic, although significant export/import flows exist, particularly for biodiesel. M5

In the United States, around 6.4% of bus fleets use biodiesel, and in the EU 9.9% of buses use biodiesel and 0.6% use biogas. ¹⁴⁶ Trondheim (Norway) introduced 189 new public buses running on either biogas or biodiesel in 2019, and the initiative is extending to other Scandinavian cities. ¹⁴⁷ Public buses in Sweden have run completely on biofuels (dominated by biodiesel) since 2019. ¹⁴⁸

Biogas is still mainly used for electricity production, although the industry, particularly in North America, Europe and China, is beginning to diversify by refining increasing amounts of biogas to biomethane for use in transport.ⁱⁱ The worldwide share of biogas use as vehicle fuel, although still very low (<1%), is growing steadily.¹⁴⁹ **Biomethane** is used as a transport fuel mainly in Europe and the United States, which is the largest producer and user of biomethane for transport.¹⁵⁰

US production has accelerated since 2015, when biomethane was first included in the advanced cellulosic biofuels category of the US Renewable Fuel Standard (RFS) and in state initiatives such as California's Low Carbon Fuel Standard, thereby qualifying for a premium (see Section 5).¹⁵¹

In Europe, the use of biomethane for transport increased 20% in 2018 to 8.2 PJ. As of 2018, there were 660 European plants producing some 90 PJ (2.3 billion cubic metres) of biomethane. Sweden remained the region's largest biomethane consumer, using nearly 60% of the total, followed by Germany, Norway and the United Kingdom.¹⁵²

In the United Kingdom, a nationwide network of public biomethane refuelling stations for heavy goods vehicles was being installed on major routes to reach fleet operators across the country, serving major trunk roads and cities. ¹⁵³ Similar networks were being developed in Finland and Sweden. ¹⁵⁴

Biomethane is also increasingly used for waste collection vehicles, as part of wider efforts to transition to a circular economy. In Berlin (Germany), the local waste management company operates a biomethane plant that uses 60,000 tonnes of sourceseparated waste as feedstock. On average, 95% of the biomethane produced by the plant is used internally to supply the 150 compressed natural gas trucks that collect the waste weekly. 155 Oslo (Norway) also expanded its use of biogas to waste disposal trucks in 2019. In 2019, the City of Fresno (California, US) signed a two-year agreement with Clean Energy for liquefied biomethane, produced from solid waste, to power around 140 waste trucks. 157 Seattle (Washington, US) had 100 waste trucks as of 2019 - most of them powered by biogas from waste and biodiesel from vegetable oil - and the city planned to double this fleet by 2020.¹⁵⁸ Biomethane from dairy and landfill waste will power 86 waste trucks in Chicago (Illinois, US), 40 in Spokane (Washington, US) and 35 in Long Beach (California, US). 159 In Surrey (Canada), a biomethane plant opened in 2018 to convert municipal waste and power the city's waste collection trucks. 160

More and more cities are also using waste to generate advanced biogas. In Spain, the city of Barcelona (with co-funding from the EU) has invested in an energy-efficient wastewater treatment system to produce biomethane for transport, and Vilasana has invested in biogas production from pig slurry plants for use in vehicles. In 2017, Kolkata (India) invested in a pilot project for buses running on locally produced biogas from animal and human waste, with the low cost of the fuel being a main driver of the initiative. Io

Vaasa (Finland) purchased 12 public buses to run on biogas from sewage sludge from its wastewater treatment facility and separately collected biowaste, highlighting the co-benefits of local job creation across the biogas value chain.¹⁶³

Interest in biomethane has also increased in public transport in recent years. In 2019, the Public Transport Central Purchasing Office (CATP) and Ile-de-France Mobilités ordered 409 biogas buses to operate in the Paris metropolitan area (France). 164 Trondheim (Norway) introduced 189 buses powered by biomethane. 165 In the UK, the city of Bristol announced plans to procure 77 biomethane-fuelled buses. 166 Karachi (Pakistan) was developing a bus rapid transit system with more than 200 public buses fuelled by biomethane produced from 3,200 tonnes of cow manure; it was scheduled to begin operations in 2020. 167

Taking existing gas infrastructure and available feedstock resources into account, countries with a high potential for establishing a biogas-as-fuel market in the near future include China and India. However, these countries still need to add significant infrastructure (biogas filling stations and vehicles) in order to enable the use of biogas as a transport fuel. Other countries with smaller populations already possess the established infrastructure for gas as vehicle fuel despite having less residual biomass available in absolute terms. These include Italy, Argentina, Colombia, Pakistan and Iran. 168

The production of **HVO/HEFA** has experienced robust growth in recent years, rising 12% from 6 billion litres in 2018 to 6.5 billion litres in 2019. One of the main reasons for this growth is rising demand from road transport, especially heavy goods vehicles. To



SIDEBAR 2: RENEWABLE ENERGY USE IN AVIATION AND SHIPPING



Aviation and shipping are characterised by long distances, heavy weights and high energy density fuels, such as kerosene and heavy fuel oil. The specific requirements of the sectors mean that renewable solutions such as biofuels and electrification are generally more challenging to implement in those sectors.

Electrification. While full electrification may be difficult for larger vessels and long distances, there are many applications in aviation and shipping where small vehicles are used for short and medium distances. Electrification of ferries is already starting and the first fully electric two- and four-seater airplanes are being tested. 77 In 2020, the world's largest all-electric container ship, the Yara Birkeland, was expected to take its first voyage, with the timeline being set back due to the Covid-19 pandemic. 172 For larger aircraft, hybridization is being tested. The E-Fan X, for example, is a hybrid-electric aircraft, currently being jointly developed by Airbus, Rolls Royce and Siemens.¹⁷³ In shipping, around 80% of oceangoing ships now use diesel-electric transmission systems. Although these do not yet allow propulsion by electric means only they could be further developed and integrated with on-board solar or wind generation.¹⁷⁴

Hydrogen. The use of hydrogen-powered fuel cells for ship propulsion is still at an early design or trial phase – with applications in smaller passenger ships, ferries or recreational craft. No fuel cells have been scaled for and used on large merchant vessels thus far. In comparison to the currently used diesel engine, the fuel cell powertrain and fuel are still too expensive. In addition, international technical standards still need to be developed in order to use gaseous fuels (such as hydrogen).¹⁷⁵

Ammonia. "Green" ammonia is produced by reacting nitrogen, separated from air, with renewable electricity-based hydrogen. It can be used as a fuel in shipping and aviation. Advantages to the direct use of hydrogen is that it is easier to store and can be burned in standard internal combustion engines. Nitrogen oxides, the only GHG emitted by the combustion of ammonia, could be eliminated by installing catalytic systems. Conventionally produced ammonia is already stored and handled in 120 ports around the world.¹⁷⁶

In aviation, the British aircraft-engine manufacturer Reaction Engines is working on a fuel system in which ammonia is exposed to a catalyst that splits it into nitrogen and hydrogen, with the latter burned in the aircraft engine. As in shipping, the advantage of ammonia over hydrogen is that it can be more easily stored, although safety issues do still apply. However, ammonia is less energy dense than kerosene, so its use would be limited to short-haul flights.¹⁷⁷

RE-based synthetic fuels. With synthetic fuels still being largely in the development phase, there is not yet a market in the aviation and shipping sector. Many in the sector regard such fuels as essential in delivering substantial GHG emission reductions from the sector. For example, the Global Alliance Powerfuels aims to make these fuels marketable and call for blending mandates for the sector.¹⁷⁸

Policy efforts to mitigate GHG emissions from international aviation and shipping are coordinated largely at the international level by the International Civil Aviation Organization and the International Maritime Organization, respectively. However, some countries are also taking national measures: Finland, Norway, Brazil and Indonesia announced biofuel mandates for aviation while France and Germany established aviation taxes. Additionally, some countries published roadmaps related to domestic aviation and inland shipping. In 2019, Norway released an action plan for green shipping which outlines the government's ambition to cut emissions from domestic shipping and fisheries by half by 2030. Also, the United Kingdom published the "route map" for its Maritime 2050 strategy - a clan maritime plan - which entails research on incentives for zero emission shipping and encourages the uptake of low-carbon fuels.¹⁷⁹

Consequently, the biofuels industry has progressively increased its investments in HVO/HEFA production facilities which are concentrated in Finland, the Netherlands and Singapore. 180 HVO/HEFA plants are large-scale and already commercial, but their long-term business expansion is constrained by the global availability of waste oils and fats-based feedstocks. 181

Renewable electricity capacity is rising while cost continues to fall

More than 200 GW of new renewable power capacity was installed in 2019, of which 57% was solar PV (115 GW), followed by wind power (around 60 GW for 30%) and hydropower (some 16 GW for 8%). The remaining 5% of additions were from bio-power, geothermal power and CSP.¹⁸² The share of electricity generated by VRE (wind and solar PV) has been on the rise in most countries around the world. Overall, at least eight countries i produced more than 20% of their electricity from VRE in 2019, with some countries shares reaching as high as 60% (Denmark).¹⁸³

By the end of 2019, the total installed capacity of renewable energy globally (2,588 GW) was enough to provide an estimated 27.3% of global electricity generation. Hydropower still made up the majority (58%) of this estimated generation share, followed by wind power (22%), solar PV (10%) and bio-power (8%).¹⁸⁴

Investment in renewable power capacity (excluding hydropower >50 MW and biofuels) reached USD 282 billion in 2019, compared to USD 99 billion investment in new coal, natural gas and nuclear power generating capacity. ¹⁸⁵

In 2019, for the fifth year in a row, net additions of renewable power generation capacity overwhelmingly outpaced net installations of both fossil fuel and nuclear power capacity combined, making up 75% of net additions.¹⁸⁶

Renewable electricity shares are rising rapidly in many countries and regions. Over the past decade, the EU saw strong growth in its share of renewables in electricity generation, up from 19% in 2009 to an estimated 35% in 2019.¹⁸⁷

In certain European countries, the shift was even more dramatic, such as in Denmark (from 39% to 77%) and Germany (16% to 42%). ¹⁸⁸ In the United Kingdom, the share of renewable electricity generation increased from 8% to 38% between 2009 and 2019. In the United States, it only increased from 10.2% to 17.4%, even though 282 GW of capacity were added in 2019. ¹⁸⁹ Despite China more than doubling its total renewable electricity production during the decade, the renewable share of electricity generation in the country grew more modestly from 16.6% to 26.4%. ¹⁹⁰



ROX 5

RENEWABLE ELECTRICITY USE IN RAIL

Rail is the most electrified transport sub-sector, with three-quarters of passenger rail transport activity being electric. This represents a great opportunity to increase renewable energy uptake in the transport sector.^[9] The share of renewables in rail transport currently only stands at 11%,^[92] but several tenders and renewable energy purchase agreements have been recently signed between railway operators and renewable energy producers.

In the Netherlands, 100% of the electric trains have been powered by wind energy since 2017. Tokyo's (Japan) Setagaya light rail line has been using 100% renewable power (from geothermal and hydropower) since early 2019. The German railway company Deutsche Bahn signed the country's first offshore wind power purchase agreement (PPA) in an effort to source 100% of its electricity from clean sources. Under a recently signed PPA, a small portion of SNCF's (France) train operations will be sustained by utility-scale solar PV by 2022-2023. In 2019, the first 100% solar-

powered railway line opened in Hampshire (UK).¹⁹³ In addition to increasingly sourcing renewable electricity for railway operations, some countries like India, Australia and Argentina are also pursuing efforts to power railway stations with solar PV.¹⁹⁴



Renewable power-to-X fuels are still in their infancy

Demand for **hydrogen** has grown more than threefold since 1975, although virtually all hydrogen is still produced from fossil fuels in 2019. However, momentum for renewable hydrogen (produced through electrolysis) has been slowly building in recent years, especially for vehicle fuelling, with a growing number of countries implementing policies to support fuel cell vehicles and related infrastructure. Globally, the number of projects and installed hydrogen electrolyser capacity have grown considerably from less than 1 MW in 2010 to more than 100 MW by mid-2020.

In 2019, the electric utility Vattenfall and the oil and fuel company Preem were collaborating on designing a 20 GW renewable hydrogen facility in Sweden that is expected to become Europe's largest facility. During the year, offshore wind power developers in Europe also advanced efforts to produce hydrogen from excess wind energy for greater grid flexibility or for use in transport and industry. Provided the world's largest offshore

wind developer, announced plans to use electricity from wind farms being built off the Dutch coast to produce hydrogen for sale to industrial customers. Also in 2019, Siemens joined a partnership to develop a hybrid solar PV-wind power project in Australia for hydrogen production, and partnered with Shell (Netherlands) and grid operator TenneT (Netherlands/Germany) to propose a joint offshore wind power and hydrogen tender in Germany.

The costs of low-carbon and renewable hydrogen produced via electrolysis fell 45% between 2015 and early 2020, but have remained high relative to non-renewable hydrogen. Comparisons to conventional fuels are difficult due to differences in taxation and subsidies of gasoline and diesel across countries. However, the Hydrogen Council estimates that hydrogen could become competitive with other low-carbon alternatives at around 2 USD/kg H₂ for cars and at 3 USD/kg H₂ for trucks. In China, renewable electricity-based hydrogen is currently produced at just under 3 USD/kg H₂.

All stages of the power-to-liquid process have been demonstrated, producing **liquid synthetic fuels** based on renewable electricity. Sunfire has successfully run a demonstration-scale facility in Dresden (Germany) since 2014 and is currently planning a commercial-scale plant in Stavanger (Norway) which is scheduled to go operational in 2023.²⁰⁵ Soletair Power has run a pilot at Lappeenranta University (Finland) and received funding in 2019 for further piloting which aims to improve air quality in buildings by capturing CO₂ and converting it to synthetic fuels.²⁰⁶

4.2 TRANSPORT MARKETS

The transport sector is driven by an ever increasing demand for mobility, especially in non-OECD countries.²⁰⁷ Combined with increasing levels of income in many countries, this has led to a growing number of vehicles and increasing rates of motorisation across the globe.²⁰⁸ Notwithstanding, total vehicles sales have remained relatively stable over the last years, with sales peaking in 2017 for passenger cars and 2018 for motorcycles, while commercial vehicle sales continue to grow.²⁰⁹ As of 2017, around 99% of the passenger cars produced worldwide were equipped with internal combustion engines, with the majority of these being gasoline or diesel (95%).²¹⁰

Conventional drives still dominate the market

While **cars** are running mostly on gasoline in most parts of the world, idiesel remains the primary fuel for **heavy-duty vehicles** (HDVs). The share of diesel in overall oil-based road fuel consumption rose from 38% in 2000 to nearly 45% in 2019, largely due to greater road freight activity. Tailpipe CO₂ emissions from trucks and buses have risen by around 2.6% annually since 2000, with trucks accounting for over 80% of this growth. The support of the world in the support of the

Urban **buses** account for around 8% of the GHG emissions (per passenger-kilometre travelled) associated with transport.²¹³ Diesel was the most popular bus fuel in 2019, used in half of the world's bus fleets, while another 17.4% of buses consumed diesel with additives, and compressed natural gas buses accounted for 10.5%.²¹⁴

The number of **natural gas vehicles** (NGVs) worldwide has grown over the last few years. Globally, there were about 22.7 million NGVs operating in 2015 (compared to 28.5 million in 2019). Trucks fuelled by either compressed or liquefied natural gas accounted for around 1% of the total stock in 2015, with around half a million heavy-freight trucks on the road, mostly in India and China. More recently, developments have favoured the penetration of methane for trucking in three regions: China, Europe and the United States. In Europe alone, the number of registered natural gas

vehicles rose by more than 70% (to more than 6,000 vehicles) in 2019. ²¹⁷

Although not an avenue for increased penetration of renewable electricity, **hybrid vehicles**, together with avoid, shift and efficiency improvements, contribute to reduced fuel demand and remain far more numerous than BEV and PHEV.²¹⁸

Alternative drives are growing rapidly, but market shares remain small

Electric vehicles

The number of **electric passenger cars**ⁱⁱ on the road neared 7.2 million in 2019 with 3.4 million of them in China alone, up from only 17,000 in 2010. Nevertheless, this still represents less than 1% of all cars in circulation worldwide. In 2019, electric car sales were 40% higher than in 2018, which represents a slowing down compared to the growth rates of 63% and 58% for 2018 and 2017, respectively,²¹⁹ with BEVs growing faster than PHEVs. The slowdown is likely based on the scaling back of subsidies in China, aimed at spurring innovation.²²⁰ Overall, while still small, the market is rapidly moving towards mainstream customer acceptance, with a growing number of models available from different companies, decreasing vehicle prices and increasing range. iii 221 In the US, for example, there are currently 35 BEV models and 45 PHEV models available, with ranges from 60 to 402 miles.²²² China has an even larger range of models, with 34 manufacturers producing a variety of models. There are, however, large differences in the type of models and technology preferences - BEV or PHEV - between regions. While China has a larger range of popular small and micro BEVs, the US has a more equal portfolio of BEV and PHEV models.²²³

Urban **buses** represent a great example of rapid EV market uptake, mostly owing to depot availability for charging, municipalities' ambitions to reduce local air pollution, and the longer-term investment portfolios of some municipal fleet managers.²²⁴ China has led the way in bringing domestically made batteries and buses to market, first to Chinese cities and increasingly to European as well as Latin and North American cities.²²⁵

Almost all of the world's electric buses (more than 98%) in 2018 were deployed in China, estimated to represent around 18% of China's total bus fleet.²²⁶ Shenzhen, for example, has more than 16,000 electric buses in operation.²²⁷ More than 2,100 electric buses are in use in European cities such as Berlin (Germany), London (UK), Rotterdam (Netherlands) and Moscow (Russian Federation), and e-buses are also deployed in Japan, the United States and Latin America.²²⁸

In Latin America, the demand for electric buses is surging. Santiago (Chile) already operates 200 e-buses, the largest fleet in the region, and was expected to add another 500 in 2020, supporting its plan to make 80% of the city's buses electric by 2022.²²⁹

Light commercial **trucks** operating in urban environments, especially those belonging to large coordinated fleets and logistics services, have also begun to electrify rapidly. China again leads the way: the country accounts for 65% of the global fleet of electric light commercial vehicles, with nearly 250,000 on its roads.²³⁰ Many major postal and package delivery companies such as Amazon, DHL, DB Schenker, FedEx, the Ingka Group, UPS and the Swiss and Austrian postal services, have pledged to expand their electric fleets in the near future.²³¹ (See Sidebar 3)

A group of European manufacturers delivered electric medium-freight trucks to selected fleet operators (such as logistics companies and waste collection services) for commercial testing; these included more than 50 electric trucks from DAF, MAN, Mercedes and Volvo.²³² However, the market for electric medium- and heavyduty freight trucks remains small. China was the first mover in the electrification of heavy-duty transport, where an estimated 1,000-2,000 medium- and heavyduty electric trucks were sold in 2018, mostly for garbage collection and other municipal operations.²³³ In Europe, the number of battery and plug-in electric trucks registered more than doubled between 2018 and 2019, with nearly 750 new vehicles registered, 80% of them in Germany.²³⁴

A growing number of zero-emissions medium- and heavy-duty truck models are becoming commercially available, reflecting the need to reduce emissions from



vehicle manufacturing since it is the overall life cycle GHG emissions of vehicles and their fuels that need to be reduced.²³⁵ The range of prototypes, demonstration trucks, and commercially available hydrogen fuelcell and plug-in electric trucks continues to expand. Bollinger and Toyota (North America), Tata (India) and BYD and Chanje (China) introduced prominent new 2019 and 2020 models. In 2019, Daimler Trucks – the world's largest truck maker – committed to selling only zero-emission vehicles by 2039 and to abandon the development of natural-gas-powered trucks. The CEOs of Volvo and Scania also recently expressed their views that the electrification of HDVs is crucial to reach climate targets. Both Volvo Trucks and Renault Trucks started producing electric trucks in 2019.²³⁶

In recent years, **electric two- and three-wheelers**, including electric bikes, bicycles, scooters and motorbikes, have evolved as a convenient, rapid means of travelling in cities. In 2019, there were an estimated 800 million electric two-wheelers, at least 51 million three-wheelers and more than 200 million electric bicycles on the world's roads.²³⁷ Over the past two decades, two- and three-wheeler fleets have expanded at an annual average rate above 7% in many middle-and low-income countries including Bangladesh, India, Indonesia, the Maldives, Myanmar, Nepal, the Philippines and Sri Lanka.²³⁸

The use of electric two-wheelers in European cities has surged since 2017, mostly through shared rental schemes.²³⁹ More than 50 electric scooter companies are active in cities worldwide, some of which have started to link their scooters to renewable electricity.²⁴⁰ For example, Lime – active in more than 100 cities across Europe, North America, Latin America, the Middle East and Asia – charges its entire fleet of 120,000 scooters with 100% renewable energy.²⁴¹

Investments in **charging infrastructure** has also been essential in enabling the electrification of road transport. In 2019, the first electric highway was built in Latin America with 157 km served by four charging points, while China reportedly installed more than 1,000 EV charging stations per day.²⁴² Globally, there were an estimated 7.3 million electric vehicle chargers installed, with the majority (6.5 million) being private slow chargers. Publicly accessible chargers only represent 12%, with two thirds of these being slow chargers and one third fast chargers. While absolute numbers for public charging are still low, with 862,118 chargers installed globally, this represents a tremendous growth compared to the 3,994 installed chargers in 2010. China is dominating the market, with around 80% of publicly accessible fast chargers and 50% of publicly accessible slow chargers installed in 2019.243



Fuel cell electric vehicles

The hydrogen used in transport remains 99% fossil fuel-based. Although expanding more rapidly than ever, FCEVs still account for only 0.5% of new low-carbon vehicles sales. Although expanding more rapidly than ever, FCEVs still account for only 0.5% of new low-carbon vehicles sales. Although the global stock of FCEVs doubled to 25,210 units at the end of 2019, compared to 11,200 at the end of 2018. Most of this growth was due to expansion in China which, since 2019, has the second-largest stock of FCEVs, followed by Japan and the Republic of Korea. The United States remain the world leader in FCEV stock, with approximately one in three FCEVs running on US roads.

The situation in China and the Republic of Korea has been particularly dynamic in recent years, with new sales growing from a few units in 2017 to over 4,000 in each country in 2019. In China, the impressive progress was stimulated by policies supporting the adoption of fuel cell **buses** (with a stock close to 4,300) and light-duty trucks (over 1,800), making China the leader in global stock of fuel cell buses and **trucks**.²⁴⁶

At the end of 2019, 470 hydrogen **refuelling stations** were in operation worldwide, an increase of more than 20% from 2018. Japan remained the leader with 113 stations, followed by Germany (81) and the United States (64). Similar to FCEVs, the number of refuelling stations increased threefold in China in 2019 (from 20 to

61), giving China the fourth-largest number of stations, followed by the Republic of Korea, Japan, and Germany.²⁴⁷

4.3 THE NEXUS OF RENEWABLE ENERGY AND TRANSPORT

Energy for the transport sector accounted for 29% of total final energy consumption globally in 2018, and the sector is still dominated by oil and petroleum products.²⁴⁸ Only 3.4% of global energy demand in the sector was met by biofuels and 0.3% by renewable electricity in 2018 (see Figure 1.1).²⁴⁹

Road transport accounted for around 75% of global transport energy use in 2018, with passenger vehicles representing more than two-thirds of this. ²⁵⁰ Road freight consumes around half of all diesel fuel and is responsible for 80% of the global net increase in diesel use since 2000, with the increase in road freight activity having offset any efficiency gains. ²⁵¹

Growing demand from all sectors coupled with supporting policies affect the market for biofuels, renewable electricity and PtX fuels as discussed in Section 4.1. In this section, we take a closer look at the market for technologies that enable a better integration of increased electrification of transport into the grid, particularly in combination with enhanced renewable electricity generation.



Smart charging is ready for market deployment, but more advanced applications are still only deployed at small scales

A number of solutions are available to support smart charging for customers, mostly using V1G. The WallBox home charging solution is a smart charging system that automatically charges EVs when energy costs are the lowest, managing recharge with intuitive sense technology. The SMATCH B2B solution by ENGIE allows the user to indicate charging needs while maximising the use of local renewable energy generation and reducing peak demand in the process. Similarly, the EVlink solutions developed by Schneider Electric offer smart charging solutions for home and public charging.²⁵²

Utrecht (Netherlands) launched its Smart Solar Charging system in early 2019 using locally produced solar electricity and linking it with EV charging. Utrecht's system enables EVs to participate in smart charging, or vehicle-to-grid (V2G) technology, which entails charging or drawing from EV batteries in response to the needs and capacities of the national electric grid (see Section 3).²⁵³ Another smart charging project is being developed by the transmission system operator TenneT in the Netherlands, using the aggregator Vandebron. Vandebron aggregates a fleet of EVs to provide automatic frequency restoration reserve to the TenneT grid. To do so, the aggregator temporarily stops and restarts the charging sessions of EV customers. This service is facilitated mainly to Tesla drivers, who receive a payment in exchange for their participation.²⁵⁴

Integrated solar-battery-EV systems are ready for large-scale deployment

There are a number of grid-connected and off-grid solutions available in various countries that combine solar power generation with EV charging, for home and public charging. In China, the first solar-powered charging stations were installed in 2017. In 2019, the first solar-storage-charging microgrids were launched and further individual charging stations installed.²⁵⁵ Envision Solar is offering different off-grid solar-powered charging solutions, mostly to business customers across the US.256 The German energy company Innogy launched a first solar-based fast charging station near Duisburg, also offering peak load buffering services to the grid. The French DRIVECO developed a fully solar-powered charging station, charging up to eight vehicles at a time and creating a microgrid with other stations.²⁵⁷ In India, Magenta Power started setting up solar powered charging points in 2018 in Navi Mumbai, 258 quickly rolling this out along corridors, starting with the Mumbai - Pune Expressway.²⁵⁹ In Australia, CSIRO developed a solarpowered charging system, mostly aimed at household use, and is currently running a pilot phase. 260 Further reductions in energy storage cost will make integrated solar-battery-EV systems more economically attractive.

Other solutions for enhanced integration are still in their early stages

Strategic infrastructure siting. While siting of charging points at convenient locations for daytime charging, such

as workplaces and shopping malls, is already under way, it is rarely part of a strategic effort to reduce peak demand or to move charging to locations that are favourable for the distribution grid.

Battery swapping for passenger vehicles was pioneered by Better Place already in 2008 in Israel with limited success. However, the model seems to receive revived attention, particularly for captive fleets and two-and three-wheelers. Battery-swapping stations exist for buses (mostly in China and the Republic of Korea) and two-wheelers, such as for example Gogoro, a successful start-up selling e-scooters and charging a monthly subscription fee to use the battery-swapping stations, some of which are already equipped with solar panels.²⁶¹ Gogoro is currently operating over 1,700 swapping stations around Taiwan, holding a 16% market share.

Blockchain technology has been deployed in the "Oslo2Rome experience", a 2017 initiative involving European utilities and encompassing 1,200 public and private charging stations equipped with the Share&Charge App of MotionWerk. The Share&Charge App is meant to allow EV users access to charging stations across Europe using blockchain for payment on the first borderless electric vehicle charging network. In the Netherlands, transmission system operator TenneT is piloting using blockchain technology for managing its grid, including managing EV charging. ²⁶²

Linking vehicle charging / fuelling directly to renewable electricity generation is picking up momentum

There are some examples of linking EV charging directly with renewable electricity production, largely based on policy decisions of individual entities. Several cities are working to ensure that EVs are charged with renewable electricity. As of 2018, Austin (Texas, US) had installed

more than 650 public EV **charging stations** that rely entirely on renewable power.²⁶³ In Rabat (Morocco), the Moroccan Institute for Research in Solar Energy and New Energies is installing a series of solar-powered car ports to recharge EVs.²⁶⁴

There are also examples of electric waste **trucks** powered by renewable electricity. In 2019, East Waste was developing a 30 kW solar PV system in Adelaide (Australia) to provide clean electricity to its fully electric waste collection truck.²⁶⁵

Also, as more local governments transition to electric **bus** fleets, a few are linking them with renewable energy. In 2019, a bus charging station in Jinjiang's Binjiang Business District (Fujian Province, China) was charging its electric buses using solar power.²⁶⁶ Portland (Oregon, US) announced that its entire electric bus fleet would be powered by wind energy.²⁶⁷ The electric bus fleet of Bergen (Norway), consisting of 136 buses, was expected to start running on 100% renewable energy in 2020.²⁶⁸

In 2017, the Moreland Council and the Victorian State Government (Australia) built a commercial-scale renewable hydrogen refuelling station for waste collection (garbage) **trucks** aimed at tackling urban noise and air pollution.²⁶⁹ In Europe, Akuo Energy and Atawey announced a plan in 2018 to deploy 33 renewable hydrogen refuelling stations to provide fuel for 400 hydrogen **logistics vehicles** in Paris and other French towns and cities.²⁷⁰

Hydrogen **buses** are scaling up rapidly, with several hundred already on the roads in certain Chinese cities.²⁷¹ A new H2Bus consortium in Europe, announced in 2019, aims to deploy 1,000 commercially competitive buses fuelled with hydrogen from renewable power, the first 600 of which are due by 2023 in cities across Denmark, Latvia and the UK.²⁷²



SIDEBAR 3: PRIVATE SECTOR-LED PLEDGES AND INITIATIVES TOWARDS A RENEWABLES-BASED ROAD TRANSPORT SECTOR



Fossil fuel and combustion-engine vehicle restrictions set by national and local governments put increasing pressure on car manufacturers to adapt their product portfolios. National phase-out goals going into effect 10 to 20 years in the future, the growing number of local access and circulation restrictions, and stricter EU emission standards for cars and vans in place from 2020 are eliciting responses from the auto industry. Many car manufacturers are increasingly committing to the production of models equipped with alternative propulsion engines, especially electric cars.²⁷³

Some private companies are also pushing forward with their own renewable energy initiatives in transport, sometimes regardless of government policy support. This includes efforts to couple EV charging with renewable electricity: In 2019, EVgo, the largest public EV fast-charging network in the United States, contracted for 100% renewable electricity. Another US company, Enel X, is undertaking a project in Hawaii to maximise EV charging at times when solar electricity generation is highest. In Nairobi (Kenya), the company M-KOPA has a pay-as-yougo programme that gives small loans to motorcycle

owners who install solar PV systems at home to charge their vehicles.²⁷⁴ In Europe (and elsewhere), the ride-hailing and car-sharing markets keep growing as does the industry's commitment towards electrification, with a few companies such as We Drive Solar in Utrecht (Netherlands) and WeShare in Berlin (Germany) procuring renewable electricity for charging.²⁷⁵

Other renewable fuels have also attracted the interest of the private sector. The Royal Dutch Shell oil company has hydrogen refuelling stations in UK cities that are supplying hydrogen produced on site using electricity from renewable sources. This is part of the company's goal of achieving net-zero carbon by 2050. 276 The supermarkets Waitrose (UK) and Carrefour (France) have also made pledges to reduce GHG emissions in their delivery services, hence why they have integrated several biomethane trucks into their fleets. 277

Road freight is made up of many commercial businesses operated by private companies. This is a critical difference from the passenger road transport

side where public actors are much more involved (including in the direct provision of services) and trip choices are associated with personal behaviour. For road freight, the private sector ultimately defines operational procedures and supply chains, thus private companies need to play a leading role in decarbonising the sector. Major postal and package delivery companies such as DHL, UPS and FedEx are expanding their low-carbon transport fleets.²⁷⁸

Recognition among peers and the wider public is also an incentive for businesses to decarbonize and increase the share of renewables in their fleets. Therefore, voluntary schemes where companies and other partners (e.g. governments and public entities at the national, regional or local levels) cooperate to achieve targets and implement low-carbon solutions play an important role as well. Some examples of institutionalised collaborative initiatives include:

Launched in 2018, the Transport Decarbonisation
 Alliance is a collaboration between countries, cities/
 regions, and companies to accelerate the worldwide
 transformation of the transport sector towards a net zero emission mobility system before 2050.²⁷⁹

- below50 a global collaboration that brings together the entire value-chain for sustainable fuels -fuels that produce at least 50% less CO₂ emissions than fossil fuels. below50 is creating a global campaign for local action, taking a global strategy and implementing solutions at a local level.²⁸⁰
- Launched at the 8th Clean Energy Ministerial meeting in 2017, the EV30@30 Campaign aims to accelerate the adoption of electric vehicles within the participating countries. It sets a collective goal to reach a 30% sales share for electric vehicles by 2030. By 2020, 23 companies and organisations (including utilities, automotive and EV services sectors) support the EV30@30 Campaign.²⁸¹
- Similarly, **EV100** is a global initiative led by companies committed to accelerating the transition to EVs by 2030. In 2019, 67 EV100 member companies from 80 markets worldwide had rolled out more than 80,000 EVs and over 1,100 EV charging stations. The number of EV100 members using 100% renewables for their EV charging also increased significantly from 29% to 43%, while the number of members at least partially powering vehicles with renewables increased to 88%. ²⁸²





5. POLICY AND REGULATORY FRAMEWORKS

Policy making for transport decarbonisation entails coordination between all relevant ministries, government agencies and businesses at national and local levels. However, these groups represent multiple, and sometimes contradictory, interests and objectives, ²⁸³ including improving local air pollution, mitigating transport-related GHG emissions, increasing the renewable energy share, achieving equitable access to transport, reducing congestion, improving road safety, and creating economic opportunities.²⁸⁴

While the shift to alternative powertrains is mostly driven by transport policy, the production of renewable electricity and fuels is strongly driven by energy policy. ²⁸⁵ So far, the main goal of renewable energy policies has been to increase the capacity, share, and supply of renewable electricity and fuels in the energy mix. The transport sector's priority has been to grow the stock of "clean" vehicles with a clear focus on tailpipe emissions. ²⁸⁶

However, the decarbonisation of the transport sector requires integrated, coherent and co-ordinated policy efforts at all levels (international, national and sub-national) and across policy sectors, including energy and transport policy, aimed at reconciling the production and use of renewable fuels with the adoption of cleaner vehicles. By the same token, the shift towards more renewables in the energy sector can only be helped by pressure from one of its biggest users – transport – for greater supply of these fuel types. Thus, the relationship could and should be beneficially mutually interdependent if policies that target the production of renewable fuels and electricity are integrated with incentives for clean transport.²⁸⁷

Key policies and regulatory frameworks implemented to advance renewable energy generation are analysed in section 5.1 while policies supporting the transition to cleaner vehicles are assessed in section 5.2. The main opportunities, challenges and best practices within these policy and regulatory frameworks are also discussed. Section 5.3 provides examples of integrated policies that help bridge the renewable energy-transport nexus.

5.1 THE RENEWABLE ENERGY PERSPECTIVE

Policies supporting the production and use of biofuels for transport continue to be the most common renewable energy policy in the road transport sector, with sustainability concerns over first generation biofuels contributing to growing policy support for advanced biofuels. Policies that stimulate the deployment of renewable energy in the power sector, increasing the share of renewables in the electricity mix, directly impact the share of renewables in transport, namely in EV fleets. Other renewable transport solutions such as renewable hydrogen and renewable electricity-based synthetic fuels are also slowly starting to attract policy attention.

Conventional biofuels are mostly driven by blending mandates

Biofuel **blending mandates**, i.e. the requirement for fuels to contain a minimum share of biofuel, remain one of the most widely adopted policies for increasing renewable fuels in road transport, and these policies are prevalent across all regions and countries.²⁸⁸ To date, at least 70 countries have blending mandates for conventional biofuels at the national and/or subnational level.²⁸⁹ However, despite being mandatory, these policies are not always enforced which raises questions about their effectiveness.²⁹⁰

Most liquid biofuels are currently consumed through blending at low percentages such as E10 (10% ethanol, 90% gasoline), B5 (5% biodiesel, 95% diesel) and B2.²⁹¹ However, higher biofuel blend mandates exist in Europe, North and South America.²⁹² Examples include Brazil (E27), Costa Rica (B20), India (E20), Indonesia (B30), Paraguay (E25), Minnesota (US) (E20), Norway (E20) and Zimbabwe (E20).²⁹³

As a result of the ongoing debate about the sustainability of first-generation biofuels, policy makers are introducing **sustainability criteria**, including for example minimum criteria for GHG emission savings, to ensure that only sustainable biofuels receive policy support.

The EU, the US, Canada, and Brazil have established policy frameworks to promote biofuel sustainability which have led to growing interest in advanced biofuels (see next sub-section on advanced biofuels).²⁹⁴

Financial incentives for liquid biofuels exist in some countries such as Thailand, the US and Brazil, often in addition to blending mandates.²⁹⁵ In 2016, Thailand supported E20 and E85 blends, going beyond the existing blending mandates, as well as a trial programme for the use of B20 in trucks and B10 for military/government use.²⁹⁶ Brazil's RenovaBio programme, signed into law in 2019, includes estimated financial support of around BRL 9 billion (USD 2.2 billion) for the ethanol sector and another BRL 4 billion (USD 1 billion) for increased sugarcane production through tax exemptions.²⁹⁷ The programme also introduced **emissions reduction** targets for fuel distributors, with the option to demonstrate compliance by buying traded emissions reduction certificates awarded to biofuel producers.²⁹⁸ A few jurisdictions also provide financial support for distribution infrastructure to help bridge the nexus between biofuels production and its use for road transport (see Section 5.3).

Many countries also support biogas use as vehicle fuel with tax exemptions, investment subsidies or other incentives for biogas injection into the natural gas grid. Investments are being made based on such considerations in China, France, the UK and Scandinavia.²⁹⁹

Policy support for advanced biofuels is still limited

Standards that specify reductions in fuel life-cycle carbon intensity such as California's (US) Low Carbon Fuel Standard and Canada's Clean Fuel Standard are particularly effective in creating demand for advanced biofuels.³⁰⁰

By the end of 2019, eight countries had specific **mandates** for advanced biofuels, and at least 16 EU countries as well as Thailand, the United Kingdom and the United States had future **targets** for advanced biofuels.³⁰¹ Finland set a target to increase the share of advanced biofuels in road transport to 10% by 2029.³⁰² The UK created a specific target for advanced waste-based biofuels, starting at 0.1% in 2019 and rising to 2.8% in 2032.³⁰³

The EU Renewable Energy Directive (RED) II includes a transport target requiring at least 14% of the energy consumed in road and rail transport to come from renewable sources by 2030. There are also dedicated objectives for advanced biofuels within

the transport target; advanced biofuels must supply a minimum of 0.2% of transport energy by 2022, 1% by 2025, and at least 3.5% by 2030. Since 2015, a 7% cap for food/feed-competing feedstocks has been established to comply with the mandatory 10% renewables transport target for 2020 in the existing RED (Directive 2015/1513 regulating indirect landuse change, ILUC).³⁰⁴

The US Renewable Fuel Standard (RFS)ⁱⁱ requires obligated parties (fuel refiners, blenders, and importers) to supply increasing amounts of biofuel in road transport.³⁰⁵ An increasing volume schedule is set annually for different biofuels, with cellulosic biofuel having its own mandate within the RFS.³⁰⁶

Public procurement programmes to support advanced biofuels are also being implemented in some jurisdictions. For example, Swedish regional authorities have used strict environmental criteria in public bus procurement for some time, leading to a remarkable increase in the use of renewable fuels in public bus fleets in recent years: Stockholm's public buses run mostly on liquid and gaseous biofuels, including 13% of advanced biofuels.³⁰⁷

Despite the dominance of market-pull policy instruments (as those mentioned above), significant resources also have been dedicated to supporting technology **research**, **development and demonstration**, in particular through grant instruments for advanced biofuels.³⁰⁸

Effective support for advanced biofuels must include both technology-push and market-pull instruments which are long-term, technology-specific, deal with the sustainability of feedstocks up front, and support offtake and cost containment.³⁰⁹ Further enabling regulatory and policy frameworks for advanced biofuels would be particularly useful in Latin America, China and ASEAN countries, as they possess significant feedstock resources.³¹⁰

Policy instruments for renewable electricity are well proven, but effectiveness is still hampered by persistent fossil fuel subsidies

Targets are the most popular form of policy intervention to spur investments in renewable electricity. As of 2019, 166 countries and over 350 cities had some form of target for renewables in the power sector.³¹¹ Other policy instruments used to promote large-scale renewable power include renewable portfolio standards (RPS) and other quota obligations, feed-in policies (tariffs and premiums), auctions, and financial incentives (e.g. grants, rebates and tax credits).³¹²

Increases in renewable electricity capacity are critical to ensure a full decarbonisation of the transport sector, especially fleets that run on electricity. Wellington (New Zealand), which had previously set a city-wide target for 78-90% renewable power by 2030, is capitalising on its high renewable electricity share (82%) to promote EVs as a way to increase the use of renewables in the transport sector.³¹³

Technology maturation and declining costs, coupled with favourable policy attention, have also

contributed to increasing interest in **renewable power purchase agreements** (PPAs) by cities as well as corporations to power their fleets.³¹⁴ For example, San Francisco (California, US) committed in 2017 to purchasing renewable electricity from two local projects – including a 61.7 MW wind project and a 45 MW solar PV project – to power its rapid transit system.³¹⁵ Several transport companies have also entered agreements to source renewable electricity to achieve decarbonisation targets. (See Box 5 and Sidebar 3).

BOX 6

THE ROLE OF FOSSIL FUEL SUBSIDIES

A challenge to increasing the share of renewables has been persistent subsidies for fossil fuel consumption which increased 30% between 2017 and 2018. Fossil fuel consumption subsidies reached an estimated USD 400 billion in 2018. To put this in context, this is more than double the estimated support for renewable power generation.³¹⁶ 2019 saw a 38% rise in overall fossil fuel production support, with the transport sector responsible for just over a quarter and petroleum production for over two thirds of total subsidies.³¹⁷

Whether supported by subsidies or not, low fossil fuel prices encourage further demand for fossil fuels and reduce the competitiveness of renewable energy solutions. As countries implement fossil fuel subsidy reforms, the reallocation of savings from reduced subsidies could for example aid in the energy transition and provide other economic, social and environmental benefits.³¹⁸



The use of renewable electricity in transport thus presents a key opportunity for policy-makers to better integrate energy and transport policy in the context of decarbonisation (see Section 5.3).

Dedicated policies to support hydrogen are emerging, but yet rarely tied to renewable power

Until recently, the scaling-up of (renewable) hydrogen mostly relied on cross-cutting, technology-neutral policies aimed at climate change mitigation, such

as for example California's (US) Low Carbon Fuel Standard and Zero Emissions Vehicle mandate, and China's New Energy Vehicle Mandate. However, direct policy support has started to emerge: By mid-2019, there were at least 50 hydrogen **targets and mandates** in place globally, with most relating to its use in transport, albeit rarely explicitly mentioning renewable hydrogen.³¹⁹ For example, Japan adopted a plan to set up 10,000 hydrogen refuelling stations and 10 million hydrogen fuel cell vehicles worldwide within 10 years.



The Republic of Korea introduced a roadmap for a hydrogen economy, which outlines the country's plans to increase the production and use of hydrogen vehicles, expand the production of fuel cells and build a system for the production and distribution of hydrogen.³²⁰

During 2019, several jurisdictions released **strategies** and plans for renewable hydrogen specifically, often in parallel with **financial incentives** to support their implementation. Australia released a National Hydrogen Strategy which allocates AUD 1.1 billion (USD 0.76 billion) to help fund renewable hydrogen R&D, hydrogen refuelling infrastructure, and a "clean energy" innovation hub to explore hydrogen storage and distribution.³²¹ The state of Western Australia launched a strategy that includes grant funding to study the use of hydrogen as a transport fuel. 322 The UK government announced a GBP 12 billion (USD 15 billion) plan to generate hydrogen using offshore wind power.³²³ New Zealand also launched a roadmap for the development of a new renewable hydrogen industry.324

In June 2020, Germany launched its national hydrogen strategy, placing particular emphasis on renewable hydrogen.³²⁵ The strategy targets a total capacity of 5 GW of hydrogen electrolyser installations by 2030 and an additional 5 GW up to 2035. The German stimulus package agreed in the

same month includes EUR 7 billion (USD 7.8 billion) aimed at supporting the market uptake of hydrogen technologies in the country.³²⁶

In July 2020, the European Commission released its hydrogen strategy for a climate neutral Europe. A key aim of the strategy is to decarbonise hydrogen production, building on the cost reductions of renewable electricity and use it across industry, transport, and buildings sectors. For this, it envisions the installation of 6 GW of renewable hydrogen electrolysers in the EU by 2024 and at least 40 GW by 2030.³²⁷

Globally, over 220 electrolyser installations have come online since 2000 due to government support. 328 However, significant regulatory challenges remain for the use of hydrogen in road transport, mostly associated with the permitting and construction of necessary infrastructure and with the transport of hydrogen, 329 and hydrogen plans should be based on renewable energy to ensure it adds to decarbonisation efforts.


5.2 THE TRANSPORT SECTOR PERSPECTIVE

Most transport policy measures focus on improving fuel economy and reducing vehicle emissions of conventional vehicles or encouraging alternative/cleaner vehicles such as flexible-fuel vehicles and EVs, with the main goal of improving air quality. Some of these policies also facilitate the uptake of renewables in the sector.

Vehicle emission standards are key to promote renewable energy in vehicles

Vehicle emissions standards typically regulate ground-level air pollutants associated with road vehicles. These emissions standards can indirectly incentivise the uptake of newer, more efficient vehicles, but are in principle designed for the improvement of air quality, not the reduction of GHG emissions. Additionally, gains in efficiency have in the past been overcompensated by growing vehicle size and increasing mileage.³³¹ Specific **GHG emission** standards have been increasingly implemented over the last decade, mostly for passenger cars and light commercial vehicles. They have helped to improve the CO₂ emissions performance and are becoming increasingly ambitious (see Figure 5.1). Some of these, such as the EU's CO₂ emission performance standards, include incentive mechanisms for zero and low emission vehiclesⁱ, for example through relaxing the fleet target if a defined share of zero or low emission vehicles is exceeded.332

FIGURE 5.1: HISTORICAL FLEET CO2 EMISSIONS PERFORMANCE AND CURRENT STANDARDS (GCO2/KM NORMALISED TO NEDC) FOR PASSENGER CARS (TOP) AND LIGHT COMMERCIAL VEHICLES (BOTTOM)



Details at www.theicct.org/chart-library-passenger-vehicle-fuel-economy

2015

2020

2010

Source: ICCT.333

CO2

40

20

2000

---- Enacted target

2005

2025

2030

Updated May 2020

At a sub-national level, Minnesota (US) implemented two standards to reduce emissions of CO_2 and other pollutants from light-duty passenger cars, trucks and SUVs.³³⁴ In terms of heavy-duty vehicles, in 2019 the EU reached a provisional agreement on CO_2 emission standards for trucks.³³⁵ Also implemented since 2019, China's Phase III standards are promoting the efficiency of new buses and trucks.³³⁶

GHG emission standards can support the uptake of renewables indirectly, but require agreement on the accounting of renewable energy sources, which is particularly challenging for biofuels.³³⁷

Vehicle fuel economy standards do not directly regulate GHG emissions but can help increase the share of renewable energy by cutting overall energy demand. However, efficiency gains have in the past largely been compensated by increasing size and

weight of vehicles.³³⁸ By 2019, only 37 countries had fuel economy policies for light-duty vehicles, covering 80% of the light-duty market globally, a total that is unchanged since 2017.³³⁹ Five countries – Canada, China, India, Japan and the United States – had fuel economy standards for trucks, covering just over half of the global road freight market.³⁴⁰

Japan updated its fuel efficiency standards for trucks and buses in 2019, mandating efficiency improvements of 13.4% for trucks and 14.3% for buses by 2025 (compared to 2015). Argentina, Brazil, Mexico and South Korea are in various stages of developing policies to improve the efficiency of their HDV fleets.³⁴¹

More and stricter fuel economy and CO₂ emission standards and regulations are necessary to foster the widespread deployment of renewable energy solutions for heavy freight trucks.³⁴²

BOX 7:

THE ROLE OF LOW-EMISSION VEHICLE ZONES



Cities are increasingly setting fuel and/or vehicle restrictions within their jurisdictions. As of mid-2020, low-emission vehicle zones (LEZs), which limit or prohibit the access of certain types of fossil fuel vehicles in defined city areas, are present in over 270 cities.³⁴³ The majority of existing LEZs are in Europe, with some recently created in Asia, mostly in Chinese cities.³⁴⁴ For example, in 2019 London (UK) introduced a municipal ultra-low emission zone, which imposes a charge for diesel vehicles whose engines are not certified to

the latest Euro 6 standard, as well as for most petrol cars older than 14 years. The zone has recently seen an increase in charge and operating time, and will be expanded further geographically in 2021.³⁴⁵

Although their main goal is to improve local air quality, LEZs can promote renewable technologies, if designed accordingly. Some cities have set specific exemptions for low-carbon vehicles in their LEZs: In Madrid, for example, only BEVs, FCEVs, PHEVs with a minimum electric range of 40 km, and range-extended electric vehicles are allowed to circulate and park without restrictions in its LEZ. Madrid Central.³⁴⁶

While supporting BEVs and FCEVs can lead to enhanced use of renewables in the medium term, as increasing shares of electricity and hydrogen are produced with renewable energy, LEZs do not directly support the short-term uptake of renewables. To do so, requirements would need to be placed on energy sourcing, or available fuelling/charging infrastructure within the zones would need to be made fully renewable. Notwithstanding, these measures are forcing auto makers and truck makers to diversify powertrains.³⁴⁷

Fiscal measures need to be well designed to avoid increasing inequality in mobility access

Fuel taxes such as the German 'eco-tax' on fuels introduced in 1999 have been the main government tool to steer fuel demand together with reduced fuel taxes for specific fuels such as for diesel or LPG. It is important to note that some countries also subsidise fossil fuels for transport to ensure the mobility of their population, thus providing a negative incentive for the adoption of renewable energy in transport. In Brazil, there is a differentiated fuel taxation system that favours E100 over lower blend alternatives in some states.³⁴⁸

Some countries also use **taxation of vehicles** based on emissions and/or fuel economy. Such taxes can apply either when buying a vehicle or during ownership. Within the EU, for example, 16 countries have purchase taxes in place that directly relate to the CO₂ emissions of the vehicle and one, Denmark, based on fuel consumption. 15 EU countries have annual vehicle taxation in place that is linked to the CO₂ emissions of the vehicle. 349 However many of these have had limited benefits for the decarbonisation of road transport in the past. The growing preference for large passenger cars on the roads today shows that more ambitious and welltailored fiscal interventions are required.³⁵⁰ The French bonus/malus system, also referred to as 'feebate' system, is a good example of effective policy design, but also demonstrates the importance of careful design. The system has seen various adjustments, which have increased effectiveness over time.i

At the federal level, the US is providing a range of purchase incentives for fuel cell vehicles, PHEVs and battery electric two-wheelers as well as support for infrastructure development and alternative fuel vehicle manufacturers, mostly through **tax credits.**³⁵¹

In 2020, 15 countries represented in the Economic Community of West African States adopted a set of policy instruments to support the uptake of cleaner fuels and vehicles in the region. These include a vehicle fuel efficiency roadmap that aims to double efficiency of the fleet by 2030 through a mix of fiscal incentives and other measures to promote electric vehicles.³⁵²

Pricing reforms are often perceived to put additional burden on lower income populations, since the tax or fee represents a greater portion of the income for those households. This is not necessarily true, as it depends strongly on the distance travelled by different modes and lower-income households have been shown to drive less and use less fuel than higher income households. Vehicle purchase taxes and incentives are also often perceived as benefitting higher income households, with zero emission vehicles still being more expensive in many markets and with lower-income households often purchasing used cars where benefits don't apply. Real effects and public perceptions need to be carefully analysed in the specific context and policies need to be tailored to avoid real or perceived inequalities. This can, for example, be achieved through needs-based discounts, using revenues for the benefit of disadvantaged groups or to reduce regressive taxes such as sales taxes.353



EV deployment targets are on the rise and increasingly ambitious

Several countries have set 100% EV targetsⁱ including Denmark, Netherlands, Norway, Slovenia, Cabo Verde and Sri Lanka.³⁵⁴ India launched its National Electric Mobility Mission Plan, which includes a target of 7 million hybrid and electric vehicles by 2020.³⁵⁵ Canada announced deployment targets for zero emission vehicles such as EVs in 2019.³⁵⁶ Pakistan approved a national EV policy with targets aimed at seeing EVs capture 30% of all passenger vehicle and heavy-duty truck sales by 2030, and 90% by 2040.³⁵⁷

The California Sustainable Freight Action Plan is the first to set EV targets for freight, aiming to deploy over 100,000 zero emission freight vehicles and associated equipment while maximizing the share of renewable electricity in transport by 2030.³⁵⁸

Policy-makers are combining push and pull policies to trigger EV uptake

The mix of policy instruments adopted by high EV-uptake markets address the various prevailing consumer barriers of affordability, convenience, and awareness.³⁵⁹

China leads EV deployment globally. Since its landmark national campaign "Ten Cities, Thousand Vehicles", launched in 2009,³⁶⁰ EVs have seen tremendous growth, initially driven by air quality concerns. Currently, EVs represent a key element of the national industrial policy.³⁶¹ This led to the introduction of the New Energy Vehicle (NEV) mandatory credit policy, which was launched in 2018.362 Similar to the California Zero Emission Vehicle (ZEV) mandate, it requires manufacturers to achieve a predefined amount of NEV credits per year. Credits are assigned to individual models based on a number of metrics such as electric range and energy efficiency.³⁶³ So far, China is the only country implementing industrial policies that not only favour NEV manufacturers, but that effectively ban **investment** in new ICE manufacturing enterprises that do not respect a number of energy performance related requirements.364

In most countries that support electrification in transport, targets and regulation are complemented by **financial incentives**. China's NEV programme includes a subsidy for different vehicle types, which has been constantly reduced as prices decrease and is scheduled to run out by 2022.³⁶⁵

Countries like China that are entering the phase of mass EV deployment have been restructuring their

incentive programs and planning a reduction in direct subsidies.³⁶⁶ In addition to China, Belgium, Canada, France, Germany, India and Spain have also started introducing **subsidy caps** based on the vehicle retail price to avoid subsidising the purchase of premium EVs and therefore that of luxury products.³⁶⁷

In the US, the state of California continues to offer a number of financial incentives to stimulate the uptake of EVs, including trucks, buses and off-road vehicles, 368 including the ZEV mandate which was already introduced in 1990, and taken up by nine other states.³⁶⁹ In July 2020, California adopted the world's first mandatory sales requirement for zero emission heavy-duty trucks. The new Advanced Clean Trucks regulation requires manufacturers to sell increasing percentages of zero emission trucks. This complements existing fuel efficiency and GHG emission standards and aims to promote the change to alternative drive technologies. California plans to complement this with further regulation that will require fleet owners to purchase an increasing share of zero emission vehicles.370

Canada is also providing purchase incentives and tax write-off benefits to incentivise use in fleets.³⁷¹ India implemented the Faster Adoption and Manufacturing of Electric Vehicles in India Phase II (FAME Phase II) scheme, which includes a USD 1.3 billion budget over three years to reduce the purchase price of hybrids and EVs through rebates.³⁷² Colombia also established various incentives for EVs, including discounts on insurance premiums, exemptions on vehicle traffic restriction measures, and preferential parking.³⁷³

Several governments also stimulate EV growth through **public procurement** programmes. As part of its economy-wide roadmap to achieve net zero emissions by 2050, Costa Rica committed to public procurement of electric buses and taxis.³⁷⁵ India's National Electric Mobility Mission Plan calls for replacing the national government's fleet of petrol- and diesel-powered vehicles with EVs.³⁷⁶ In the United States, the state of Virginia dedicated USD 20 million to fund a new initiative to accelerate the deployment of electric school buses, and New York City committed USD 1.1 billion to purchase and deploy 500 electric buses for public transit.³⁷⁷ Chile's capital city, Santiago, deployed 200 e-buses in 2019 as part of a plan to cut emissions and reduce air pollution.³⁷⁸

Fuel cell vehicle policies are strongest in Asia and often integrated with EV support policies

While deployment of FCEVs is low compared to PHEVs and BEVs, several countries have announced ambitious

targets towards 2030, including the US, China, Japan and the Republic of Korea, amounting to 2.5 million FCEVs.³⁷⁹

In 2019, the Republic of Korea announced its Hydrogen Economy Roadmap targeting FCEV passenger car production capacity of 6.2 million and the deployment of 40,000 fuel-cell electric buses, 30,000 fuel-cell electric trucks, and 1,200 hydrogen refuelling stations by 2040.³⁸⁰ The Netherlands published a Climate Agreement containing a package of measures including targets for hydrogen production (500 MW of installed electrolysis capacity by 2025 and 3-4 GW by 2030) and mobility (15,000 FCEV passenger cars, 3,000 fuel-cell heavy-duty trucks, and 50 hydrogen refuelling stations by 2025, and 30,000 FCEVs by 2030).³⁸¹

Many support policies and incentives for EVs also cover FCEVs to some extent, including the NEV credit policy and subsidies in China and the financial incentives provided in Canada. Incentive schemes for low or zero emission vehicles often provide differentiated support to consumers based on the vehicle technology and technical specifications.³⁸²

So far, none of the support policies for FCEVs directly link to renewable electricity-based hydrogen, although some countries are putting in place general support programmes for enhancing the share of "green" hydrogen (see Section 5.1).


Charging infrastructure expansion is largely driven by financial incentives

Governments play a key role in providing the charging infrastructure needed for expanding EV deployment,

including the development of standards to ensure the interoperability of public charging infrastructure within and across city and even country borders, financial incentives, regulations and permits. Although the charging market is growing rapidly, there is currently a lack of network standards and physical format standards.³⁸³

The focus of policies has largely been to provide **financial incentives** for the setup of charging infrastructure. Germany introduced a support scheme for charging infrastructure, where publicly accessible slow and fast chargers can receive investment subsidies up to EUR 300 million (USD 336 million). The programme aimed to support the setup of a minimum of 15,000 charging points up to 2020. Currently, around 8,700 supported charging points are operational and another 13,300 have been approved.³⁸⁴ In 2019, India's FAME Phase II scheme included a target of 2,700 charging stations in cities with more than 4 million inhabitants, as well as fast and ultra-fast charging stations along major highways.³⁸⁵

Canada announced funding of nearly CAD 100 million (USD 76.5 million) to deploy new EV charging and hydrogen fuelling stations.³⁸⁶ The Netherlands committed to installing 2,000 charging points to support electrification of its national government fleet.³⁸⁷ The US federal alternative fuel infrastructure tax credit supports 30% of the cost up to USD 30,000 and was retroactively extended to the end of 2020, after it had originally expired by the end of 2016.³⁸⁸ At the sub-national level, the US state of New York provided USD 31.6 million to its regulated utilities to build up to 1,075 fast-charging stations to expand EV use.³⁸⁹



Public utility commissions can also develop policy to incentivise EV charging infrastructure by allowing utilities to deploy ratepayer-funded charging infrastructure.³⁹⁰ For example, the public utility commissions for the US states of Maryland and New York authorised utilities to recover the cost of EV charging infrastructure from electricity ratepayers.³⁹¹

5.3 THE NEXUS OF RENEWABLE ENERGY AND TRANSPORT

Decarbonising the transport sector through renewable fuels and electricity requires policy-makers to put forward integrated policies that incentivise and accommodate higher shares of renewable energy use in transport. These policies should link the use of renewable fuels and electricity with the use of low- or zero-emission vehicles. There are several areas where renewable energy and transport policy can be explicitly linked, namely the use of biofuels in road vehicles, electric mobility, including renewably-powered BEV and FCEV fleets, and opportunities for demand-side flexibility. A few examples of integrated energy and transport planning and policies in these contexts already exist - these are explored in the next sections.

Integrated planning across sectors and jurisdictions can provide opportunities to maximise synergies, but is still rare

Although most renewable energy policies are not integrated or co-ordinated across sectors or governance levels, examples of integration and coordination are emerging. Co-ordinated policy efforts often are organised under national or state-/

provincial-level **energy or climate change plans, strategies or programmes**. For example, in 2019, Scotland introduced a comprehensive programme that sets out policies at multiple levels of governance (national and local) to promote renewables across all sectors of the Scottish economy. ³⁹² However, such plans and strategies are not always developed in a cooperative way with stakeholders from all sectors and often exist alongside specific sector strategies, which in practice dominate sector activities. (See also Box 8).

In July 2020, the EU adopted a strategy for energy system integration which builds on the potential for synergies across different energy carriers and end-use sectors, including transport, electricity and buildings, using various existing and emerging technologies, processes and business models such as ICT, digitalisation, smart grids and meters and flexibility markets.³⁹³

Several countries have adopted **national urban mobility policies** (NUMPs) and, although most do not address renewable energy, some examples exist of NUMPs that act as tools for integrated planning between renewable energy and transport. In 2017, the Philippines implemented the Sustainable Transportation Act which promotes a sustainable transport action plan, integrated spatial and transport planning, the use of alternative fuels, walking and cycling, and public transport.³⁹⁴ Also in 2017, India's Ministry of Housing and Urban Affairs published its Urban Green Mobility Scheme which aims to promote renewable fuels and electric mobility for public transport as well as walking and cycling while improving road safety.³⁹⁵



BOX 8:

CLIMATE POLICY FOR TRANSPORT DECARBONISATION

Climate policy has helped to link the efforts of the energy and transport communities towards the decarbonisation of road transport. Climate policies can directly or indirectly stimulate renewable energy deployment across all end-use sectors, including road transport, by mandating a reduction or elimination of GHG emissions (including net zero commitments), increasing the costs of energy from fossil fuels relative to renewables, and/or banning or phasing out the use of fossil fuels (see Box 9).

Net zero emissions targets have been proliferating around the globe both at the regional, national and sub-national levels.³⁹⁶ For instance, Costa Rica launched an economy-wide roadmap to achieve net zero emissions by 2050, which includes specifications for policies to increase the use of renewables in transport.³⁹⁷ At the sub-national level, Amsterdam and Rotterdam (the Netherlands) plan to reach

zero-emissionⁱ urban logistics by 2025.³⁹⁸ In 2019, the European Commission proposed a European Green Deal to create the first **carbon-neutral** continent by 2050 (with the exception of Poland).³⁹⁹

Carbon pricing and emissions trading schemes also are increasingly widely implemented policies to mitigate climate change. These measures have the potential to indirectly increase the deployment of renewable electricity and fuels in transport by increasing the relative cost associated with fossil fuels. However, many schemes do not cover all sectors, particularly transport is often excluded, such as for example in the EU Emissions Trading Scheme. By the end of 2019, at least 57 national and subnational governments and the EU had adopted some sort of price on carbon through either direct taxation or a cap-and-trade programme spanning 47 countries but covering only around 20% of global GHG emissions.⁴⁰⁰

Policies promoting the use of biofuels in transport need to address the sustainability of feedstocks and move beyond low biofuel blend shares

In addition to the policies already discussed in 5.1, some countries have also set **targets and plans** specifically for biofuel use in transport. Slovenia aims for 100% of heavy-duty trucks to run on biodiesel by 2030. 401 Finland plans to gradually increase the share of biofuels for road transport to 30% by 2029. 402 In 2018, India adopted a new national biofuel policy to implement its E20 and B5 blend mandates by 2030. 403

Some jurisdictions promote the use of biofuels in road transport by supporting **associated infrastructure**. For example, in 2019 the US state of Minnesota enacted a grant programme that provides funding for biofuel blending infrastructure. 404

It is however important that policies supporting the use of biofuels in transport increasingly acknowledge the sustainability of feedstocks, favouring advanced biofuels from non-food crop feedstocks which mitigate land use change concerns and generally offer higher

lifecycle GHG emissions reductions than conventional biofuels. 405

In order to replace higher shares of gasoline or diesel with sustainable biofuels, policy makers also encourage the use of flexible-fuel vehicles and drop-in biofuels. For example, the low carbon fuel standards that have been legislated in California (US) and British Columbia (Canada) have played a key role in drop-in biofuel production. 406

Only a few targets and policies directly link renewable electricity and EVs

The global community needs a more ambitious, collective vision backed by policy mechanisms that provide concrete incentives for both EV adoption and renewable electricity. 407 However, so far, only few examples directly link targets or policies on EVs and renewable electricity.

As of early 2020, only three cities (Copenhagen, Denmark; Honolulu, Hawaii, US; and Paris, France) had e-mobility targets directly linked to renewables.⁴⁰⁸

However, at least 28 cities and 39 countries or states/provinces had **independent targets** both for EVs and renewable power generation, which could result in greater use of renewables for transport, especially when combined with financial incentives or other policy support. However, renewable power generation targets need to be more ambitious to ensure a full decarbonisation of the transport sector through renewable electricity and hydrogen.

The German **subsidy programme** for charging infrastructure requires operators to supply renewable

electricity for charging (renewable electricity procurement or self-generation).⁴¹⁰ Similarly, Austria's subsidy programme for the purchase of BEVs and FCEVs is linked to the requirement to source 100% renewable electricity or hydrogen.⁴¹¹

As discussed in Sections 5.1 and 5.2, although some policy instruments supporting EVs also cover FCEVs and a growing number of countries are creating strategies to increase the production of green hydrogen, none of such policy measures seem to specifically support the use of renewable hydrogen in FCEVs.

BOX 9:

BANS ON FOSSIL FUELS VS. BANS ON INTERNAL COMBUSTION ENGINES.

Other key instruments of climate policy that can incentivise renewables-based transport are **bans on fossil fuels** in road transport and **bans on internal combustion engines**. It is important to be aware that the two have different implications on the renewable options for transport. While bans on fossil fuels incentivize all forms of renewable energy, a ban on internal combustion engine vehicles encourage EVs and FCEVs, but adversely affect the uptake of biofuels in road transport.

By early 2020, at least 18 countries, states and provinces had committed to banning the sale of fossil fuel vehicles by 2050 or before^{i,412} For instance, the UK plans to bring forward the ban on ICE car sales from 2040 to 2035⁴¹³ and California adopted a ban for ICE vehicles by 2035.⁴¹⁴ At the local level, at least 35 major cities worldwide had plans to ban or heavily restrict the use of diesel vehicles, and circulation restrictions for petrol and/or diesel-powered vehicles had already been adopted in several more.⁴¹⁵

Flexible power tariffs are emerging and further market reforms for grid services are slowly advancing

EVs can provide power system flexibility and resilience to the grid (see Section 3). To enable broad market uptake of such solutions, enabling policy, market and regulatory frameworks are necessary. 416 The key measures that are needed include time-of-use tariffs and eventually dynamic prices for EV charging, enabling value stacking and avoiding double charges, allowing EVs to participate in ancillary service markets, and providing incentives for smart charging infrastructure. 417

Depending on the setup of the electricity system of a country, utilities can be publicly operated or private entities. However, most countries have clear regulations for utilities in place, and these need to allow for such flexible tariff options. Several utilities, mainly in the United States, have already adopted EV home **charging tariffs**, offering discounts to customers willing to charge when renewable energy is being generated most. In 2019, Southern California Edison (US) introduced a time-based rate that encourages customers to charge on weekdays and during off-peak hours on weekends, when solar power is abundant and then again at night when wind is often more available. 418 Austin Energy (US) has developed a network charging program, called the Plug-in EVerywhere Network that allows customers to source 100% of their electricity from wind. For USD 4.17 per month, customers have unlimited access to more than 800 charging stations within the city of Austin (Texas) network.419

Some governments are revising **power market rules** to allow more players such as those associated with renewable distributed energy resources (including EVs) to participate in ancillary services to the grid.⁴²⁰

As of 2019, Germany was testing a market-based approach to use distributed energy resources to provide localised flexibility services to relieve network congestion.⁴²¹ Singapore fully liberalised its retail electricity market in 2019, enabling distributed energy resources to provide flexibility services. 422 Similarly, in the United States, New York was in the process of reforming state market rules in order to enhance opportunities for distributed energy resources to participate in wholesale markets. 423 Montana enacted a new law allowing electric utilities to implement demand-side management programmes with approval from the public utilities commission. 424 South Carolina also has a new law requiring utility integrated resource plans to include energy efficiency and demand response programmes.425

The EU's adoption of the new market design rules as part of the Clean Energy for All Europeans package includes opening European electricity markets not only to renewables and storage, but also to demand response. 426 The Australian Energy Market Commission also released proposals to open the wholesale electricity market to demand response. 427 Incentives for **smart charging infrastructure**, include for example, the United Kingdom, where since 2019 only home charge points that use 'smart' technology are eligible for government funding under the Electric Vehicle Homecharge Scheme. 428

Double taxation and network chargesⁱⁱ can discourage uses that provide system-wide benefits using V2G technology.⁴²⁹ The need for regulatory reforms to overcome these barriers has been recognised in some jurisdictions, including at the EU level. The EU 2020 Clean Energy Package proposes to remove such burdens.⁴³⁰



BOX 10:

INITIATIVES ADDRESSING RENEWABLES IN TRANSPORT

There are several ongoing initiatives and projects as well as other published reports that are relevant for the analysis of the nexus between renewable energy and transport. There are also various organisations that are actively exploring this topic. In this section, we highlight some examples of the above in order to shed light on work that can contribute to and strengthen this discussion.

The **Sustainable Energy for All** (SEforALL) has different activities that explore the link between energy and transport:

- The Energy and Mobility Working Group aims at implementing action on low emission mobility, particularly addressing the nexus between transport, energy and climate.
- The Sustainable Urban Mobility work under the SEforALL initiative has looked at the energy/mobility nexus in the urban context.

The **SLOCAT Partnership on Sustainable, Low Carbon Transport** enables collaborative knowledge and action for sustainable, low carbon transport and bringing the voice of the movement into international climate change and sustainability processes. 431


The International Transport Forum (ITF) has established the Decarbonising Transport Initiative which promotes carbon-neutral mobility to help stop climate change. It provides decision makers with tools to select CO₂ mitigation measures that deliver on their climate commitment.⁴³²

The Action towards Climate-friendly Transport initiative is a global coalition aiming to catalyse transport as an enabler of sustainable development in line with the 2030 Agenda and the Paris Agreement. The goals of this initiative are to create a market for zero-emission freight vehicles and foster global dialogue arenas with the private sector.⁴³³

Created in 2015, the **Paris Process on Mobility and Climate** (PPMC) is an open and inclusive platform for organisations and initiatives that support effective action on transport and climate change. Its main goal is to strengthen the voice of the sustainable transport community in the context of the United Nations Framework Convention on Climate Change and the Paris Agreement. 434

For a full list of these resources, visit REN21's website: https://www.ren21.net/.





6. RENEWABLE ENERGY PATHWAYS FOR TRANSPORT

There are different ways to decarbonise most transport modes, including road transport as discussed in previous sections. Choices to support different technologies for different use cases will have implications not only in the transport sector, but for the overall energy system, as it will impact the demand for different types of fuel from the sector. Several organisations have put forward energy scenarios comprising varying assumptions of renewable energy penetration in the transport sector.

Among the most prominent scenarios are the International Energy Agency's "World Energy Model", with its Sustainable Development Scenario and the International Renewable Energy Agency's "Renewable Energy Roadmaps" (Remap), with its Transforming Energy Scenario. These and the scenarios in the "Achieving the Paris Climate Agreement Goals" report from the Institute for Sustainable Futures at the University of Technology Sydney (ISF-UTS) make projections for the overall energy sector, as does BP's "Energy Outlook" with its Rapid and Net Zero Scenarios, compatible with 2°C and 1.5°C, respectively, and the "Paris Agreement Compatible Scenarios for Energy Infrastructure" (PAC). Further scenarios such as the International Transport Forum's High Ambition Scenario and Shell's 2018 Sky Scenario only model the transport sector. The scenarios analysed throughout this section go beyond perspectives based on existing and announced policies, they entail ambitious yet realistic transformational pathways for the energy and transport sectors that are needed to achieve the Paris Agreement climate goals.

Electrification. All analysed scenarios agree that two-/three-wheelers and light duty vehicles need to electrify as fast as possible. For passenger cars, the IRENA's Transforming Energy Scenario (TES) projects that 379 million electric cars will be on the world's roads by 2030 and 1,109 million by 2050, basically fully electrifying the global stock. In the TES, renewable electricity represents 37% of total energy consumption by 2050 in the sector, with a small share of non-renewable electricity remaining. The IEA incorporates the aims of the EV30@30 Campaign in its Sustainable Development Scenario

(SDS) and envisions 80 million electric vehicles in 2025 and 245 million electric vehicles in 2030, well below the assumptions in IRENA's TES. 436 Additionally, the SDS projects that the global electric two-/threewheeler stock reaches nearly 490 million (almost 50% of the stock) and sales reach 55 million units (80% sales share) by 2030.437 The ISF-UTS scenarios project that in innovative regions, electric passenger cars would reach a share of up to 80% for BEV by 2050 under a 2°C compatible pathway. 438 Shell's Sky Scenario projects that by 2035, 100% of new car sales in the EU, US and China are electric. 439 The PAC Scenario even projects that all energy demand for passenger vehicles by 2050 will be electric.440 This general agreement was further confirmed by a recent T4<2° Foresight Study based on a survey of 85 experts from the sector.⁴⁴¹ For other vehicles types, the technology choices are not quite so clear, although the abovementioned scenarios also project increased electrification for buses and to a lesser extent trucks.

Biofuels. Both the SDS and the TES envisage steep increases in biofuel use in the transport sector, mainly driven by the increasing amount of freight across the globe. In its TES, IRENA projects biofuel demand grow to 370 billion litres per year by 2030 and 650 billion litres per year by 2050 across all modes, with a focus on use in aviation and shipping, representing around 20% of total energy consumption by 2050.442 The IEA's SDS forecasts an increase of biofuel production of 25% between 2019 and 2024, although most of that from conventional biogasoline, biodiesel and HVO. It sees advanced biofuels doubling production in that time frame, but remaining small due to the low starting point.443 By 2040, the scenario projects a share of 14% for biofuels, with two thirds of this being used in road transport.444

Renewable electricity-based synthetic fuels. The analysed scenarios all project growing production and use of synthetic fuels in the transport sector. With growing production capacity, they increase the share of biofuels used, but also replace first generation biofuels. The largest part of this growth will, however, be in aviation and shipping, owing to the challenges of decarbonising these sub-sectors (see Sidebar 2).

RENEWABLE ENERGY PATHWAYS FOR TRANSPORT

Within road transport, the focus for the use of synthetic fuels is on heavy-duty trucks, but also play a large role in passenger transport in some regions, such as Latin America.⁴⁴⁵

Renewable electricity-based hydrogen. "Green" hydrogen does not yet feature prominently in any of the low-carbon scenarios for the road transport sector. While IRENA's TES includes a reduction of 1.7 Gt CO₂ per year from green hydrogen by 2050, around 80% of this is likely to be deployed in other sectors, mostly in industry. ⁴⁴⁶ In the ISF-UTS scenarios, FCEV play a larger role in some regions, especially in OECD Pacific and North America, with a share of 17% of passenger cars and light duty vehicles.

Fossil fuels. In many scenarios non-renewable fuels still play a significant role. IRENA's TES projects 44% of total energy consumption to come from non-renewable sources by 2050, the IEA's SDS 77% by 2040. 447 BP's Rapid Scenario projects a 40% share of oil by 2050 and the Net Zero Scenario still a 20% share of oil in total final consumption. 448 In Shell's Sky scenario oil and gas still account for just under a quarter of primary energy used, 449 while other scenarios, such as the 2°C and 1.5°C compatible pathways of the ISF-UTS, do not contain any oil or gas use by 2050. 450

Table 6.1 provides an overview of the technology options that emerge as the preferred options in the

assessed decarbonisation pathways. Although a clear pattern can be seen for most vehicle categories, there are differences in speed of penetration within different models. The pathways are designed at the global level, so there may be country or context specific differences.


Despite any differences in modelling approach and assumptions, different scenario exercises come to the joint conclusion that an energy transition – the transport sector as a significant energy end-use sector – is technically and economically feasible. 452 It will require deep political, economic and social changes and we are yet far from embarking on such a pathway.

TABLE 6.1: COMMONALITIES AND DIFFERENCES IN TECHNOLOGY TRENDS IN DECARBONISATION SCENARIOS BY VEHICLE TYPE

VEHICLE TYPES	COMMONALITIES	DIFFERENCES
TWO- AND THREE- WHEELERS	Full electrification is the preferred option. Uptake mostly limited by cost considerations and turnover rates	Speed of uptake
PASSENGER CARS Full electrification is the preferred option. Uptake mostly limited by cost considerations and turnover rates, in some cases with exceptions, for example fleets (e.g. taxis or shared mobility services)		Speed of uptake, uptake of FCEV
URBAN BUSES Mostly electrification, but with some advanced biofuels/ biogas and hydrogen applications depending on context		Shares of different solutions
URBAN DELIVERY TRUCKS	,	
LONG-DISTANCE BUSES	LONG-DISTANCE BUSES No clear technology preference. Possibly plug-in hybrid vehicles in combination with advanced biofuels to allow switch to electric in urban areas. Hydrogen also discussed as option.	
MEDIUM- AND HEAVY DUTY TRUCKS No clear technology preference. Advanced biofuels and hydrogen discussed as likely options. On-road charging as option for electrification.		Shares of different solutions
SPECIAL PURPOSE VEHICLES (E.G. AGRICULTURAL VEHICLES)	No clear technology preference. Advanced biofuels and hydrogen discussed as likely options.	Shares of different solutions

Sources: based on IRENA; ITF; IEA; Hydrogen Council; Teske et al.; Shell. 451





7. KEY CHALLENGES HOLDING BACK RENEWABLE ENERGY IN TRANSPORT

We need to drastically speed up the uptake of renewable energy solutions in the transport sector to enable a full decarbonisation of the sector by mid-century. This will need to be supported by measures to reduce transport demand, shift to more efficient modes of transport and improve vehicle efficiency.

For road transport, this means that the majority of passenger cars, light-duty trucks and two- and three-wheelers will need to directly run on renewable electricity, with the rest running on high blends of advanced biofuels or renewable electricity-based synthetic fuels. For fleets, buses and heavy-duty trucks a mix of direct use of renewable electricity, renewable hydrogen and advanced biofuels is needed, depending on the individual use cases and local context.

We still see very few policies that directly link transport measures with renewable energy, which can be done, for example, through requirements for 100% renewable energy sourcing in incentive schemes. Far more important, however, is the absence of a vision for full decarbonisation of the entire economy in line with the Paris Agreement, although some jurisdictions, such as the EU, are slowly taking steps to developing such a vision. Visions alone will not motivate the markets, but should be the basis for clear and binding targets (see Section 8).

The transport sector is mostly still focusing on incremental efficiency improvements through fuel economy and GHG emission standards, and for many practitioners on the ground air pollution, safety and access to mobility still require urgent attention. Advanced biofuels, renewable electricity-based synthetic fuels and hydrogen need to bring down cost and create a stable demand.

While governments have many options at their disposal to steer markets, it is difficult for many countries, especially smaller ones, to support new passenger vehicle technologies without jeopardising mobility. Only a few manufacturers dominate the car market and decisions on technology are mainly made in the headquarters, which are mostly influenced by a few large markets. In many developing countries, the majority of vehicles are imported secondhand, so their leverage to steer markets can seem more limited.

One of the key challenges to rapidly increasing renewable energy use in transport is that it requires a complex energy system that is tailored to the specific use case and local circumstances. There are differences depending on the development level of a country or region, whether we are looking at urban or rural settings, passenger transport or freight. This complexity makes it difficult to generalise other challenges, as they are very context specific and no 'one-size-fits-all' solution exists. However, some common themes can be identified (see Table 7.1).

There are also still very different views on whether we need to make clear technology choices now or whether this should be left to the market. Some argue that the fact that too many options are still on the table, leads to a situation where individual actors are unclear about the strategy of other actors, hampering the initiative for action. Most disputed is the role of hydrogen in passenger vehicles, especially as pursuing this technology means higher investment in charging/ refuelling infrastructure if both BEV and FCEV options are deployed. Other concerns relate to the production of hydrogen and the challenge in converting to 100% renewables-based hydrogen production. Technology and market-related challenges are more specific to individual renewable energy solutions for the transport sector (see Table 7.2). However, also here, there are differences depending on local context.


TABLE 7.1: KEY OVERARCHING CHALLENGES

AREA	CHALLENGE
POLITICAL	Political will: There is a lack of clear policy signals, for example through ambitious GHG reduction or renewables targets for the economy and individual sectors and comprehensive policy packages that support renewable transport solutions, to create a stable investment environment.
	Stability: Investments required are in most cases huge and have long recuperation times. Policy frameworks need to provide sufficient long-term perspective and security to incentivise investment.
	Inconsistent and fragmented policy landscape: Many policies are in place at various levels of governance, but these are rarely coordinated and, in some cases, contradictory.
	Informality of transport systems: In many developing countries a large share of transport services is delivered by the informal sector, making it challenging to design appropriate incentives for renewable energy uptake.
	Distribution of decision-making power: Not all governments are equally able to influence decision-making of vehicle and component manufacturers. Many countries have no own vehicle production, or only for some types of vehicles, such as motorcycles. Even countries with production capacity, headquarters are often situated in other countries, and policies have limited influence on decisions there.
	Change in power dynamics: System changes are challenging existing power structures, as we can already see, for example, with new emerging players in the automotive sector. Incumbents are likely to oppose changes.
GOVERNANCE	Lack of collaboration between different actors: Energy and transport sectors are very much working in 'silos'. At the same time there is a lack of integration across different levels of governance (local, sub-national, national, international) and often an imbalance between actors in the energy and transport field, where in most countries energy decisions are very much centralised at the national level, while transport planning is often largely under the responsibility of local governments.
	Cultural and social dimension of the transition is missing: Discussions are focussing largely on technical solutions and less on understanding the changes to society that will result. R&D is largely focussing on technical solutions, but better understanding the social and cultural dynamics of renewable energy solutions and how to better inform and educate the wider population is equally important.
	Inertia: Policy-makers, manufacturers, utilities, grid operators and customers are slow in taking up new ideas and paradigms. Changes have been incremental and are typically a continuation of business as usual.
INFORMATION AND CAPACITY	Lack of narrative: Information on the available options for renewables in transport and the implications of deployment is too fragmented and sometimes contradictory. There is also limited information related to the benefits of linking renewable energy and transport. Policy-makers and decision-makers in the private sector need to have a better basis for decisions.
	The broader population needs to be better informed, as they will need to change behaviour and consumer decisions as well as provide a key to motivate change in policy and vehicle markets.
	Lack of technical capacity and skills. Renewable energy solutions in transport require a new set of skills and technical know-how. Electrical engineering and related skills are becoming more important and completely new fields, such as hydrogen fuel cell technology are emerging. This needs to factor in university and vocational training curricula, but also the existing workforce needs to be retrained.
	Complexity and transparency of energy and transport systems: Existing systems are already complex and in many cases not very transparent, for example in energy pricing. This can enhance the reluctance of involved actors (see Figure 2.2) to make changes and the likelihood that measures have unintended effects or are ineffective.

TABLE 7.2: KEY TECHNOLOGY AND MARKET-RELATED CHALLENGES

Technology and market-related challenges are more specific to individual renewable energy solutions for the transport sector. However, also here, there are differences depending on local context.

	ADVANCED BIOFUELS	RE-BASED SYNTHETIC FUELS	RE-BASED HYDROGEN	RENEWABLE ELECTRICITY
TECHNOLOGY	Efficiency of production process			Cost and diversity of EV vehicles
				EV range (actual and perceived, depending on application)
	Not yet fully commercial t	echnologies		Grid integration for VRE
MARKET	Persistent subsidies for fossil fuel alternatives			
	High up-front investment and long recuperation time	High up-front investment cost for EV charging infrastructure		
	The transport sector depends on the energy sector to supply renewable energy fuels and electricity			els and electricity
	Larger scale availability wi production capacity	rger scale availability will require substantial additional investment in oduction capacity		
	Not yet cost competitive			
	Agreed methodologies for	Agreed methodologies for assessing lifecycle GHG Investment in charging/ref		
	Availability of sustainable feedstocks	Availability of renewable electricity capacity	Safety concerns	



8. GUIDELINES FOR ACTION


The future transport system will be much more complex, with multiple players, technologies and direct linkages to the power system. Experts will need to make it easy for decision-makers and customers to manage this complexity. The road transport sector will depend on the rapid decarbonisation of the electricity sector, for direct use of electricity and for the production of green hydrogen, supplemented by the supply of advanced biofuels, particularly for use in heavy-duty trucks.

Transport solutions need to be tailored to the specific context and use case, and will likely cascade from early adopters to global coverage, possible changing focus over time. For example, production capacity for advanced biofuels could be developed in early stages for the light-duty passenger vehicle market in more ambitious jurisdictions, such as California (US) and Europe, and could then find new markets in other countries, for trucks, and eventually in aviation and shipping. To achieve this, the actors identified in Figure 2.2 need to improve collaboration to develop economically and financially viable solutions that appeal to end users.

It is clear that renewable energy solutions for the road transport sector need to be embedded in a wider framework of actions that also reduce the demand for transport services, shift the choice of transport modes and increase the efficiency of vehicles (ASI framework). Decarbonising the sector with renewables will only be possible with ambitious policies that address all these aspects and that take an integrated look at the implications for the wider energy system. This needs to go hand-in-hand with energy policies that enable the rapid expansion of renewable energy generation and the development of business cases that illustrate the benefits of embarking on renewable energy and their related powertrains. Figure 8.1 illustrates how renewable energy in road transport needs to be embedded in a wider

integrated energy system approach that will be able to deliver the Paris Agreement objectives.

Given the difference in starting point and challenges, policies and measures will necessarily vary between countries and for urban and non-urban settings. This report is therefore not recommending specific policy instruments to support the uptake of renewable energy in the road transport sector, but aims to provide a high-level guidance regarding what needs to happen to achieve this and what the wider community can do to support governments in this effort.





DEFINE A NATIONAL LONG-TERM ROADMAP FOR ENERGY AND TRANSPORT SYSTEM DECARBONISATION

- Set long-term legally binding decarbonisation targets with a clear deadline and intermediate targets.
 GHG emission targets need to be set:
 - Economy-wide
 - Transport sector wide
 - Energy sector wide
 - For individual transport sub-sectors

Long-term decarbonisation targets need to be complemented by equally binding intermediate targets and a clear vision regarding the renewable energy pathways to get there. Energy and transport sector targets need to be aligned and are ideally the result of integrated planning. This will spur innovation and provide the needed certainty for the private sector to make the necessary long-term investments, both on the transport side (vehicles and infrastructure) and concerning the production/generation capacity of renewable fuels and electricity. It will also support needed action to reduce energy demand in transport through measures to avoid and shift transport activity and enhance vehicle efficiency. Assigning clear responsibilities for target achievement is paramount to spur rapid action and communicate the sincerity of the long-term commitment as well as to ensure accountability in case targets are not reached on time.

Be clear on technology choices.

In designing policy instruments, decision-makers need to make a conscious decision in terms of whether they favour specific vehicle technologies and thus specific renewable fuels – in general or for individual use cases – or if they prefer to leave this up to the market. The most prominent example where this is the case is whether to favour BEVs over FCEVs for passenger transport or not. There are arguments for both scenarios and they strongly depend on individual circumstances, including social, economic, geographical and/or political factors. Making an informed and conscious choice will enable more transparency and better communication with the industry, the public and the rest of the actors involved, and likely improve the detailed design of policy instruments, making them more effective in delivering the existing targets. The decision also impacts renewable electricity generation needs to ensure that the used fuels (electricity and/or hydrogen) are produced from renewable sources and provides clarity to energy suppliers.

Ensure a life-cycle approach.

The transport sector needs to be accountable for up- and downstream emissions. Regulations need to cover sustainability impacts of vehicle production and disposal as well fuel production and distribution. A 'well-to-cradle' approach should be adopted as battery electric vehicles, hydrogen vehicles and biofuels gain market shares, extending beyond vehicle operation to vehicle production and recycling/disposal. Agreed accounting frameworks for different effects and fuels would facilitate a more accurate comparison between different low-carbon vehicle choices and renewable fuel options, allowing one to identify the most suitable solutions for specific contexts.



ENHANCE COLLABORATION BETWEEN THE ENERGY AND TRANSPORT SECTORS AND ENSURE MULTI-LEVEL GOVERNANCE FOR THE IMPLEMENTATION OF RENEWABLE ENERGY SOLUTIONS

Create space for collaboration across sectors.

Energy and transport actors at all levels need institutionalised and permanent platforms to exchange and discuss tailored low—carbon vehicle choices and renewable energy solutions for their local context. Collaboration needs to be improved across the energy and transport sectors, for example through inter-ministerial climate or sustainability councils. Collaboration also needs to ensure non-state actors, including the financial sector, academia, unions, environmental groups and civil society are involved in developing joint solutions. Governments can support this through the creation of dedicated cross-sectoral positions and departments that manage and support these collaborative processes.

Ensure collaboration, coherence and consistency between decisions and policies made at different levels of government.

Renewable energy solutions for road transport should build on the available local resources and be fit for the local circumstances and needs. The underlying decisions need to be relatively consistent over time while also allowing for some flexibility to adapt to changing circumstances (such as local needs and technological innovation), and should tie in with national policies and decisions. National regulation and policies need to enable local actors to implement renewable energy solutions in their local transport systems.



TAILOR POLICY INSTRUMENTS TO EFFECTIVELY IMPLEMENT THE ENERGY-TRANSPORT ROADMAP

Ensure the consistency of policy instruments.

There are already many instruments in place that promote renewable energy or the uptake of low-carbon transport technologies, but they are often not well coordinated and might be inconsistent – within each sector and across the sectors. Other instruments that are not directed at renewable energy or low-carbon transport technologies sometimes provide counteracting incentives, such as fossil fuel subsidies. Such instruments should be removed to make supporting measures more effective. Developing an integrated energy system strategy that encompasses needed developments for reduced energy demand and increasing renewable energy use in all end-use sectors is a good first step in developing a coherent policy framework.

Implement tailored support for renewable energy solutions identified in the roadmap.

All renewable energy solutions require dedicated support to enable the speed of deployment required for the decarbonisation of the transport sector and the overall energy system. Depending on the choices made for a specific context (see recommendation 2 above), policy instruments need to address the specific barriers to enhanced deployment and support the full supply chain of renewable fuels and corresponding vehicles.

• Provide frameworks to capture synergies between the renewable energy and transport sectors,

starting with the 'low-hanging fruit' which is electric mobility. With growing electrification of the vehicle fleet, grid integration of EVs is one of the key areas where challenges and synergies across sectors need to be addressed. Ensuring standardisation and interoperability are key elements for wide uptake and economies of scale. Any tools associated with new business models based on the grid services that EVs can provide need to be easy and somewhat beneficial for the customer to use or uptake will remain low. Also important are digital policy frameworks that clarify data ownership and data security for example for the operation of smart charging solutions.



IMPROVE CROSS-SECTORAL KNOWLEDGE, DIALOGUE AND AWARENESS BETWEEN THE RENEWABLE ENERGY AND TRANSPORT COMMUNITIES

Develop a better narrative.

The renewable energy sector has been successful in conveying the benefits of renewable energy in general across sectors and technologies, stressing the creation of local jobs, improving energy security and providing access to modern energy services. The transport sector has not yet managed to provide such a positive narrative, and much of the discussion is focusing on increasing cost, loss of jobs and convenience, whereas the opposite could actually be the case. The link to renewable energy is almost completely absent from the broader discussion. Narratives need to better reflect the mobility needs of citizens and businesses. They can showcase how renewable energy solutions, together with other ASI measures, can deliver convenient, reliable and economically feasible mobility. Here the renewable energy and transport communities can play a crucial role, especially if they work together. Once a better narrative is developed, this needs to be widely promoted. Modern social media should be used extensively, but also classical avenues and existing training fora, such as UN Habitat or the International Transport Forum.

Ramp up formal training for new skillsets.

Enhanced formal training in those areas where skills will be increasingly needed in the future is required. Electrical engineering, for example, is needed for new electric-powered vehicles (BEVs and FCEVs) as well as for enhancing renewable electricity generation and grid integration. Training programmes at universities and vocational trainings need to be updated to account for the linkages across sectors to better educate new generations of policy-makers, engineers, transport/energy/urbar planners, economists, business owners, entrepreneurs, and other future decision makers.

5

DEVELOP TOOLS FOR ASSESSING CONTEXT-SPECIFIC CHALLENGES AND SOLUTIONS

While many challenges for enhancing the uptake of renewables in road transport are relatively universal, the details vary – and so do the solutions. A toolset is needed to conduct context-specific diagnosis of the barriers and solutions for specific renewable fuels/electricity and low-carbon vehicles to support policy-makers in designing more adequate and effective regulatory and policy frameworks.

This toolset could comprise:

- (i) a benchmarking framework to help objectively compare technological options and their implications for the energy and transport systems. Indicators should be linked to the Sustainable Development Goals framework and corresponding benchmarks could include e.g. the cost per PKM/TKM, jobs created/jobs lost, GHG emission savings per PKM/TKM, for each of the technology options; and
- (ii) decision-trees for defining how transport decarbonisation pathways and renewable energy options could translate into concrete policies depending on existing preconditions.



ANNEX I - COMPARISON OF SUSTAINABILITY CONCEPTS

The table below summarises the dimensions of sustainability and their meaning in the context of transport and renewable energy. Different modes of transport, vehicle technologies, and types of renewable energy will have different sustainability issues. The table provides an overview of what to look at when assessing the sustainability for different options.

		MEANING FOR	
	TRANSPORT ⁴⁵³	BIOENERGY ⁴⁵⁴	OTHER RENEWABLE ENERGY
ACCESS	Mobility for all, considering the needs of different groups	Access to modern energy	Same as bioenergy
SAFETY	Reduction of fatalities, injuries & crashes across all modes of transport	Mortality & disease from indoor smoke, Occupational illness, injury & fatalities from production and distribution	Occupational illness, injury & fatalities from production and distribution
EFFICIENCY	Transport systems are predictable, reliable, timely and cost-effective	Energy ratio compared to other energy sources Productivity & cost of feedstocks	Cost effectiveness per unit of energy of different technologies
(AIR) POLLUTION ⁴⁵⁵	Air pollutants from local transport	Air pollutants from feedstock production, processing, distribution and use vs air pollution from fossil fuel use	Environmental pollution from battery production and discarding vs air pollution from fossil fuel use
GHG EMISSIONS	Different approaches: Well-to-wheel, tank-to-wheel, well-to-cradle	Different approaches: Accounting of LUC Inclusion of ILUC	Different approaches: Lifecycle vs operational Choice of reference energy for comparison
LAND USE	Mostly discussed in the urban context: alternative use of available public space	Competition with food production & other uses of feedstocks	Especially for PV/CSP and hydro: Competition with other uses of land
NOISE POLLUTION	Transport-related noise levels	No issue	Sometimes an issue with wind farms
WATER	No issue	Water use & quality	Mostly relevant for hydro, possibly CSP

ANNEX II - OVERVIEW OF BIOENERGY CLASSIFICATIONS

CLASSIFICATION COMMONLY USED		FEEDSTOCKS	MAIN SUSTAINABILITY ISSUES
1ST GENERATION	Conventional	Food and animal feed crops (e.g. wheat, corn, sugar cane, palm, soybean)	Direct competition with food production, with possible effects on availability and price
2ND GENERATION	Advanced*	Energy crops on regular farmland (e.g. Miscanthus, switchgrass, short rotation coppice and other lignocellulosic plants)	Displacement of food and feed production to other land, leading to indirect land use change emissions and other negative environmental effects
		Wastes & residues with alternative uses (e.g. manure use for fertilisation, tall oil as chemical feedstock)	Replacement of feedstock with other materials, also leading to potential indirect land use change or production emissions for alternative input materials
	Advanced	Wastes & residues without alternative uses	The sustainability is highly dependent on local factors, but can also include positive effects from reduced methane emissions, for example from waste disposal or manure storage ⁴⁵⁶
		Energy crops on marginal land ⁱ (e.g. Jatropha)	
3RD GENERATION		Algae	High demand for water High demand for nitrogen and phosphorous, leading to potential emissions from fertiliser production

Source: Royal Academy of Engineering. 457

FOUNDATION RESEARCH SERIES



ANNEX III - OVERVIEW OF RENEWABLE ENERGY PRODUCTION PROCESSES FOR TRANSPORT

PROCESS	PRODUCT	MATURITY	MAIN COST DRIVERS	COMMERCIALLY USEFUL BY-PRODUCTS
1 GASEOUS AND LIQUID BIOI	UELS			
Aerobic digestion & upgrading (C)	Biomethane	Commercial	Feedstock Distribution (esp. grid injection)	Digestate (used for fertilisers)
Fermentation (C)	Bioethanol	Commercial	Feedstock	Distillers' dried grains (high protein animal feed)
Gasification & fermentation (A)	Bioethanol	Early commercial, but demonstration for transport fuels	Pre-treatment and upgrading	Chemical products
Cellulosic ethanol conversion (A)	Bioethanol	Early commercial	Pre-treatment Enzymes and other chemicals	Heat Nanocellulose (one facility)
Hydrothermal liquefaction (A)	Bio-crude	Demonstration	Alloy materials to prevent corrosion (CAPEX)	Char Off-gases
Pyrolysis (A)	Bio-oil	Early commercial for on-site combustion, but demonstration for transport fuels	Heating feedstock to needed temperature	Char Off-gases Water
Hydro-processing and other upgrading (A)	Drop-in fuels (biogasoline, biodiesel, bio-jet kerosine)	Commercial (using fats and oils)	Feedstock	Glycerine (some processes)

PROCESS	PRODUCT	MATURITY	MAIN COST DRIVERS	COMMERCIALLY USEFUL BY-PRODUCTS		
2 GASEOUS AND LIQUID REN	2 GASEOUS AND LIQUID RENEWABLES-BASED SYNTHETIC FUELS					
Methanol synthesis (A)	Biomethanol	Demonstration		Requires CO2 (potential use for carbon capture)		
Methanation (A)	Biomethane	Demonstration		Requires CO2 (potential use for carbon capture)		
FT synthesis (A)	Drop-in fuels (mostly further upgrading required)	Commercial, but demonstration for transport fuels		Wax, Tail gas Other hydrocarbons (can be further refined to drop-in fuels)		
3 RENEWABLE ELECTRICITY	BASED HYDROGEN					
Electrolysis (A)	Hydrogen	Demonstration in combination with PtX production (commercial for other uses)	Electricity cost (depending on region)	Oxygen Heat (some processes)		
Bioprocesses	Hydrogen					
4 DIRECT USE OF RENEWABL	E ELECTRICITY					
Solar PV	Electricity	Commercial	CAPEX			
Solar CSP		Commercial	CAPEX	Grid services (if with storage)		
On-shore wind		Commercial	CAPEX			
Off-shore wind		Commercial	Grid connection			
Geothermal		Commercial	CAPEX	Heat Grid services		
Bioenergy-based		Commercial	Feedstock	Heat Grid services		
Ocean energy		Demonstration	CAPEX, grid connection			

ACRONYMS

BEVs	Battery electric vehicles	NGV	Natural gas vehicle
CAPEX	Capital expenditure	NUMP	National urban mobility policy
CNG	Compressed natural gas	OECD	Organisation for Economic
CO ₂	Carbon dioxide		Cooperation and Development
CSP	Concentrated solar thermal power	PHEV	Plug-in hybrid electric vehicle
DSO	Distribution system operator	PKM	Passenger-kilometres
EU	European Union	PPA	Power purchase agreement
EUR	Euro	PtG	Power-to-gas
EV	Electric vehicle	PtL	Power-to-liquid
FAME	Fatty acid methyl ester	PtX	Power-to-X
FCEV	Fuel cell electric vehicle	PV	photovoltaics
GHG	Greenhouse gas emissions	R&D	Research and development
GW	Gigawatt	RED	EU Renewable Energy Directive
HDV	Heavy-duty vehicle	RFS	US Renewable Fuel Standard
HEFA	Hydrotreated esters and fatty acids	RPS	Renewable portfolio standard
HEV	Hybrid electric vehicle	SDS	Sustainable Development Scenario
HVO	Hydrotreated vegetable oil	SOEC	Solid oxide electrolysis cells
ICE	Internal combustion engine	SUV	Sport utility vehicle
IEA	International Energy Agency	TES	Transforming Energy Scenario
ILUC	Indirect land-use change	TKM	Tonne-kilometres
IRENA	International Renewable	TSO	Transmission system operator
	Energy Agency	UK	United Kingdom
LDV	Light-duty vehicle	US	United States of America
LEZ s	Low-emission vehicle zones	USD	United States dollar
LNG	Liquefied natural gas	V1G	Unidirectional controlled charging
LPG	Liquefied petroleum gas	V2G	Vehicle-to-grid
MDV	Medium-duty vehicle	V2H/B	Vehicle-to-home/building
MW	Megawatt	VRE	Variable renewable energy
NEV	New electric vehicle	ZEV	Zero emission vehicle

GLOSSARY

See REN21's Glossary, available online: https://www.ren21.net/gsr-2020/pages/glossary/glossary/.

OTHER NOTES

All exchange rates in this report are as of 31 December 2019 and are calculated using the OANDA currency converter (http://www.oanda.com/currency/converter).

FIGURES AND TABLES

BOXES AND SIDEBARS

FIGURES

FIGURE 1.1	ENERGY CONSUMPTION AND RENEWABLE ENERGY SHARE IN	Page	10
	THE TRANSPORT SECTOR		
FIGURE 1.2	CO2 EMISSIONS GROWTH UNDER CURRENT POLICIES 2015 - 2050		11
FIGURE 2.1	RENEWABLE ENERGY IN THE CONTEXT OF THE AVOID-SHIFT-IMPROVE		17
	FRAMEWORK IN THE TRANSPORT SECTOR		
FIGURE 2.2	ACTORS IN THE RENEWABLE ENERGY AND TRANSPORT SECTORS		18
FIGURE 3.1	OVERVIEW OF CONVERSION PATHWAYS FOR RENEWABLE ENERGY		21
	USE IN TRANSPORT		
FIGURE 3.2	OVERVIEW OF VEHICLE TECHNOLOGIES FOR ROAD TRANSPORT		26
FIGURE 3.3	OVERVIEW OF MAIN VEHICLE TYPES AND MAIN AREA OF USE		27
FIGURE 3.4	POTENTIAL RANGE OF FLEXIBILITY SERVICES PROVIDED BY EVS		33
FIGURE 4.1	TOTAL PRIMARY ENERGY SUPPLY BY SOURCE (2017) AND RENEWABLE		36
	ELECTRICITY GENERATION BY SOURCE 1990-2017		
FIGURE 4.2	GLOBAL PRODUCTION OF ETHANOL, BIODIESEL AND HVO/HEFA,		37
	BY ENERGY CONTENT, 2009-2019		
FIGURE 5.1	HISTORICAL FLEET CO2 EMISSIONS PERFORMANCE AND CURRENT		54
	STANDARDS (GCO ₂ /KM NORMALISED TO NEDC) FOR PASSENGER		
	CARS (TOP) AND LIGHT COMMERCIAL VEHICLES (BOTTOM)		
FIGURE 8.1	THE ROLE OF RENEWABLE ENERGY IN ROAD TRANSPORT IN THE		74
	OVERALL ENERGY SYSTEM APPROACH		

TABLES

TABLE 3.1	OVERVIEW OF COST, SUSTAINABILITY, COMPETITIVENESS AND	30
	AVAILABILITY OF DIFFERENT RENEWABLE OPTIONS FOR ROAD TRANSPORT	
TABLE 6.1	COMMONALITIES AND DIFFERENCES IN TECHNOLOGY TRENDS IN	67
	DECARBONISATION SCENARIOS BY VEHICLE TYPE	
TABLE 7.1	KEY OVERARCHING CHALLENGES	71
TABLE 7.2	KEY TECHNOLOGY AND MARKET-RELATED CHALLENGES	72

BOXES

BOX 1	SUPPLY OF OTHER RENEWABLE FUEL PRODUCTION INPUTS	Page	23
BOX 2	GHG EMISSIONS VS TAILPIPE EMISSIONS		25
BOX 3	VEHICLE-INTEGRATED SOLAR PV		31
BOX 4	OPTIONS FOR GRID SERVICES FROM EVS		33
BOX 5	RENEWABLE ELECTRICITY USE IN RAIL		4
BOX 6	THE ROLE OF FOSSIL FUEL SUBSIDIES		52
BOX 7	THE ROLE OF LOW-EMISSION VEHICLE ZONES		55
BOX 8	CLIMATE POLICY FOR TRANSPORT DECARBONISATION		60
BOX 9	BANS ON FOSSIL FUELS VS. BANS ON INTERNAL COMBUSTION ENGINES		61
BOX 10	INITIATIVES ADDRESSING RENEWABLES IN TRANSPORT		63

SIDEBARS

SIDEBAR 1	IMPACT OF COVID-19 ON THE UPTAKE OF RENEWABLE ENERGY	13
	IN THE ROAD TRANSPORT SECTOR	
SIDEBAR 2	RENEWABLE ENERGY USE IN AVIATION AND SHIPPING	39
SIDEBAR 3	PRIVATE SECTOR-LED PLEDGES AND INITIATIVES TOWARDS	47
	A PENEWARI ES-RASED POAD TRANSPORT SECTOR	

FOUNDATION RESEARCH SERIES



FOOTNOTES

- Page 10 This report only looks at options for renewables for mobility. Mobile cooling for air conditioning and refrigeration require different technologies and policy interventions and are not part of this analysis.
- Vehicles in the context of this report generally mean all motorised forms of road transport, from motorcycles to heavy-duty trucks. Where only specific segments of vehicles are discussed, these are identified, for example 'passenger vehicles' or the specific vehicle types are used, such as 'buses' or 'trucks'.
 - ii Many renewable power technologies have become cost-competitive in a lot of countries and contexts over the last decade. For details see IRENA,
 - iii Renewable Power Generation Costs in 2019.
 - Especially when considering all of the negative externalities of fossil fuels and costs associated with climate change.

 Electro-fuels, also known as e-fuels, are synthetic fuels that do not chemically differ from conventional fuels such as diesel or petrol, generated in procedures known as power-to-liquids (PtL) and power-to-gas (PtG). Renewable electro-fuels are generated exclusively from electricity from renewable sources.
- Regulations, such as defining GHG emission savings thresholds, are required to ensure that energy crops also those grown on marginal lands do not compete with food production.
- Also referred to as electro-fuels. They can be gaseous (methane) or liquid (ammonia, methanol and other hydrocarbons).
 - Power-to-X also includes power-to-heat applications, which are not considered in this report.
 - While the immediate consideration for fuel producers will likely be the cost competitiveness of the fuel, the overall competitiveness of the system, including vehicle and maintenance cost, will strongly impact the demand for each fuel alternative.
- Also referred to as 'grey' hydrogen, or, if combined with carbon capture and storage as 'blue' hydrogen.
 - The term 'biogas' is used here to group all gaseous forms of bioenergy, including gaseous forms of synthetic fuels. In a strictly technical sense, biogas is a mixture of methane, CO2 and small amounts of other gases produced in a first step in various production processes. For details see Danish Energy Agency and Energinet, Technology Data Renewable fuels (https://ens.dk/sites/ens.dk/files/Analyser/technology_data_for_renewable_fuels.pdf, 2019); IEA, World Energy Outlook special report: Outlook for Biogas and Biomethane. Prospects for Organic Growth (Paris: March 2020), https://www.iea.org/reports/outlook-for-biogas-and-biomethane-prospects-for-organic-growth.
 - iii Properties that limit the amount of biofuels that can be blended with fossil fuels without damaging the engines and fuel systems of vehicles. These include oxygen content, hydrophilicity and energy density.
 - Use of pure biogasoline and biodiesel requires engine modifications or dedicated engines, such as flexible-fuel vehicles which are largely used in Brazil. Unless modified engines are used, these biofuels can only be used in relatively low blends: ethanol maximum 15% and biodiesel 20%. See for example IEA Biofuels, The Potential and Challenges of Drop-in Biofuels (Paris: July 2014), http://task39.sites.olt.ubc.ca/files/2014/01/Task-39-Drop-in-Biofuels-Report-FINAL-2-Oct-2014-ecopy.pdf, 2014); IEA Bioenergy, "DROP-IN" BIOFUELS: The Key Role That Co-Processing Will Play in Its Production (Paris: January 2019), https://www.ieabioenergy.com/wp-content/uploads/2019/09/Task-39-Drop-in-Biofuels-Full-Report-January-2019.pdf.
- i Some of the first vehicles produced in the early 1900s were hybrid vehicles. They were soon replaced by full gasoline vehicles due to their higher cost and lower power output. See "A Brief History of Hybrid Cars," CarsDirect, https://www.carsdirect.com/green-cars/a-brief-history-of-hybrid-cars, viewed 26 May 2020; Christopher Lampton, "What is the history of hybrid cars?," HowStuffWorks, https://auto.howstuffworks.com/fuel-efficiency/hybrid-technology/history-of-hybrid-cars1.htm, updated 9 April 2009, viewed 26 May 2020.
 - ii Also called battery electric vehicles (BEVs) to differentiate from PHEVs and HEVs vehicles.
- Some smaller, local manufacturers may be more flexible.
 - Just-in-time means that manufacturers hold very limited stock of components, which are delivered directly from parts manufacturers 'in-time' for production. This requires close integration with suppliers. Any changes in the production process and supply chain therefore require careful planning.
- ¹ Through fully electrical or fuel cell vehicles, respectively.
 - Including the decision of whether to purchase a vehicle in the first place. Attractive alternatives, including public transport and new mobility services, can influence this decision to some degree (see Section 2.2).
- Peak demand refers to the average capacity required to meet demand for the 1% of the hours with highest electricity demand throughout the year.

 Energy systems typically require 15-25% of generation capacity beyond those required for 90% of the hours of lowest demand. See IEA, Global EV Outlook 2020.
 - Depending on the composition of power generation capacity, vehicle batteries can also absorb overproduction at night.

- Page 33 i Such systems work best in areas with individual housing where the vehicles remain connected during non-use times and charge using low voltage.
- 36 i Discussed in Box 2.
- Neste is currently developing advanced technology for pre-treatment for HVO production to increase feedstock availability. This could address current challenges in feedstock availability and drive production growth in the future.
 - ii For the distinction between biogas and biomethane see footnote iii on page 22.
- 40 Denmark, Uruguay, Ireland, Germany, Portugal, Spain, Greece and the United Kingdom.
- 42 Although there are countries with substantial shares of diesel cars, particularly for fleet operations, and countries with high shares of other fuels, such as biofuels in Brazil.
 - ii Including BEV and PHEV.
 - iii Range demand varies according to region, with Europe and North America favouring higher ranges.
- Canada, Chile, China, Finland, France, Germany, India, Japan, the Netherlands, New Zealand, Norway, Poland, Portugal, Sweden and the United Kingdom.
 - This includes for example ChargePoint, Energias de Portugal, Enel X, E.ON, Fortum, Iberdrola, Renault-Nissan-Mitsubishi Alliance, Schneider Electric, The Tokyo Electric Power Company Inc and Vattenfall.
- 51 Bulgaria, Croatia, France, Italy, Luxembourg, the Netherlands, the Slovak Republic and the United States.
 - The US RFS was established in 2005 and amended and extended in 2007 to include other types of biofuel, along with additional changes. The revised program began in 2010 and is ongoing.
- In EU regulation, a zero or low emission vehicle is defined as a passenger car or van with CO2 emissions between 0 and 50 g/km.
- For a full discussion of these adjustments and their effects see: ICCT, "Practical lessons in vehicle efficiency policy: The 10-year evolution of France's CO2-based bonus-malus (feebate) system", https://theicct.org/blog/staff/practical-lessons-vehicle-efficiency-policy-10-year-evolution-frances-co2-based-bonus, updated 12 March 2018, viewed 12 October 2020.
- 57 All 100% EV targets or targeted ICE bans are on net sales only so far.
- 60 i Including CO2, NOx and particulate matter.
- i Targets include the following: Cabo Verde, Canada, British Columbia (Canada), Hainan Province and Taipei (China), Costa Rica, Denmark, France, Iceland, Japan, Netherlands, Norway, Slovenia, Balearic Islands (Spain), Sri Lanka, Sweden, United Kingdom and Scotland.
- i Distributed energy sources include mostly, but not exclusively, renewable energy sources and in this context also apply to electric vehicles for providing V2G grid services
 - For example, the collection of fees both for charging a vehicle and for injecting power to the grid.
- i For more details see: https://www.seforall.org/energy-efficiency-for-sustainable-development/energy-and-transport
 - ii Read the results here: https://www.seforall.org/publications/switching-gears-enabling-access-to-sustainable-urban-mobility
- ¹ Total energy consumption in the Transforming Energy Scenario is significantly reduced compared to the Reference Case based on avoid, shift and vehicle efficiency measures.
 - ii See Sidebar 3.
 - The Sustainable Development Scenario (SDS) provides a vision of how the global energy sector can evolve to achieve the energy-related SDGs, and it is developed based on what is needed to achieve the desired outcomes.
- 70 Challenges identified in this section represent the authors' assessment based on the research conducted for the previous sections and expert interviews.

 We therefore do not attribute individual challenges or statements to specific reports or experts.
- ¹ Interoperability here refers to the compatibility of vehicle charging systems and charging infrastructure across vehicle manufacturers, models and charging point operators.
- Note that there is no common definition of marginal lands. For some examples of existing definitions see Giuseppe Pulighe et al., "Ongoing and emerging issues for sustainable bioenergy production on marginal lands in the Mediterranean regions," Renewable and Sustainable Energy Reviews, vol. 103 (1 April 2019), pp. 58–70.

ENDNOTES

- 1 International Energy Agency (IEA), World Energy Statistics and Balances, 2019 edition (Paris: 2019), https://webstore.iea.org/world-energy-statistics-and-balances-2019.
- ² IEA, "Renewable energy in transport 2018 and 2024", https://www.iea.org/data-and-statistics/charts/renewable-energy-in-transport-2018-and-2024; IEA, Word Energy Outlook 2019 (Paris: November 2019), https://www.iea.org/reports/world-energy-outlook-2019.
- ³ IEA, World Energy Outlook 2019 (Paris: November 2019), https://www.iea.org/reports/world-energy-outlook-2019.
- 4 Renewable Energy Policy Network for the 21st Century (REN21), Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report.
- ⁵ IEA, "Renewable energy in transport 2018 and 2024", https://www.iea.org/data-and-statistics/charts/renewable-energy-in-transport-2018-and-2024; IEA, Word Energy Outlook 2019 (Paris: November 2019), https://www.iea.org/reports/world-energy-outlook-2019.
- 6 International Transport Forum (ITF), Transport Outlook 2019, https://www.oecd-ilibrary.org/transport/itf-transport-outlook-2019_transp_outlook-en-2019-en.
- ⁷ ITF, Transport Outlook 2019, https://www.oecd-ilibrary.org/transport/itf-transport-outlook-2019_transp_outlook-en-2019-en.
- See for example Transport Decarbonisation Alliance (TDA), Decarbonising transport by 2050 (2018), http://tda-mobility.org/wp-content/uploads/2018/12/EY_TDA-Manifesto.pdf; Marion Vieweg, Daniel Bongardt, and Nadja Taeger, Enhancing Climate Ambition in Transport: Six Action Recommendations for Policy-Makers (GIZ: 2020), https://www.changing-transport.org/publication/enhancing-climate-ambition-in-transport/.
- 9 ITF, Transport Outlook 2019, https://www.oecd-ilibrary.org/transport/itf-transport-outlook-2019_transp_outlook-en-2019-en.
- International Renewable Energy Agency (IRENA), Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging.
- Manish Ram et al., Global Energy System based on 100% Renewable Energy Power, Heat, Transport and Desalination Sectors (Lappeenranta University of Technology and Energy Watch Group: March 2019), http://energywatchgroup.org/wp-content/uploads/EWG_LUT_100RE_All_Sectors_Global_Report_2019.pdf.
- 12 See for example ITF, Lightening Up: How Less Heavy Vehicles Can Help Cut CO2 Emissions (2017), https://www.itf-oecd.org/less-heavy-vehicles-cut-co2-emissions.
- ¹³ IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- See for example IEA Bioenergy, "DROP-IN" BIOFUELS: The Key Role That Co-Processing Will Play in Its Production (Paris: January 2019), https://www.ieabioenergy.com/wp-content/uploads/2019/09/Task-39-Drop-in-Biofuels-Full-Report-January-2019.pdf; IRENA, Advanced Biofuels: What Holds Them Back? (Abu Dhabi: November 2019), https://www.irena.org/publications/2019/Nov/Advanced-biofuels-What-holds-them-back.
- Rana Adib, "How can the transport sector build back better from the COVID-19 crisis and what is the role of renewable energy in this recovery?", Slocat's Morning Commute Blog, 1 July 2020, https://slocat.net/how-can-the-transport-sector-build-back-better-from-the-covid-19-crisis-and-what-is-the-role-of-renewable-energy-in-this-recovery/
- 16 IEA, Global Energy Review 2020 (Paris: April 2020), https://www.iea.org/reports/global-energy-review-2020/renewables#abstract.
- Campaign for Better Transport, Covid-19 Recovery: Renewing the transport system (July 2020), https://bettertransport.org.uk/sites/default/files/research-files/Covid_19_Recovery_Renewing_the_Transport_System.pdf.
- Giulia Varaschin and Sophie Röhrl, "BLOG: How COVID-19 Recovery Plans around the world enhance Transport Climate Ambition", Changing Transport, https://www.changing-transport.org/green-recovery-climate-ambition/, viewed 29 September 2020.
- Gobierno de España, Plan de impulse de la cadena de valor de la industria de la automoción: Hacia una movilidad sostenible y conectada (2020), https://www.lamoncloa.gob.es/serviciosdeprensa/notasprensa/transportes/Documents/2020/15062020 PlanAutomocion2.pdf.
- "Un plan gouvernemental de 20 millions d'euros pour encourager la pratique du vélo pendant le déconfinement", Le Monde, 30 April 2020, https://www.lemonde.fr/planete/article/2020/04/30/un-plan-gouvernemental-de-20-millions-d-euros-pour-encourager-la-pratique-du-velo-au-deconfinement_6038198_3244.html.
- ²¹ "France plans hydrogen alliance with Germany", Clean Energy Wire, 7 September 2020, https://www.cleanenergywire.org/news/france-plans-hydrogen-alliance-germany.
- ²² "Polnisches Klimaministerium legt E-Busförderprogramme auf", Electrive, 7 July 2020, https://www.electrive.net/2020/07/07/polnisches-klimaministerium-legt-e-busfoerderprogramme-auf/.
- Aaron Walawalkar, "UK plans £250m boost for cycle lanes and fast-track e-scooter trials", The Guardian, 9 May 2020, https://www.theguardian.com/uk-news/2020/may/09/uk-to-invest-cycle-lanes-coronavirus-air-pollution.
- 24 "China Weighs Cuts to Electric-Car Subsidies It Just Extended", Bloomberg, , 2 April 2020, https://www.bloomberg.com/news/articles/2020-04-01/china-mulling-cutting-electric-car-subsidies-it-just-extended.
- ²⁵ IEA, Renewable energy market update (IEA: May 2020), https://www.iea.org/reports/renewable-energy-market-update/covid-19-impact-on-renewable-energy-growth; Mariano Berkenwald and Pharoah Le Feuvre, "Biofuels in the time of Covid-19: Staying the course on clean transport fuels in Latin America", IEA Commentary, 11 May 2020, https://www.iea.org/commentaries/biofuels-in-the-time-of-covid-19-staying-the-course-on-clean-transport-fuels-in-latin-america.
- ²⁶ IEA, Renewable energy market update: Outlook for 2020 and 2021 (Paris: May 2020), https://www.iea.org/reports/renewable-energy-market-update/technology-summaries#transport-biofuels.
- 27 IEA, The Covid-19 Crisis and Clean Energy Progress (Paris: June 2020), https://www.iea.org/reports/the-covid-19-crisis-and-clean-energy-progress/transport.
- 28 IEA, The Covid-19 Crisis and Clean Energy Progress (Paris: June 2020), https://www.iea.org/reports/the-covid-19-crisis-and-clean-energy-progress/transport.
- ²⁹ IEA, The Covid-19 Crisis and Clean Energy Progress (Paris: June 2020), https://www.iea.org/reports/the-covid-19-crisis-and-clean-energy-progress/transport.
- Jimmy Swira, "Creative Destruction: the COVID-19 Economic Crisis is Accelerating the Demise of Fossil Fuels", African Mining Brief, 7 August 2020, https://africanminingbrief.com/creative-destruction-the-covid-19-economic-crisis-is-accelerating-the-demise-of-fossil-fuels/.

- 31 IEA, The Covid-19 Crisis and Clean Energy Progress (Paris: June 2020), https://www.iea.org/reports/the-covid-19-crisis-and-clean-energy-progress/transport.
- Jimmy Swira, "Creative Destruction: the COVID-19 Economic Crisis is Accelerating the Demise of Fossil Fuels", African Mining Brief, 7 August 2020, https://africanminingbrief.com/creative-destruction-the-covid-19-economic-crisis-is-accelerating-the-demise-of-fossil-fuels/.
- Brian Chen, "E-Bikes Are Having Their Moment. They Deserve It", The New York Times, 3 June 2020, https://www.nytimes.com/2020/06/03/technology/personaltech/e-bikes-are-having-their-moment-they-deserve-it.html.
- 34 SUM4ALL, Global Roadmap of Action Toward Sustainable Mobility (2019), https://sum4all.org/global-roadmap-action.
- See for example Emilio Moran et al., "Sustainable hydropower in the 21st century", Proceedings of the National Academy of Sciences of the United States of America, vol. 115, no. 47 (2018), pp. 11891-98; International Hydropower Association, "Sustainability", https://www.hydropower.org/sustainability-0; Laura Lonza et al., Workshop Report. Biofuels Sustainability Focus on Lifecycle Analysis (LCA). Joint workshop of IEA Bioenergy Task 39 and the European Commission's Joint Research Centre Ispra (Italy), 16-17 May 2019, http://task39.sites.olt.ubc.ca/files/2019/07/T39-WorkshopReport-JRC-Sustainability-LCA_final.pdf; IRENA, Advanced Biofuels: What Holds Them Back? (Abu Dhabi: November 2019), https://www.irena.org/publications/2019/Nov/Advanced-biofuels-What-holds-them-back; T. Mai-Moulin, U. R. Fritsche, and M. Junginger, "Charting global position and vision of stakeholders towards sustainable bioenergy," Energy, Sustainability and Society, vol. 9, no. 1 (2019), p. 48; International Organization for Standardization (ISO), ISO 13065:2015 Sustainability criteria for bioenergy (2015), https://www.iso.org/standard/52528.html.
- ³⁶ IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- For the project developers' perspective, see IRENA, Advanced Biofuels: What Holds Them Back? (Abu Dhabi: November 2019), https://www.irena.org/publications/2019/Nov/Advanced-biofuels-What-holds-them-back.
- For example, the IEA conducted an assessment of five LCA models used for estimating GHG effects of FAME and HVO/HEFA production, leading to differences of up to 67%. See IEA Bioenergy, Comparison of Biofuel Life Cycle Analysis Tools (2018), https://www.ieabioenergy.com/wp-content/uploads/2019/07/Task-39-CTBE-biofuels-LCA-comparison-Final-Report-Phase-2-Part-1-February-11-2019.pdf.
- ³⁹ Royal Academy of Engineering, Sustainability of Liquid Biofuels (2017), www.raeng.org.uk/biofuels%0Awww.raeng.org.uk/biofuels.
- ⁴⁰ IEA Bioenergy, "DROP-IN" BIOFUELS: The Key Role That Co-Processing Will Play in Its Production (Paris: January 2019), https://www.ieabioenergy.com/wp-content/uploads/2019/09/Task-39-Drop-in-Biofuels-Full-Report-January-2019.pdf.
- ⁴¹ IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- ⁴² Such as those of the EU RED Directive: European Commission, "Renewable energy directive," Energy, 16 July 2014, https://ec.europa.eu/energy/topics/renewable-energy/renewable-energy-directive/overview_en.
- Daniel Bongardt et al., Sustainable Urban Transport: Avoid-Shift-Improve (ASI) (Bonn and Eschborn: Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ): April 2019, https://www.transformative-mobility.org/assets/publications/ASI_TUMI_SUTP_iNUA_No-9_April-2019.pdf.
- 44 Urda Eichhorst et al., Compendium on Greenhouse Gas Baselines and Monitoring (February 2018), https://unfccc.int/sites/default/files/resource/Transport_0.pdf.
- See for example SUM4ALL, Global Roadmap of Action Toward Sustainable Mobility (2019), https://sum4all.org/global-roadmap-action; Paris Process on Mobility and Climate (PPMC), Global Macro Roadmap (2017), http://www.ppmc-transport.org/global-macro-roadmap/; SLOCAT Partnership on Sustainable, Low Carbon Transport, Transport and Climate Change 2018 Global Status Report (Shanghai: 2018), https://slocat.net/tcc-gsr.
- 46 Agora Verkehrswende, Transforming Transport to Ensure Tomorrow's Mobility (Berlin: August 2017), https://www.agora-verkehrswende.de/fileadmin/Projekte/2017/12_ Thesen/Agora-Verkehrswende-12-Insights_EN_WEB.pdf.
- AFEN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/; Agora Verkehrswende, GIZ and REN21, Towards Decarbonising Transport 2018. A 2018 Stocktake on Sectoral Ambition in the G20 (2018), https://www.agora-verkehrswende.de/fileadmin/Projekte/2017/Verkehr_und_Klima_in_den_G20_Laendern/15_G20_WEB.pdf.
- Chelsea Baldino et al., Advanced alternative fuel pathways: Technology overview and status (ICCT, 2019), https://theicct.org/publications/advanced-alternative-fuel-pathways; Danish Energy Agency and Energinet, Technology Data Renewable fuels (2019), https://ens.dk/sites/ens.dk/files/Analyser/technology_data_for_renewable_fuels.pdf; R. Navanietha Krishnaraj and Jong-Sung Yu, Bioenergy: Opportunities and Challenges (CRC Press, 2015).
- ⁴⁹ REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- IRENA, Hydrogen: A renewable energy perspective (Abu Dhabi: September 2019), https://irena.org/publications/2019/Sep/Hydrogen-A-renewable-energy-perspective; IRENA, Hydrogen from Renewable Power: Technology Outlook for the Energy Transition (Abu Dhabi: September 2018), https://irena.org/publications/2018/Sep/Hydrogen-from-renewable-power; IEA, The Future of Hydrogen (Paris: June 2019), https://www.iea.org/reports/the-future-of-hydrogen.
- IRENA, Hydrogen: A renewable energy perspective (Abu Dhabi: September 2019), https://irena.org/publications/2019/Sep/Hydrogen-A-renewable-energy-perspective; IRENA, Hydrogen from Renewable Power: Technology Outlook for the Energy Transition (Abu Dhabi: September 2018), https://irena.org/publications/2018/Sep/Hydrogen-from-renewable-power; IEA, The Future of Hydrogen (Paris: June 2019), https://www.iea.org/reports/the-future-of-hydrogen.
- Chelsea Baldino et al., Advanced alternative fuel pathways: Technology overview and status (ICCT, 2019), https://theicct.org/publications/advanced-alternative-fuel-pathways; Danish Energy Agency and Energinet, Technology Data Renewable fuels (2019), https://ens.dk/sites/ens.dk/files/Analyser/technology_data_for_renewable_fuels.pdf.
- ⁵³ IEA, World Energy Outlook special report: Outlook for Biogas and Biomethane. Prospects for Organic Growth (Paris: March 2020), https://www.iea.org/reports/outlook-for-biogas-and-biomethane-prospects-for-organic-growth.
- 54 IRENA, Biogas for Road Vehicles: Technology Brief (Abu Dhabi: March 2017), https://www.irena.org/publications/2017/Mar/Biogas-for-road-vehicles-Technology-brief.
- 55 Gazliya Nazimudheen, "A Glance at Drop-in Biofuels," BioEnergy Consult, 26 March 2020, https://www.bioenergyconsult.com/drop-in-biofuels/.
- IEA, Renewables 2019: Market analysis and forecasts from 2019 to 2024 (Paris: October 2019), https://www.iea.org/reports/renewables-2019/transport.
- For IRENA, Biogas for Road Vehicles: Technology Brief (Abu Dhabi: March 2017), https://www.irena.org/publications/2017/Mar/Biogas-for-road-vehicles-Technology-brief; Chelsea Baldino et al., Advanced alternative fuel pathways: Technology overview and status (ICCT, 2019), https://theicct.org/publications/advanced-alternative-fuel-pathways.

- IRENA, Biogas for Road Vehicles: Technology Brief (Abu Dhabi: March 2017), https://www.irena.org/publications/2017/Mar/Biogas-for-road-vehicles-Technology-brief; IEA Bioenergy, "DROP-IN" BIOFUELS: The Key Role That Co-Processing Will Play in Its Production (Paris: January 2019), https://www.ieabioenergy.com/wp-content/uploads/2019/09/Task-39-Drop-in-Biofuels-Full-Report-January-2019.pdf.
- IRENA, Biogas for Road Vehicles: Technology Brief (Abu Dhabi: March 2017), https://www.irena.org/publications/2017/Mar/Biogas-for-road-vehicles-Technology-brief; Chelsea Baldino et al., Advanced alternative fuel pathways: Technology overview and status (ICCT, 2019), https://theicct.org/publications/advanced-alternative-fuel-pathways.
- 60 IEA, The Future of Hydrogen (Paris: June 2019), https://www.iea.org/reports/the-future-of-hydrogen.
- 61 IRENA, Renewable Power Generation Costs in 2019 (Abu Dhabi: 2020), https://irena.org/publications/2020/Jun/Renewable-Power-Costs-in-2019.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/; IRENA, Renewable Power Generation Costs in 2019 (Abu Dhabi: 2020), https://irena.org/publications/2020/Jun/Renewable-Power-Costs-in-2019.
- Ocean Energy Europe, Ocean Energy: Key trends and statistics 2019 (Brussels: 2020), https://www.oceanenergy-europe.eu/wp-content/uploads/2020/03/OEE_Trends-Stats_2019_Web.pdf.
- 64 REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- This is particularly the case for low density lignocellulosic feedstock. See for example IEA Bioenergy, "DROP-IN" BIOFUELS: The Key Role That Co-Processing Will Play in Its Production (Paris: January 2019), https://www.ieabioenergy.com/wp-content/uploads/2019/09/Task-39-Drop-in-Biofuels-Full-Report-January-2019.pdf.
- 66 Chelsea Baldino et al., Advanced alternative fuel pathways: Technology overview and status (ICCT, 2019), https://theicct.org/publications/advanced-alternative-fuel-pathways.
- 67 IEA Bioenergy, "DROP-IN" BIOFUELS: The Key Role That Co-Processing Will Play in Its Production (Paris: January 2019), https://www.ieabioenergy.com/wp-content/uploads/2019/09/Task-39-Drop-in-Biofuels-Full-Report-January-2019.pdf.
- 68 I IEA, The Future of Hydrogen (Paris: June 2019), https://www.iea.org/reports/the-future-of-hydrogen.
- 69 IEA Bioenergy, Advanced Biofuels Potential for Cost Reduction (Paris: February 2020), https://www.ieabioenergy.com/wp-content/uploads/2020/02/T41_ CostReductionBiofuels-11 02 19-final.pdf.
- ⁷⁰ IRENA, Advanced Biofuels: What Holds Them Back? (Abu Dhabi: November 2019), https://www.irena.org/publications/2019/Nov/Advanced-biofuels-What-holds-them-back.
- IRENA, Biogas for Road Vehicles: Technology Brief (Abu Dhabi: March 2017), https://www.irena.org/publications/2017/Mar/Biogas-for-road-vehicles-Technology-brief.
- ⁷² IRENA, Biogas for Road Vehicles: Technology Brief (Abu Dhabi: March 2017), https://www.irena.org/publications/2017/Mar/Biogas-for-road-vehicles-Technology-brief.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- K. Lovegrove et al., Comparison of dispatchable renewable electricity options (Australian Renewable Energy Agency: 2018), https://arena.gov.au/assets/2018/10/Comparison-Of-Dispatchable-Renewable-Electricity-Options-ITP-et-al-for-ARENA-2018.pdf.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- 177 IRENA, Electrification with renewables: Driving the transformation of energy services (Abu Dhabi: 2019), https://irena.org/publications/2019/Jan/Electrification-with-Renewables.
- Karolina Kuklinska, Lidia Wolska and Jacek Namiesnik, "Air quality policy in the U.S. and the EU a review", Atmospheric Pollution Research, vol. 6, no. 1 (2015), pp. 129-137.
- ⁷⁹ See for example BP, BP Energy Outlook 2020, https://www.bp.com/en/global/corporate/energy-economics/energy-outlook.html.
- US Department of Energy, "Alternative Fuels and Advanced Vehicles", https://afdc.energy.gov/fuels/, viewed 26 May 2020.
- See for example "Cars, trucks, buses and air pollution", Union of Concerned Scientists, 19 July 2018, https://www.ucsusa.org/resources/cars-trucks-buses-and-air-pollution.
- 82 IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- 83 IRENA, Biogas for Road Vehicles: Technology Brief (Abu Dhabi: March 2017), https://www.irena.org/publications/2017/Mar/Biogas-for-road-vehicles-Technology-brief.
- 84 Maddy White, "Making electrification a reality for the automotive industry," The Manufacturer, 9 July 2019, https://www.themanufacturer.com/articles/making-electrification-a-reality-for-the-automotive-industry/.
- ln 2019, the top 10 car manufacturers were responsible for around 75% of light duty vehicle sales. From "Global Auto Market 2020. Toyota Group on top while Hyundai-Kia reached the 4th spot", focus2move, https://focus2move.com/world-car-group-ranking/, 1 August 2020.
- McKinsey, The road to 2020 and beyond: What's driving the global automotive industry? (August 2013), https://www.mckinsey.com/~/media/mckinsey/dotcom/client_service/Automotive%20and%20Assembly/PDFs/McK_The_road_to_2020_and_beyond.ashx.
- 87 PwC, Global Innovation 1000: What the Top Innovators Get Right (2018), https://www.strategyand.pwc.com/gx/en/insights/innovation1000.html.
- Ryan Robinson and Srinivasa Reddy Tummalapalli, "Plugging into the future," Deloitte Insights, 5 December 2018, https://www2.deloitte.com/us/en/insights/industry/automotive/vehicle-electrification-global-automotive-industry.html.
- Ryan Robinson and Srinivasa Reddy Tummalapalli, "Plugging into the future," Deloitte Insights, 5 December 2018, https://www2.deloitte.com/us/en/insights/industry/automotive/vehicle-electrification-global-automotive-industry.html.
- 90 US Office of Energy Efficiency & Renewable Energy, "Electric car safety, maintenance, and battery life", https://www.energy.gov/eere/electricvehicles/electric-car-safety-maintenance-and-battery-life.
- TDA, Decarbonising transport by 2050 (2018), http://tda-mobility.org/wp-content/uploads/2018/12/EY_TDA-Manifesto.pdf.
- Roland Berger, Embracing the Caras-a-Service model The European leasing and fleet management market (2018), (https://www.rolandberger.com/publications/publication_pdf/roland_berger_car_as_a_service_final.pdf.
- PwC, Five Trends Transforming the Automotive Industry (2018), https://www.pwc.at/de/publikationen/branchen-und-wirtschaftsstudien/eascy-five-trends-transforming-the-automotive-industry_2018.pdf.

- For instance, the Ministry of Road Transport and Highways in India allows the registration of electric vehicles without pre-fitted batteries. This initiative decouples the cost of battery (which accounts for 30-40% of the total cost) from the vehicle cost. Vehicles may also be sold without the battery. This makes the upfront cost of electric two-and three-wheelers lower than their ICE counterparts. The battery can be provided separately by the OEM or the energy service provider. From "MoRTH allows Sale and Registration of Electric Vehicles without batteries", PIB Delhi, 12 August 2020, https://pib.gov.in/PressReleseDetailm.aspx?PRID=1645394.
- 95 IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- 96 IRENA, Hydrogen: A renewable energy perspective (Abu Dhabi: September 2019), https://irena.org/publications/2019/Sep/Hydrogen-A-renewable-energy-perspective.
- David Boyle et al., Smoking out the climate: Lessons from the advertising ban on tobacco for tackling the climate emergency (August 2020), https://staticl.squarespace.com/static/5ebd0080238e863d0491lb51/t/5f1fe08099156872c6cale59/1595924618033/Smoking+Out+The+Climate+FINAL.pdf.
- 98 IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- 99 IEA Bioenergy, "DROP-IN" BIOFUELS: The Key Role That Co-Processing Will Play in Its Production (Paris: January 2019), https://www.ieabioenergy.com/wp-content/uploads/2019/09/Task-39-Drop-in-Biofuels-Full-Report-January-2019.pdf.
- ¹⁰⁰ SUM4ALL, Global Roadmap of Action Toward Sustainable Mobility (2019), https://sum4all.org/global-roadmap-action.
- Agora Verkehrswende, The Future Cost of Electricity-Based Synthetic Fuels (2018), https://static.agora-energiewende.de/fileadmin2/Projekte/2017/SynKost_2050/ Agora_SynKost_Study_EN_WEB.pdf.
- Danish Energy Agency and Energinet, Technology Data Renewable fuels (2019), https://ens.dk/sites/ens.dk/files/Analyser/technology_data_for_renewable_fuels.pdf.
- 103 TDA, Decarbonising transport by 2050 (2018), http://tda-mobility.org/wp-content/uploads/2018/12/EY_TDA-Manifesto.pdf.
- 104 IRENA, Hydrogen: A renewable energy perspective (Abu Dhabi: September 2019), https://irena.org/publications/2019/Sep/Hydrogen-A-renewable-energy-perspective.
- 105 TDA, Decarbonising transport by 2050 (2018), http://tda-mobility.org/wp-content/uploads/2018/12/EY_TDA-Manifesto.pdf.
- 106 Chelsea Baldino et al., Advanced alternative fuel pathways: Technology overview and status (ICCT, 2019), https://theicct.org/publications/advanced-alternative-fuel-pathways; Danish Energy Agency and Energinet, Technology Data Renewable fuels (2019), https://ens.dk/sites/ens.dk/files/Analyser/technology_data_for_renewable_fuels.pdf; R. Navanietha Krishnaraj and Jong-Sung Yu, Bioenergy: Opportunities and Challenges (CRC Press, 2015).
- Hydrogen Council, Path to hydrogen competitiveness. A cost perspective (2020), https://hydrogencouncil.com/wp-content/uploads/2020/01/Path-to-Hydrogen-Competitiveness_Full-Study-1.pdf.
- 108 IRENA, Hydrogen: A renewable energy perspective (Abu Dhabi: September 2019), https://irena.org/publications/2019/Sep/Hydrogen-A-renewable-energy-perspective.
- SolarPower Europe, Putting Solar in the Driver's Seat (Brussels: November 2019), https://www.solarpowereurope.org/wp-content/uploads/2019/11/SolarPower-Europe_Solar-in-the-driving-seat_Solar-Mobility-report.pdf.
- 109 IRENA, Electrification with renewables: Driving the transformation of energy services (Abu Dhabi: 2019), https://irena.org/publications/2019/Jan/Electrification-with-Renewables.
- SolarPower Europe, Putting Solar in the Driver's Seat (Brussels: November 2019), https://www.solarpowereurope.org/wp-content/uploads/2019/11/SolarPower-Europe_Solar-in-the-driving-seat_Solar-Mobility-report.pdf.
- SolarPower Europe, Putting Solar in the Driver's Seat (Brussels: November 2019), https://www.solarpowereurope.org/wp-content/uploads/2019/11/SolarPower-Europe_Solar-in-the-driving-seat_Solar-Mobility-report.pdf.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), p.15, https://www.ren21.net/reports/global-status-report/.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- 113 IEA, World Energy Outlook special report: Outlook for Biogas and Biomethane. Prospects for Organic Growth (Paris: March 2020), https://www.iea.org/reports/outlook-for-biogas-and-biomethane-prospects-for-organic-growth.
- IRENA, Innovation landscape for a renewable-powered future: Solutions to integrate variable renewables (Abu Dhabi: February 2019), https://www.irena.org/publications/2019/Feb/Innovation-landscape-for-a-renewable-powered-future; IRENA, Hydrogen: A renewable energy perspective (Abu Dhabi: September 2019), https://irena.org/publications/2019/Sep/Hydrogen-A-renewable-energy-perspective.
- IRENA, Electrification with renewables: Driving the transformation of energy services (Abu Dhabi: 2019), https://irena.org/publications/2019/Jan/Electrification-with-Renewables; IRENA, Global Renewables Outlook: Energy Transformation 2050 (Abu Dhabi: April 2020), https://www.irena.org/publications/2020/Apr/Global-Renewables-Outlook-2020.
- 116 IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020; IRENA, Global Renewables Outlook: Energy Transformation 2050 (Abu Dhabi: April 2020), https://www.irena.org/publications/2020/Apr/Global-Renewables-Outlook-2020.
- 117 IIEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020; IRENA, Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging.
- ¹¹⁸ IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- 119 IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- 120 IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020; IRENA, Electrification with renewables: Driving the transformation of energy services (Abu Dhabi: 2019), https://irena.org/publications/2019/Jan/Electrification-with-Renewables; IRENA, Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging.
- 121 IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020; IRENA, Electrification with renewables: Driving the transformation of energy services (Abu Dhabi: 2019), https://irena.org/publications/2019/Jan/Electrification-with-Renewables; IRENA, Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging.
- Philipp Haaf, "Plug and Charge An essential step towards seamless e-mobility", Capgemini, 17 January 2020, https://www.capgemini.com/2020/01/plug-and-charge-an-essential-step-towards-seamless-e-mobility/.



- 123 IRENA, Demand-side flexibility for power sector transformation: Analytical Brief (Abu Dhabi: 2019), https://www.irena.org/-/media/Files/IRENA/Agency/Publication/2019/Dec/IRENA_Demand-side_flexibility_2019.pdf.
- 124 Martin Robinius et al., "Linking the Power and Transport Sectors—Part 1: The Principle of Sector Coupling", Energies, vol. 10, no. 7 (2017), p. 956.
- 125 IRENA, Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging.
- 126 IRENA, Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging.
- 127 IRENA, Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging.
- 128 IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- 129 Tim Buckley, "IEEFA Australia, Battery storage, renewables, hydrogen and rare earths investment and transition planning can create jobs now and into the future", Institute for Energy Economics & Financial Analysis (IEEFA), 21 October 2019, https://ieefa.org/ieefa-australia-battery-storage-renewables-hydrogen-and-rare-earths-investment-and-transition-planning-can-create-jobs-now-and-into-the-future/.
- 130 Ken Silverstein, "Solar-powered electric vehicle charging stations are just around the corner", Forbes, 10 February 2020, https://www.forbes.com/sites/kensilverstein/2020/02/10/solar-powered-electric-vehicle-charging-stations-are-just-around-the-corner/#ea199f2320f6.
- SolarPower Europe, Putting Solar in the Driver's Seat (Brussels: November 2019), https://www.solarpowereurope.org/wp-content/uploads/2019/11/SolarPower-Europe_ Solar-in-the-driving-seat_Solar-Mobility-report.pdf.
- 132 IRENA, Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging.
- 133 IRENA, Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging.
- 134 IEA, "Data & Statistics", http://iea.org/data-and-statistics?country=WORLD&fuel=Energy%20supply&indicator=Total%20primary%20energy%20supply%20(TPES)%20 by%20source, viewed 9 June 2020.
- Frankfurt School-UNEP Collaborating Centre for Climate & Sustainable Energy Finance (FS-UNEP) and BloombergNEF, Global Trends in Renewable Energy Investment 2019 (Frankfurt: 2019), https://www.unenvironment.org/resources/report/global-trends-renewable-energy-investment-2019.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- 137 IEA, "Data & Statistics", http://iea.org/data-and-statistics?country=WORLD&fuel=Energy%20supply&indicator=Total%20primary%20energy%20supply%20(TPES)%20 by%20source, viewed 13 October 2020.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- 139 IRENA, Advanced Biofuels: What Holds Them Back? (Abu Dhabi: November 2019), https://www.irena.org/publications/2019/Nov/Advanced-biofuels-What-holds-them-back.
- Frankfurt School-UNEP Collaborating Centre for Climate & Sustainable Energy Finance (FS-UNEP) and BloombergNEF, Global Trends in Renewable Energy Investment 2019 (Frankfurt: 2019), https://www.unenvironment.org/resources/report/global-trends-renewable-energy-investment-2019.
- 141 IRENA, Advanced Biofuels: What Holds Them Back? (Abu Dhabi: November 2019), https://www.irena.org/publications/2019/Nov/Advanced-biofuels-What-holds-them-
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/; IEA, Oil 2020 (Paris: 2020), https://www.iea.org/reports/oil-2020.
- ¹⁴³ IEA, Technology Roadmap: Delivering Sustainable Bioenergy (Paris: 2017), https://www.ieabioenergy.com/wp-content/uploads/2017/11/Technology_Roadmap_Delivering_Sustainable_Bioenergy.pdf; IEA, Oil 2020 (Paris: 2020), https://www.iea.org/reports/oil-2020.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- ¹⁴⁵ IEA, Oil 2020 (Paris: 2020), https://www.iea.org/reports/oil-2020; REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- Aida Abdulah (UITP) "ZeEUS: Bringing e-buses to the heart of public transport", presentation at JASPERS/EIC Workshop, Bucharest, Romania, 24 April 2018, http://www.jaspersnetwork.org/download/attachments/24150588/2.%20Aida%20Abdullah%2C%20UITP.pdf; American Public Transportation Association, 2019 Public Transportation Fact Book (Washington, DC: 2019), https://www.apta.com/wp-content/uploads/APTA_Fact-Book-2019_FINAL.pdf.
- "Norwegian city rolls out biogas, biodiesel buses to reduce carbon footprint", Biofuels International, 11 September 2019, https://biofuels-news.com/news/norwegian-city-rolls-outbiogas-biodiesel-buses-to-reduce-carbon-footprint/.
- 148 Christina Nunez, "Biofuels, explained", National Geographic, 15 July 2019, https://www.nationalgeographic.com/environment/global-warming/biofuel/; Mathew Lowry, "Biogas buses are the green solution for cities", EU In My Region, 4 July 2016, https://euinmyregion.blogactiv.eu/2016/07/04/biogas-buses-are-the-green-solution-for-cities/.
- 149 IEA, World Energy Outlook Special Report: Prospects for Biogas and Biomethane (Paris: 2020), https://www.iea.org/reports/outlook-for-biogas-and-biomethane-prospects-for-organic-growth; IRENA, Biogas for Road Vehicles: Technology Brief (Abu Dhabi: March 2017), https://www.irena.org/publications/2017/Mar/Biogas-for-road-vehicles-Technology-brief.
- 150 IEA, World Energy Outlook Special Report: Prospects for Biogas and Biomethane (Paris: 2020), https://www.iea.org/reports/outlook-for-biogas-and-biomethane-prospects-for-organic-growth.
- 151 S. Olson, "RNG, cellulosic fuels and the Renewable Fuel Standard", BioCycle, 17 February 2017, https://www.biocycle.net/2017/02/14/rng-cellulosic-fuels-renewable-fuel-standard
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.; European Biogas Association, Annual Report 2019 (Brussels: 2019), https://www.europeanbiogas.eu/wp-content/uploads/2020/01/EBA-AR-2019-digital-version.pdf; Eurostat, "SHARES 2018 detailed results", Transport tab, https://ec.europa.eu/eurostat/web/energy/data/shares, viewed 26 February 2020.
- "CNG fuels plans to become UK's first supplier of carbon neutral fuel for HGVs", Bioenergy Insight, 6 November 2019, https://www.bioenergy-news.com/news/cng-fuels-plans-to-become-uks-first supplier-of-carbon-neutral-fuel-for-hgvs.

- duty transport) and 4 in Sweden; by the end of 2019, the company aimed to have 20 filling stations for heavy-duty vehicles (8 in Finland and 12 in Sweden), from "Major Nordic logistics supplier switches to biogas", Bioenergy Insight, 9 October 2019, https://www.bioenergy-news.com/news/major-nordic-logistics-solutions-provider-switches-to-biogas.
- 155 EBA, Biomethane in Transport (Brussels: 2016), https://www.europeanbiogas.eu/wp-content/uploads/2019/07/Biomethane-in-transport.pdf.
- European Commission, "Oslo starts its year as European Green Capital 2019", press release (Brussels: 4 January 2019), https://ec.europa.eu/info/news/oslo-starts-its-year-european-greencapital-2019-2019-jan-04_en.
- 157 Clean Energy Fuels, "California refuse vehicles go full circle with Redeem™; "Waste Pro widens CNG footprint; natural gas powers DeKalb 'Best Fleet'; BC Transit expands", press release (Newport Beach, CA: 20 February 2019), https://www.cleanenergyfuels.com/press-room/california-refuse-vehicles-go-full-circle-withredeem-waste-pro-widens-cng-footprint-natural-gas-powersdekalb-best-fleet-bc-transit-expands/.
- 158 Christina Ausley, "Meet the 'Green Fleet': Seattle's eco-friendly garbage trucks", KomoNews, 16 June 2019, https://komonews.com/news/local/meet-the-green-fleet-seattles-eco-friendly-garbage-trucks.
- 159 Clean Energy Fuels, "California refuse vehicles go full circle with Redeem™; "Waste Pro widens CNG footprint; natural gas powers DeKalb 'Best Fleet'; BC Transit expands", press release (Newport Beach, CA: 20 February 2019), https://www.cleanenergyfuels.com/press-room/california-refuse-vehicles-go-full-circle-withredeem-waste-pro-widens-cng-footprint-natural-gas-powersdekalb-best-fleet-bc-transit-expands/.
- 160 City of Surrey, "Facility", https://www.surreybiofuel.ca/facility, viewed 14 November 2019; City of Surrey, "Waste collection fleet", 23 November 2016, https://www.surreybiofuel.ca/news-media/blog/waste-collection-fleet.
- Samuele Nannoni, "From waste to reclaimed water and biomethane for transport: Life Methamorphosis project", BE Sustainable, 2 May 2019, http://www.besustainablemagazine.com/cms2/from-waste-to-reclaimed-water-and-biomethane-fortransport-life-methamorphosis-project/; Vilasana from European Commission, Assessment of a Co-digestion Plant Hypothetically Situated in Pla d'Urgell, Catalonia, Spain (Barcelona: 2007), https://ec.europa.eu/energy/intelligent/projects/sites/iee-projects/files/projects/documents/probiogas_national_report_spain.pdf.
- 162 Sohini Dey, "Fuel made from cow dung is powering India's cheapest bus service", The Better India, 1 April 2017, https://www. thebetterindia.com/93954/biogas-bus-cowdung-fuel-kolkata/.
- Motiva, "Biogas bus purchase of city of Vaasa creates markets for clean technology", https://www.motiva.fi/en/public_sector/ sustainable_public_procurements/ examples_of_the_procurements/biogas_bus_purchase_of_city_of_vaasa_creates_ markets_for_clean_technology, updated 1 August 2019.
- 164 L. Cork, "Biogas bus order for Paris", Transport Engineer, 8 October 2019, http://www.transportengineer.org.uk/transport-engineer-news/biogas-bus-order-for-paris/220031.
- "Norwegian city introduces 189 buses powered by biogas and biodiesel", Bioenergy Insight, 12 September 2019, https://www.bioenergy-news.com/news/norwegian-city-introduces-189-buses-powered-by-biogas-and-biodiesel.
- L. Cork, "Bristol buses boosted by alternative fuel", Transport Engineer, 16 September 2019, http://www.transportengineer.org.uk/transport-engineer-news/bristol-buses-boosted-byalternative-fuel/219381; L. Cork, "First West powers cleaner Bristol fleet with 77 biogas buses", Transport Engineer, 24 February 2020, http://www.transportengineer.org.uk/transportengineer-news/first-west-powers-cleaner-bristol-fleet-with-77-biogas-buses/224391.
- "Public buses to run on biogas in Karachi", Bioenergy News, 3 January 2019, https://www.bioenergy-news.com/display_news/14251/public_buses_to_run_on_biogas_in_karachi/1/; Imran Mukhtar, "Biogas guzzlers: Karachi's public buses to run on cow poo", Reuters, 2 January 2019, https://www.reuters.com/article/us-pakistan-transportation-climatechange/biogas-guzzlers-karachis-public-buses-to-run-on-cow-pooidUSKCN10W0IW.
- 168 IRENA, Biogas for Road Vehicles: Technology Brief (Abu Dhabi: March 2017), https://www.irena.org/publications/2017/Mar/Biogas-for-road-vehicles-Technology-brief.
- 169 IEA, Oil 2020 (Paris: 2020), https://www.iea.org/reports/oil-2020; REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- 170 IEA, Renewables 2019: Market analysis and forecasts from 2019 to 2024 (Paris: October 2019), https://www.iea.org/reports/renewables-2019/.
- Adrienne Murray, "Plug-in and sail: Meet the electric ferry pioneers", BBC News, 14 January 2020, https://www.bbc.com/news/business-50233206; B. Cogley, "World's first commercial electric plane takes off near Vancouver", Dezeen, 17 December 2019, https://www.dezeen.com/2019/12/17/worlds-first-commercial-electric-plane-canadaseaplane/; "Norway aims for all short-haul flights 100% electric by 2040", Tech Xplore, 17 January 2018, https://techxplore.com/news/2018-01-norway-aims-short-haul-flights-electric.html.
- Daniel Oberhaus, "Want Electric Ships? Build a Better Battery", Wired, 19 March 2020, https://www.wired.com/story/want-electric-ships-build-a-better-battery/.
- By replacing one of the turbofans used in a regular aircraft with a 2 MW electric motor, developers hope to boost power for take-off and climb as well as facilitate an electric-only descent. From Zeus, "Aircraft electrification: why future flight depends on innovation today", https://www.zeusinc.com/insights/aerospace/aircraft-electrification-innovation/, viewed 29 September 2020.
- 174 Infenion, "Why ships of the future will run on electricity", https://www.infineon.com/cms/en/discoveries/electrified-ships/, viewed 4 October 2020.
- 175 Hydrogen Europe, "Maritime Applications", https://hydrogeneurope.eu/maritime-applications, viewed 4 October 2020.
- Alex Scott, "Ammonia on route to fuel ships and planes", C&En, 12 August 2020, https://cen.acs.org/energy/renewables/Ammonia-route-fuel-ships-planes/98/i31.
- Alex Scott, "Ammonia on route to fuel ships and planes", C&En, 12 August 2020, https://cen.acs.org/energy/renewables/Ammonia-route-fuel-ships-planes/98/i31.
- Deutsche Energie-Agentur GmbH (dena), Global Alliance Powerfuels: Powerfuels in Aviation (Berlin: 2019), https://www.dena.de/fileadmin/dena/Publikationen/PDFs/2019/Powerfuels_in_Aviation_GAP.pdf.
- ¹⁷⁹ REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- ¹⁸⁰ IEA, Oil 2020 (Paris: 2020), https://www.iea.org/reports/oil-2020.
- 181 IRENA, Advanced Biofuels: What Holds Them Back? (Abu Dhabi: November 2019), https://www.irena.org/publications/2019/Nov/Advanced-biofuels-What-holds-them-back.



- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- Frankfurt School-UNEP Collaborating Centre for Climate & Sustainable Energy Finance (FS-UNEP) and BloombergNEF, Global Trends in Renewable Energy Investment 2020 (Frankfurt: 2020), https://www.fs-unep-centre.org.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- Estimate for 2009 from Eurostat, "SHARES summary results 2018", https://ec.europa.eu/eurostat/web/energy/data/shares, viewed 20 May 2020; 2019 estimate from Agora Energiewende and EMBER, The European Power Sector in 2019 (London: 2020), https://ember-climate.org/project/power-2019.
- Denmark from Danish Energy Agency, "Månedlig elstatistik. Oversigtstabeller", in Monthly Electricity Supply, https://ens.dk/en/our-services/statistics-data-key-figures-and-energy-maps/annual-and-monthly-statistics, viewed 15 April 2020; Germany from Federal Ministry for Economic Affairs and Energy (BMWi), Working Group on Renewable Energy Statistics (AGEE-Stat), Zeitreihen zur Entwicklung der erneuerbaren Energien in Deutschland Stand: Februar 2020 (Dessau-Roßlau: 2020), https://www.erneuerbare-energien.de/EE/Navigation/DE/Service/Erneuerbare_Energien_in_Zahlen/Zeitreihen/zeitreihen.html; United Kingdom from UK Department for Business, Energy and Industrial Strategy (BEIS), "Energy Trends: Renewables", Table 6.1, https://www.gov.uk/government/statistics/energy-trendssection-6-renewables, updated 26 March 2020.
- United Kingdom from UK Department for Business, Energy and Industrial Strategy (BEIS), "Energy Trends: Renewables", Table 6.1, https://www.gov.uk/government/statistics/energy-trendssection-6-renewables, updated 26 March 2020; US from US EIA, International Data Browser, https://www.eia.gov/international/data/world/electricity/electricity-generation, viewed 20 May 2020; US EIA, Annual Energy Review, "Table 8.2b: Electricity net generation: Electric power sector", https://www.eia.gov/totalenergy/data/annual, viewed 17 April 2020.
- 190 China Electricity Council, Statistics of China Power Industry 2019 (Beijing: 2020), http://english.cec.org.cn/No.110.1941.htm.
- OECD/IEA, The Future of Rail (Paris: 2019), https://www.iea.org/futureofrail/.
- 192 IEA, World Energy Statistics and Balances, 2019 edition (Paris: 2019), https://webstore.iea.org/world-energy-statistics-and-balances-2019.
- 193 The Netherlands: Patrick Caughill, "All Dutch trains now run on 100% wind power", Business Insider, 3 June 2017, http://uk.businessinsider.com/wind-power-trains-in-netherlands-2017-6?r=US&IR=T; Japan: Kirsty Kawano, "Tokyo gets nation's first 100% renewable energy-powered rail line", Zenbird, 15 May 2019, https://zenbird.media/tokyo-gets-nations-first-100-renewable-energy-powered-rail-line/; Germany: Craig Richard, "Deutsche Bahn signs Germany's first offshore wind PPA", WindPower, 9 September 2019, https://www.windpowermonthly.com/article/1596041/deutsche-bahn-signs-germanys-first-offshore-wind-ppa#:-:text=German%20railway%20 company%20Deutsche%20Bahn,for%20five%20years%20from%202024; France: José Rojo Martin, "Solar-powered trains propel France's dormant PPA scene", PVTech, 28 June 2019, pv-tech.org/news/solar-powered-trains-propel-frances-dormant-ppa-scene; UK: Adele Berti, "Solar-powered trains: the future of rail?", Railway Technology, 12 September 2019, https://www.railway-technology.com/features/solar-powered-trains/#:-:text=The%20brainchild%20of%20the%20Riding,from%20around%20 100%20solar%20panels.&text=In%20India%2C%20for%20example%2C%20trains,be%20100%25%20solar%2Dpowered.
- Adele Berti, "Solar-powered trains: the future of rail?", Railway Technology, 12 September 2019, https://www.railway-technology.com/features/solar-powered-trains/#:~text=The%20brainchild%20of%20the%20Riding,from%20around%20100%20solar%20panels.&text=In%20India%2C%20for%20example%2C%20-trains.be%20100%25%20solar%2Dpowered.
- 195 IEA, "Hydrogen Fuels & Technologies", viewed 12 June 2020, https://www.iea.org/fuels-and-technologies/hydrogen.
- 196 IEA, "Hydrogen Fuels & Technologies", viewed 12 June 2020, https://www.iea.org/fuels-and-technologies/hydrogen.
- 197 IEA, "Hydrogen Fuels & Technologies", viewed 12 June 2020, https://www.iea.org/fuels-and-technologies/hydrogen; IHS Markit, IHS Markit's 10 Cleantech Trends in 2020 (London: 2020), https://cdn.ihsmarkit.com/www/prot/pdf/0320/IHSMarket-Top-10-Cleantech-Trends-2020.pdf.
- Vattenfall, "Vattenfall and Preem are designing a fossil-free hydrogen gas plant", https://group.vattenfall.com/what-we-do/roadmap-to-fossil-freedom/industry-decarbonisation/preem, viewed 4 January 2019.
- P. Fairley, "Europe stores electricity in gas pipes", Scientific American, 1 April 2019, https://www.scientificamerican.com/article/europe-stores-electricity-in-gas-pipes. See also D. Thomas, "Hydrogen production from offshore wind power", presentation for MHI Vestas Thought Leaders Forum, WindEurope Exhibition, Bilbao, Spain, 2 April 2019, https://windeurope.org/confex2019/wp-content/uploads/files/networking/tlf/day-1/13.30-14.00-Denis-Thomas-Hydrogenics.pdf; C. Richard, "Offshore wind-to-hydrogen plant plans revealed", Windpower Monthly, 27 January 2020, https://www.windpowermonthly.com/article/1672014/offshore-wind-to-hydrogen-plant-plans-revealed.
- 200 "Shell aims to be world's largest power company; Orsted bundles hydrogen sales into offshore bid", New Energy Update, 20 March 2019, http://newenergyupdate.com/wind-energyupdate/shell-aims-be-worlds-largest-power-company-orstedbundles-hydrogen-sales-offshore; B. Bedeschi, "Offshore wind hydrogen could be subsidy-free within 10 years", New Energy Update, 1 May 2019, https://analysis.newenergyupdate.com/wind-energy-update/offshore-wind-hydrogen-could-be-subsidyfree-within-10-years; Ørsted, "Ørsted and partners secure funding for renewable hydrogen project", press release (Fredericia, Denmark: 20 December 2019), https://orsted.com/en/media/newsroom/news/2019/12/945369984118407.
- 201 Siemens in Australia from J. Deign, "10 countries moving toward a green hydrogen economy", GTM, 14 October 2019, https://www.greentechmedia.com/articles/read/10-countries-movingtowards-a-green-hydrogen-economy; Siemens with Shell and TenneT from B. Bedeschi, "Offshore wind hydrogen could be subsidy-free within 10 years", New Energy Update, 1 May 2019, https://analysis.newenergyupdate.com/wind-energy-update/offshore-wind-hydrogen-could-be-subsidyfree-within-10-years. For more on Shell, see also "Shell consortium eyes 10 GW offshore wind-hydrogen giant", reNEWS, 27 February 2020, https://renews.biz/58847/dutch-unveil-green-hydrogen-offshore-wind-mega-project.
- $^{202} \;\; REN21, Renewable \; 2020 \;\; Global \;\; Status \;\; Report \;\; (Paris: 2020), https://www.ren21.net/reports/global-status-report/.$
- 203 Hydrogen Council, Path to hydrogen competitiveness. A cost perspective (2020), https://hydrogencouncil.com/wp-content/uploads/2020/01/Path-to-Hydrogen-Competitiveness_Full-Study-1.pdf.
- ²⁰⁴ OECD/IEA, The Future of Hydrogen (Paris: 2019), https://www.iea.org/hydrogen2019/.

- "Europe's first power-to-liquid demo plant in Norway plans renewable aviation fuel production in 2023," GreenAir Online, 23 June 2020, https://www.greenaironline.com/news.php?viewStory=2711; Chelsea Baldino et al., Advanced alternative fuel pathways: Technology overview and status (ICCT, 2019), https://theicct.org/publications/advanced-alternative-fuel-pathways.
- "Fuel from solar energy and air Finnish startup gets funding", yle news, 16 April 2019, https://yle.fi/uutiset/osasto/news/fuel_from_solar_energy_and_air_-_finnish_startup_gets_funding/10740884; Chelsea Baldino et al., Advanced alternative fuel pathways: Technology overview and status (ICCT, 2019), https://theicct.org/publications/advanced-alternative-fuel-pathways.
- ²⁰⁷ ITF, Transport Outlook 2019, p. 27, https://www.oecd-ilibrary.org/transport/itf-transport-outlook-2019_transp_outlook-en-2019-en.
- 208 International Organisation of Motor Vehicle Manufacturers (OICA), "Vehicles in use", http://www.oica.net/category/vehicles-in-use/, viewed 12 June 2020.
- 209 OICA, "2005-2019 sales statistics", http://www.oica.net/category/sales-statistics/, viewed 12 June 2020; Statista, "Motorcycles worldwide", https://www.statista.com/outlook/2100000/100/motorcycles/worldwide, viewed 12 June 2020.
- Johannes Pagenkopf et al., "Transport transition concepts", in Sven Teske (ed.), Achieving the Paris Climate Agreement Goals (Cham: Springer, 2019), pp. 131-59.
- ²¹¹ IEA, "Trucks and Buses Analysis", https://www.iea.org/reports/trucks-and-buses, viewed 12 June 2020.
- ²¹² IEA, "Trucks and Buses Analysis", https://www.iea.org/reports/trucks-and-buses, viewed 12 June 2020.
- UITP, The Impact of Electric Buses on Urban Life (Brussels: 2019), http://www.uitp.org/sites/default/files/cck-focus-papers-files/UITP-policybrief-June2019-V6%20 WEB%20-%200K_0.pdf.
- 214 UITP, Global Bus Survey (Brussels: 2019), http://www.uitp.org/sites/default/files/cck-focus-papers-files/Statistics%20Brief_Global%20bus%20survey%20%28003%29.
- OECD/IEA, The Future of Trucks (Paris: 2017), https://www.iea.org/reports/the-future-of-trucks; NGV Global, "Current natural gas vehicle statistics", https://www.iangv.org/current-ngv-stats/, viewed 12 June 2020.
- ²¹⁶ OECD/IEA, The Future of Trucks (Paris: 2017), https://www.iea.org/reports/the-future-of-trucks.
- ²¹⁷ IEA, "Trucks and Buses Analysis", https://www.iea.org/reports/trucks-and-buses, viewed 12 June 2020.
- ²¹⁸ REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- ²¹⁹ IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- ²²⁰ "China cuts electric-car subsidies, shares of top EV makers drop", Bloomberg, 26 March 2019, https://www.bloomberg.com/news/articles/2019-03-26/china-scales-back-subsidies-for-electric-cars-to-spur-innovation.
- Bloomberg New Energy Finance (BNEF), BNEF Executive Factbook: Power, transport, buildings and industry, commodities, food and agriculture, capital (22 April 2020).
- 222 Alternative Fuels Data Center (AFDC), Model Year 2020: Alternative Fuel and Advanced Technology Vehicles (2020), https://afdc.energy.gov/vehicles/search/download.pdf?vear=2020.
- Lingzhi Jin and Hui He, Comparison of the electric car market in China and the United States (ICCT: May 2019), https://theicct.org/sites/default/files/publications/ICCT_US-China_EV-mkt-%20comp_20190523.pdf.
- ²²⁴ IEA, "Trucks and Buses Analysis", https://www.iea.org/reports/trucks-and-buses, viewed 12 June 2020.
- ²²⁵ IEA, "Trucks and Buses Analysis", https://www.iea.org/reports/trucks-and-buses, viewed 12 June 2020.
- ²²⁶ Brian Eckhouse, "The U.S. has a fleet of 300 electric buses. China has 421,000", Bloomberg, 15 May 2019, https://www.bloomberg.com/news/articles/2019-05-15/in-shift-to-electric-bus-it-schina-ahead-of-u-s-421-000-to-300.
- Matthew Keegan, "Shenchen's silent revolution: World's first fully electric bus fleet quietens Chinese megacity", The Guardian, 12 December 2018, https://www.theguardian.com/cities/2018/dec/12/silence-shenzhen-world-first-electric-bus-fleet; Michael Coren, "One city in China has more electric buses than all of America's biggest cities have buses", Quartz, 2 January 2018, https://qz.com/1169690/shenzhen-in-china-has-16359-electricbuses-more-than-americas-biggest-citiess-conventional-busfleet/.
- OECD/IEA, Global EV Outlook 2019 (Paris: 2019), https://www.iea.org/publications/reports/globalevoutlook2019/; C40 Cities, "Case Study: Shenzhen 'New Energy' Vehicle Promotion", 25 July 2018, https://www.c40.org/case_studies/shenzhen-new-energy-vehiclepromotion; Nora Manthey, "1600 new electric car charge points for Berlin," Electrive, 10 January 2019, https://www.electrive.com/2019/01/10/1600-new-electric-car-charge-points-for-berlin/; "Moscow has ordered 100 KAMAZ electric buses", RusAutoNews.com, 27 January 2019, http://rusautonews.com/2019/01/27/moscow-has-ordered-100-kamaz-electric-buses/; "First electric buses have started operating in Moscow in regular transport", RusAutoNews.com, 4 September 2018, http://rusautonews.com/2018/09/04/first-electric-buses-have-started-operating-inmoscow-in-regular-transport/; SLOCAT Partnership on Sustainable, Low Carbon Transport, Transport and Climate Change 2018 Global Status Report (Shanghai: 2018), https://slocat.net/tcc-gsr.
- Phil Dzikiy, "Electric buses surging in Latin America, Chile adding to fleet as it aims for all-electric by 2040", Electrek, 24 May 2019, https://electrek.co/2019/05/24/electric-buses-latin-america/. Other examples include: Medellin and Cali (Colombia) operated 64 and 26 e-buses respectively in 2019, followed by Guayaquil (Ecuador), with 20 e-buses and São Paulo (Brazil) with 15. From Andrés Bermúdez Liévano, "Latin American cities finally embrace Chinese electric buses", Diálogo Chino, 4 February 2019, https://dialogochino.net/21995-latin-american-cities-finally-embracechinese-electric-buses/; Buenos Aires (Argentina) introduced eight electric buses on four major bus lines in a trial phase as part of its Clean Mobility Plan 2035. From SLoCat, "E-mobility trends and targets", http://slocat.net/sites/default/files/e-mobility_overview.pdf, updated 15 March 2019.
- $^{230} \;\; \text{IEA, "Trucks and Buses Analysis", https://www.iea.org/reports/trucks-and-buses, viewed 12 June 2020.}$
- ²³¹ IEA, "Trucks and Buses Analysis", https://www.iea.org/reports/trucks-and-buses, viewed 12 June 2020.
- OECD/IEA, Global EV Outlook 2019 (Paris: 2019), https://www.iea.org/publications/reports/globalevoutlook2019/.
- ²³³ IEA, "Trucks and Buses Analysis", https://www.iea.org/reports/trucks-and-buses, viewed 12 June 2020; OECD/IEA, Global EV Outlook 2019 (Paris: 2019), https://www.iea.org/publications/reports/globalevoutlook2019/; REN21, Renewables in Cities 2019 Global Status Report (Paris: 2019), https://www.ren21.net/wp-content/uploads/2019/05/ REC-2019-GSR_Full_Report_web.pdf.
- ²³⁴ IEA, "Trucks and Buses Analysis", https://www.iea.org/reports/trucks-and-buses, viewed 12 June 2020.

- European Academies Science Advisory Council (EASAC), Decarbonisation of transport: Options and challenges (March 2019), https://easac.eu/fileadmin/PDF_s/reports_statements/Decarbonisation_of_Tansport/EASAC_Decarbonisation_of_Transport_FINAL_March_2019.pdf.
- ²³⁶ IEA, "Trucks and Buses Analysis", https://www.iea.org/reports/trucks-and-buses, viewed 12 June 2020.
- ²³⁷ IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020; REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- OECD/IEA, Global EV Outlook 2019 (Paris: 2019), https://www.iea.org/publications/reports/globalevoutlook2019/.
- 239 OECD/IEA, Global EV Outlook 2019 (Paris: 2019), https://www.iea.org/publications/reports/globalevoutlook2019/.
- ²⁴⁰ Crunchbase, "Electric scooter and bike sharing companies", https://www.crunchbase.com/lists/electric-scooter-and-bikesharing/ab3db36e-6d78-43a9-a4le-153f5246b12a/organization.companies, viewed 16 July 2019.
- Lime, "About us", https://www.li.me/about-us, viewed 16 July 2019; Lime, "Lime Green", https://www.li.me/lime-green, viewed 16 July 2019; Lime, "Locations", https://www.li.me/locations, viewed 16 July 2019; Tom McKay, "You lost how much on scooters?", Gizmodo, 22 October 2019, https://gizmodo.com/you-lost-how-much-on-scooters-1839245178.
- 242 Latin America: S. C. Betancourt, "First electric highway was inaugurated in Argentina and Latin America", Auto PortalWatch, 11 June 2019, https://www.onlinemarketplaces. com/articles/26286-First-electrichighway-was-inaugurated-in-Argentina-and-Latin-America; China: The majority of these charging stations were installed in 10 Chinese cities, from L. Yuanyuan, "China installed more than 1000 EV charging stations per day in 2019", Renewable Energy World, 13 January 2020, https://www.renewableenergyworld.com/2020/01/13/china-installed-more-than-1000-ev-chargingstations-per-day-in-2019.
- ²⁴³ OECD/IEA, Global EV Outlook 2019 (Paris: 2019), https://www.iea.org/publications/reports/globalevoutlook2019/.
- ²⁴⁴ IEA, "Hydrogen", https://www.iea.org/reports/hydrogen, viewed 12 June 2020.
- ²⁴⁵ IEA, "Hydrogen", https://www.iea.org/reports/hydrogen, viewed 12 June 2020.
- ²⁴⁶ IEA, "Hydrogen", https://www.iea.org/reports/hydrogen, viewed 12 June 2020.
- ²⁴⁷ IEA, "Hydrogen", https://www.iea.org/reports/hydrogen, viewed 12 June 2020.
- ²⁴⁸ IEA, "Renewable energy in transport 2018 and 2024", https://www.iea.org/data-and-statistics/charts/renewable-energy-in-transport-2018-and-2024; IEA, Word Energy Outlook 2019 (Paris: November 2019), https://www.iea.org/reports/world-energy-outlook-2019.
- ²⁴⁹ IEA, World Energy Statistics and Balances, 2019 edition (Paris: 2019), https://webstore.iea.org/world-energy-statistics-and-balances-2019; IEA, "Renewable energy in transport 2018 and 2024", https://www.iea.org/data-and-statistics/charts/renewable-energy-in-transport-2018-and-2024; IEA, Word Energy Outlook 2019 (Paris: November 2019), https://www.iea.org/reports/world-energy-outlook-2019.
- US EIA, "Transportation sector passenger transport and energy consumption by region and mode", in International Energy Outlook 2017 (Washington, DC: 2017), https://www.eia.gov/outlooks/aeo/data/browser/#/?id=50-IEO2017®ion=0-0&cases=Reference&start=2010&end=2020&f=A&linechart=Reference-d082317.2-50-IEO2017&sourcekey=0.
- ²⁵¹ ITF, Towards road freight decarbonisation: Trends, measures and policies (2018), https://www.itf-oecd.org/sites/default/files/docs/towards-road-freight-decarbonisation_0.pdf.
- Schneider Electric, "EVlink Lademanagement: Lokales dynamisches Lademanagement", https://www.se.com/de/de/product-range/62159-evlink-lademanagement/?parent-subcategory-id=1840&filter=business-4-niederspannung-produkte-und-systeme, viewed 12 June 2020.
- 253 Smart Solar Charging, "About smart solar charging", https://smartsolarcharging.eu/en/about-smart-solar-charging/, viewed 14 November 2019.
- 254 IRENA, Demand-side flexibility for power sector transformation: Analytical Brief (Abu Dhabi: 2019), https://www.irena.org/-/media/Files/IRENA/Agency/Publication/2019/Dec/IRENA_Demand-side_flexibility_2019.pdf.
- ²⁵⁵ "2019 sees new solar-storage-charging stations launched across China", China Energy Storage Alliance, 29 November 2019, http://en.cnesa.org/latest-news/2019/11/29/et8hrtqdeblp7knrz3rjl6bg4ohjlt.
- ²⁵⁶ Envision Solar, "Solar tree", https://www.envisionsolar.com/ev-arc/solar-tree/, viewed 12 October 2020.
- SolarPower Europe, Putting Solar in the Driver's Seat (Brussels: November 2019), https://www.solarpowereurope.org/wp-content/uploads/2019/11/SolarPower-Europe_Solar-in-the-driving-seat_Solar-Mobility-report.pdf.
- ²⁵⁸ "Magenta Power sets up India's first solar based charging station for electric vehicles", Energetica India, 30 October 2018, https://www.energetica-india.net/articles/magenta-power-sets-up-indias-first-solar-based-charging-station-for-electric-vehicles.
- ²⁵⁹ "After India's first solar charging station, Magenta Power sets up country's first EV charging corridor", Express Drives, 17 August 2018, https://www.financialexpress.com/auto/car-news/after-indias-first-solar-charging-station-magenta-power-sets-up-countrys-first-ev-charging-corridor/1283569/.
- ²⁶⁰ CSIRO, "PV for your EV: Solar tech powers electric cars through summer", https://www.csiro.au/en/News/News-releases/2019/PV-for-your-EV-solar-tech-powers-electric-cars-through-summer, viewed 12 June 2020.
- ²⁶¹ IRENA, Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging.
- ²⁶² IRENA, Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging.
- 263 REN21, Renewables in Cities 2019 Global Status Report (Paris: 2019), https://www.ren21.net/wp-content/uploads/2019/05/ REC-2019-GSR_Full_Report_web.pdf.
- Jean Marie Takouleu, "Morocco: IRESEN tests solar shade for recharging electric vehicles", Afrik21, 2 November 2018, https://www.afrik21.africa/en/morocco-iresen-tests-solar-shade-forrecharging-electric-vehicles/.
- 265 East Waste, "First electric-powered waste collection truck for SA", 2 September 2019, https://www.eastwaste.com.au/first-electric-powered-waste-collection-truck-for-sa/.
- ²⁶⁶ CNESA, "2019 sees new solar-storage-charging stations launched across China", 29 November 2019, http://en.cnesa.org/latest-news/2019/11/29/et8hrtqdeblp7knrz3rjl6bg4ohjlt. Many other charging stations that use solar EV and energy storage have been developed in China since 2017.
- ²⁶⁷ "First renewable-powered public buses hit US roads", Smart Energy International, 2 May 2019, https://www.smart-energy.com/industry-sectors/electric-vehicles/first-renewable-powered-electric-buses-hit-us-roads-portland/.

- 268 Sustainable Bus, "Keolis wins a contract for Bergen bus fleet (on renewable energy)", 1 July 2019, https://www.sustainable-bus.com/news/keolis-wins-a-contract-for-bergen-bus-fleet-onrenewable-energy/.
- Marc Hudson, "Moreland Council launches hydrogen-powered garbage truck scheme", RenewEconomy, 7 August 2017, https://reneweconomy.com.au/moreland-council-launches-hydrogenpowered-garbage-truck-scheme-35203/.
- Akuo Energy, JCDecaux, Atawey and Galeries Lafayette, "Akuo Energy, Atawey, JCDecaux and Galeries Lafayette are launching hydrogen-powered urban logistics in France", press release (Paris: 10 December 2019), http://www.akuoenergy.com/en/documents/getPdf/cp-last-mile-en.pdf.
- OECD/IEA, The Future of Hydrogen (Paris: 2019), https://www.iea.org/hydrogen2019/.
- 272 Chris Randall, "H2Bus consortium is born", Electrive, 4 June 2019, https://www.electrive.com/2019/06/04/h2bus-consortium-brought-into-life/.
- ²⁷³ For details see IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020; BNEF, BNEF Executive Factbook: Power, transport, buildings and industry, commodities, food and agriculture, capital (22 April 2020).
- 274 REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/; M-Kopa, "Products", http://www.m-kopa.com/products/, viewed 12 October 2020.
- MOVMI, "Carsharing market & growth analysis 2019", https://movmi.net/carsharing-market-growth-2019/, updated 10 July 2019, viewed 12 October 2020; Hélène Lardier, "Video: In Utrecht, carsharing is being powered by solar energy", Groupe Renault #easyelectriclife, 14 August 2019, https://easyelectriclife.groupe.renault.com/en/day-to-day/shared-mobility/video-in-utrecht-carsharing-is-being-powered-by-solar-energy/; Robin Whitlock, "Volkswagen WeShare launched in Berlin as full-electric service", Renewable Energy Magazine, 28 June 2019, https://www.renewableenergymagazine.com/electric_hybrid_vehicles/volkswagen-weshare-launched-in-berlin-as-fullelectric-20190628.
- Shell, "Hydrogen Fuel", https://www.shell.com/energy-and-innovation/new-energies/hydrogen.html, viewed 12 October 2020; Jilian Ambrose, "Shell unveils plans to become net-zero carbon company by 2050", The Guardian, 16 April 2020, https://www.theguardian.com/business/2020/apr/16/shell-unveils-plans-to-become-net-zero-carbon-company-by-2050.
- 277 For details see REN21, Renewables in Cities 2019 Global Status Report (Paris: 2019), https://www.ren21.net/wp-content/uploads/2019/05/ REC-2019-GSR_Full_Report_web.pdf.
- ²⁷⁸ IEA, "Trucks and Buses Analysis", https://www.iea.org/reports/trucks-and-buses, viewed 12 June 2020; REN21, Renewables in Cities 2019 Global Status Report (Paris: 2019), https://www.ren21.net/wp-content/uploads/2019/05/ REC-2019-GSR_Full_Report_web.pdf.
- ²⁷⁹ Transport Decarbonisation Alliance, http://tda-mobility.org/, viewed 4 October 2020.
- ²⁸⁰ Below50, "Vision", https://below50.org/about/, viewed 4 October 2020.
- ²⁸¹ IEA, "Electric Vehicles Initiative: Accelerating the introduction and adoption of electric vehicles worldwide", https://www.iea.org/areas-of-work/programmes-and-partnerships/electric-vehicles-initiative. updated 16 September 2020. viewed 12 October 2020.
- EV100/The Climate Group, Annual Report: EV100 Progress and Insights Reportt (February 2020), https://www.theclimategroup.org/sites/default/files/downloads/ev100_annual_progress_and_insights_report_2020.pdf.
- 283 SLOCAT Partnership on Sustainable, Low Carbon Transport, Transport and Climate Change 2018 Global Status Report (Shanghai: 2018), p.1, https://slocat.net/tcc-gsr.
- ²⁸⁴ IRENA, IEA and REN21, "Renewable Energy Policies in a Time of Transition" (Paris: April 2018), https://www.irena.org/publications/2018/Apr/Renewable-energy-policies-in-a-time-of-transition.
- ²⁸⁵ IEA-RETD, Driving renewable energy for transport: Next Generation Policy Instruments for Renewable Transport (November 2015), http://iea-retd.org/wp-content/uploads/2015/12/IEA-RETD-RES-T-NEXT-201511.pdf.
- ²⁸⁶ SUM4ALL, Global Roadmap of Action Toward Sustainable Mobility (2019), https://sum4all.org/global-roadmap-action.
- ²⁸⁷ IRENA, IEA and REN21, "Renewable Energy Policies in a Time of Transition" (Paris: April 2018), https://www.irena.org/publications/2018/Apr/Renewable-energy-policies-in-a-time-of-transition; IEA-RETD, Driving renewable energy for transport: Next Generation Policy Instruments for Renewable Transport (November 2015), http://iea-retd.org/wp-content/uploads/2015/12/IEA-RETD-RES-T-NEXT-201511.pdf.
- ²⁸⁸ IRENA, IEA and REN21, "Renewable Energy Policies in a Time of Transition" (Paris: April 2018), https://www.irena.org/publications/2018/Apr/Renewable-energy-policies-in-a-time-of-transition.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- ²⁹⁰ IEA Bioenergy, Implementation Agendas: 2018-2019 Update. Compare and contrast transport biofuel policies (Paris: December 2019), https://www.ieabioenergy.com/wp-content/uploads/2020/03/IEA-Bioenergy-Task-39-Implementation-Agendas-Final-Draft-Feb-4-2020.pdf.
- ²⁹¹ IEA Bioenergy, "DROP-IN" BIOFUELS: The Key Role That Co-Processing Will Play in Its Production (Paris: January 2019), https://www.ieabioenergy.com/wp-content/uploads/2019/09/Task-39-Drop-in-Biofuels-Full-Report-January-2019.pdf.
- 292 C. C. Hsieh and C. Felby, Biofuels for the marine shipping sector (2017), https://task39.sites.olt.ubc.ca/files/2013/05/Marine-biofuel-report-final-Oct-2017.pdf; OECD, OECD-FAO Agricultural Outlook 2019-2028 (Paris/Rome: FAO, 2019),http://www.fao.org/3/ca4076en/ca4076en.pdf.
- REN21, Renewables in Cities 2019 Global Status Report (Paris: 2019), https://www.ren21.net/wp-content/uploads/2019/05/ REC-2019-GSR_Full_Report_web.pdf; Bernadette Christina, "Indonesia launches B30 biodiesel to cut costs, boost palm oil," Reuters, 23 December 2019, https://www.reuters.com/article/us-indonesia-biodiesel-idUSKBN1YROD2.
- ²⁹⁴ IEA, "Tracking Transport 2020 Analysis", https://www.iea.org/reports/tracking-transport-2020, updated May 2020, viewed 12 September 2020. For example, under the EU Renewable Energy Directive (RED), biofuels have to meet certain sustainability criteria before being marketed as RED-compliant and counted towards the EU renewable energy target. These criteria are: biofuels must achieve GHG emission reductions to guarantee carbon savings; feedstocks cannot be obtained from biodiverse areas so as to protect land with high natural diversity; feedstocks cannot be grown in certain excluded areas to protect carbon stocks and land use changes (e.g. peatland areas with high carbon stock. From C. C. Hsieh and C. Felby, Biofuels for the marine shipping sector (2017), https://task39.sites.olt.ubc.ca/files/2013/05/Marine-biofuel-report-final-Oct-2017.pdf.

- Thailand: Y. Praiwan, "B10 and B20 price subsidies kick in on Tuesday", Bangkok Post, 1 October 2019, https://www.bangkokpost.com/business/1762204/b10-and-b20-price-subsidies-kick-in-on-tuesday; United States: S. Kelly, "Biodiesel tax credit renewal attached to U.S. spending package", Reuters, 17 December 2019, https://www.reuters.com/article/us-usa-biodiesel-subsidy/biodiesel-tax-credit-renewal-attached-to-u-s-spending-package-idUSKBN1YL1T9; "Spending bill includes long-sought biodiesel tax credit renewal", Des Moines Register, 17 December 2019, https://www.desmoinesregister.com/story/news/2019/12/17/spending-bill-includes-long-sought-biodiesel-tax-credit-renewal/2677476001/.
- ²⁹⁶ REN21, Renewables 2017 Global Status Report (Paris: 2017).
- L. Alves, "Brazil announces incentives and seeks new investments in ethanol fuel", The Rio Times, 19 June 2019, https://riotimesonline.com/brazil-news/brazil/brazil-announces-incentives-and-seeks-new-investments-in-ethanol-fuel/.
- ²⁹⁸ IEA, Renewables 2019: Market analysis and forecasts from 2019 to 2024 (Paris: October 2019), https://www.iea.org/reports/renewables-2019/
- 299 IRENA, Biogas for Road Vehicles: Technology Brief (Abu Dhabi: March 2017), https://www.irena.org/publications/2017/Mar/Biogas-for-road-vehicles-Technology-brief.
- ³⁰⁰ IEA, "Tracking Transport 2020 Analysis", https://www.iea.org/reports/tracking-transport-2020, updated May 2020, viewed 12 September 2020; IEA Bioenergy, Implementation Agendas: 2018-2019 Update. Compare and contrast transport biofuel policies (Paris: December 2019), https://www.ieabioenergy.com/wp-content/uploads/2020/03/IEA-Bioenergy-Task-39-Implementation-Agendas-Final-Draft-Feb-4-2020.pdf.
- A. O'Connell, M. Prussi, M. Padella, A. Konti, L. Lonza, Sustainable Advanced Biofuels Technology Market Report 2018, Low Carbon Energy Observatory/Joint Research Centre, ed., EUR 29929 EN, JRC118309. (Luxembourg: European Commission, 2019).
- 302 E. Voegele, "Finland to require 30% biofuel, 10% advanced biofuel by 2030", Biomass Magazine, 7 February 2019, http://biomassmagazine.com/articles/15930/finland-to-require-30-biofuel-10-advanced-biofuel-by-2030; Business Finland, "Finland sets new law to increase biofuel use in road traffic", 19 February 2019, https://www.businessfinland.fi/en/whats-new/news/2019/finland-sets-new-law-to-increase-biofuel-use-in-road-traffic/
- ³⁰³ IEA Bioenergy, Implementation Agendas: 2018-2019 Update. Compare and contrast transport biofuel policies (Paris: December 2019), https://www.ieabioenergy.com/wp-content/uploads/2020/03/IEA-Bioenergy-Task-39-Implementation-Agendas-Final-Draft-Feb-4-2020.pdf; UK Government, Department of Transport, "New regulations to double the use of sustainable renewable fuels by 2020", https://www.gov.uk/government/news/new-regulations-to-double-the-use-of-sustainable-renewable-fuels-by-2020, updated 13 April 2018, viewed 12 June 2020.
- ³⁰⁴ IEA Bioenergy, Implementation Agendas: 2018-2019 Update. Compare and contrast transport biofuel policies (Paris: December 2019), https://www.ieabioenergy.com/wp-content/uploads/2020/03/IEA-Bioenergy-Task-39-Implementation-Agendas-Final-Draft-Feb-4-2020.pdf; UK Government, Department of Transport, "New regulations to double the use of sustainable renewable fuels by 2020", https://www.gov.uk/government/news/new-regulations-to-double-the-use-of-sustainable-renewable-fuels-by-2020, updated 13 April 2018, viewed 12 June 2020.
- 305 IEA, "Tracking Transport 2020 Analysis", https://www.iea.org/reports/tracking-transport-2020, updated May 2020, viewed 12 September 2020.
- ³⁰⁶ IEA, "Tracking Transport 2020 Analysis", https://www.iea.org/reports/tracking-transport-2020, updated May 2020, viewed 12 September 2020.
- ³⁰⁷ Biofuel Express, "Stockholm is the world's first capital with 100% fossil free bus services Biofuel Express", Biofuel Express, 10 April 2019, https://www.biofuel-express. com/en/stockholm-is-the-worlds-first-capital-with-100-fossil-free-bus-services/; Malin Aldenius and Jamil Khan, "Strategic use of green public procurement in the bus sector: Challenges and opportunities", Journal of Cleaner Production, vol. 164 (2017), pp. 250-57.
- ³⁰⁸ IEA Bioenergy, Implementation Agendas: 2018-2019 Update. Compare and contrast transport biofuel policies (Paris: December 2019), https://www.ieabioenergy.com/wp-content/uploads/2020/03/IEA-Bioenergy-Task-39-Implementation-Agendas-Final-Draft-Feb-4-2020.pdf.
- 309 Kristine Bitnere and Stefanie Searle, Effective policy design for promoting investment in advanced alternative fuels (ICCT: September 2017), https://theicct.org/sites/default/files/publications/Advanced-alternative-fuels_ICCT-white-paper_21092017_vF.pdf; IEA Bioenergy, Implementation Agendas: 2018-2019 Update. Compare and contrast transport biofuel policies (Paris: December 2019), https://www.ieabioenergy.com/wp-content/uploads/2020/03/IEA-Bioenergy-Task-39-Implementation-Agendas-Final-Draft-Feb-4-2020.pdf.
- 310 IEA, "Tracking Transport 2020 Analysis", https://www.iea.org/reports/tracking-transport-2020, updated May 2020, viewed 12 September 2020.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/; REN21, Renewables in Cities 2019 Global Status Report (Paris: 2019), https://www.ren21.net/wp-content/uploads/2019/05/ REC-2019-GSR_Full_Report_web.pdf.
- For details see REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- Wellington City Council, Wellington Resilience Strategy (Wellington, New Zealand: 2017), https://wellington.govt.nz/-/ media/about-wellington/resilient-wellington/files/strategy/reslience-strategyj001767-100-web.pdf?la=en.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/; REN21, Renewables in Cities 2019 Global Status Report (Paris: 2019), https://www.ren21.net/wp-content/uploads/2019/05/ REC-2019-GSR_Full_Report_web.pdf
- ³¹⁵ 9 Robert Brears, "Revealed: Top 5 green public transport projects globally", Impact4All, 15 May 2018, http://zooxel.com/impact4all/ revealed-top-5-renewable-public-transport-systems/; Bay Area Rapid Transit, "BART commits to a future powered by wind and solar power", 7 December 2017, https://www.bart.gov/news/articles/2017/news20171207-1.
- Fossil fuel subsidies based on IEA estimates for 2018, from: OECD/IEA, Update on recent progress in reform of inefficient fossil-fuel subsidies that encourage wasteful consumption (April 2019), https://www.oecd.org/g20/summits/osaka/G20-Update-Report-2019-reform-of-inefficient-fossil-fuel-subsidies.pdf; Renewable subsidies amounted to USD 140 billion in 2016 according to IEA estimates, from: David Coady et al., "Global fossil fuel subsidies remain large: An update based on country-level estimates", IMF Working papers, No. 19/89 (May 2019), https://www.imf.org/en/Publications/WP/Issues/2019/05/02/Global-Fossil-Fuel-Subsidies-Remain-Large-An-Update-Based-on-Country-Level-Estimates-46509.
- See OECD, "Governments should use Covid-19 recovery efforts as an opportunity to phase out support for fossil fuels, say OECD and IEA", https://www.oecd.org/environment/governments-should-use-covid-19-recovery-efforts-as-an-opportunity-to-phase-out-support-for-fossil-fuels-say-oecd-and-iea.htm, updated 5 June 2020, viewed 9 October 2020; OECD, "Compare your country Fossil Fuel Support by energy product", https://www1.compareyourcountry.org/oecd-fossil-fuels/en/1/all/default/all/OECD?embed=noHeader, viewed 9 October 2020.

- 318 Richard Bridle et al., Fossil fuel to clean energy subsidy swaps: How to pay for an energy revolution (IISD: June 2019), https://www.iisd.org/system/files/publications/fossil-fuel-clean-energy-subsidy-swap.pdf.
- OECD/IEA, The Future of Hydrogen (Paris: 2019), https://www.iea.org/hydrogen2019/.
- 320 REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- Australian Institute of Energy (AIE), "ATCO'S Clean energy innovation hub", http://www.aie.org.au/events/event/aie-perth-atco-s-clean-energy-innovation-hub, updated 19 August 2019, viewed 21 November 2019; H2View, "Australia launches new hydrogen fund", https://www.h2-view.com/story/australia-launches-new-hydrogen-fund/, updated 25 November 2019, viewed 15 December 2019.
- Michael Mazengarb, "WA opens \$10m hydrogen fund to boost renewable gas production and exports", RenewEconomy, 18 September 2019, https://reneweconomy.com. au/wa-opens-10m-hydrogen-fund-to-boost-renewable-gas-production-and-exports-63479/.
- Jason Deign, "10 Countries Moving Toward a Green Hydrogen Economy", Greentech Media, 14 October 2019, https://www.greentechmedia.com/articles/read/10-countries-moving-towards-a-green-hydrogen-economy.
- 324 Megan Hoods, "Hydrogen plan points way to renewable future," The Beehive, 2 September 2020, https://www.beehive.govt.nz/release/hydrogen-plan-points-way-renewable-future.
- German Federal Ministry for Economic Affairs and Energy, The National Hydrogen Strategy (Berlin: June 2020), https://www.bmbf.de/files/bmwi_Nationale%20 Wasserstoffstrategie_Eng_s01.pdf.
- 326 Sören Amelang, "Germany's National Hydrogen Strategy", Clean Energy Wire, 17 June 2020, https://www.cleanenergywire.org/factsheets/germanys-national-hydrogen-strategy.
- European Commission, Communication. A hydrogen strategy for a climate-neutral Europe (Brussels: 8 July 2020), COM(2020) 301 final, https://ec.europa.eu/energy/sites/ener/files/hydrogen_strategy.pdf.
- 328 IEA, "Hydrogen Tracking Energy Integration Analysis", https://www.iea.org/tcep/energyintegration/hydrogen/, viewed 2 June 2020.
- 329 OECD/IEA, The Future of Hydrogen (Paris: 2019), https://www.iea.org/hydrogen2019/.
- 330 IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- 331 ITF, Lightening Up: How Less Heavy Vehicles Can Help Cut CO2 Emissions (2017), https://www.itf-oecd.org/less-heavy-vehicles-cut-co2-emissions; ITF, Transport Outlook 2019, https://www.oecd-ilibrary.org/transport/itf-transport-outlook-2019_transp_outlook-en-2019-en.
- European Commission, "CO2 emission performance standards for cars and vans (2020 onwards)", https://ec.europa.eu/clima/policies/transport/vehicles/regulation_en, viewed 12 October 2020.
- 333 The International Council on Clean Transportation (ICCT), "Chart library: Passenger vehicle fuel economy", https://theicct.org/chart-library-passenger-vehicle-fuel-economy. viewed 12 October 2020.
- 334 Government of Minnesota, "Governor Tim Walz announces clean car standards in Minnesota", 25 September 2019, https://mn.gov/governor/news/?id=1055-403887.
- European Parliament, "MEPs approve new CO2 emissions limits for trucks", press release (Brussels: 18 April 2019), https://www.europarl.europa.eu/news/en/press-room/20190412IPR39009/meps-approve-new-co2-emissions-limits-for-trucks; European Council, "Heavy-duty vehicles: Council presidency agrees with Parliament on Europe's first-ever CO2 emission reduction targets for trucks", 19 February 2019, https://www.consilium.europa.eu/en/press/press-releases/2019/02/19/heavy-duty-vehicles-eu-presidency-agrees-with-parliament-on-europe-s-first-ever-co2-emission-reduction-targets/.
- ³³⁶ IEA, "Trucks and Buses Analysis", https://www.iea.org/reports/trucks-and-buses, viewed 12 June 2020.
- See for example IEA Bioenergy, Comparison of Biofuel Life Cycle Analysis Tools (Paris: December 2018), https://www.ieabioenergy.com/wp-content/uploads/2019/07/ Task-39-CTBE-biofuels-LCA-comparison-Final-Report-Phase-2-Part-1-February-11-2019.pdf; IRENA, Advanced Biofuels: What Holds Them Back? (Abu Dhabi: November 2019), https://www.irena.org/publications/2019/Nov/Advanced-biofuels-What-holds-them-back.
- 338 ITF, Lightening Up: How Less Heavy Vehicles Can Help Cut CO2 Emissions (2017), https://www.itf-oecd.org/less-heavy-vehicles-cut-co2-emissions.
- Zifei Yang and Anup Bandivadekar, 2017 Global Update: Light-duty vehicle greenhouse gas and fuel economy standards (ICCT: 2017), https://theicct.org/sites/default/files/publications/2017-Global-LDV-Standards-Update_ICCT-Report_23062017_vF.pdf; REN21, Renewable 2019 Global Status Report (Paris: 2019), https://www.ren21.net/reports/global-status-report/.
- 340 ITF, "Is low-carbon road freight possible?", https://www.itf-oecd.org/low-carbon-road-freight, updated November 2018, viewed 5 May 2019; India from Anup Bandivadekar, "ICCT: Clock ticking for fuel economy in India", Global Fuel Economy Initiative, 23 January 2019, https://www.globalfueleconomy.org/blog/2019/january/icct-clock-ticking-for-fuel-economy-in-india.
- ${}^{341}\ \ IEA, "Trucks and Buses Analysis", https://www.iea.org/reports/trucks-and-buses, viewed 12 June 2020.$
- 342 ITF, Towards road freight decarbonisation: Trends, measures and policies (2018), https://www.itf-oecd.org/sites/default/files/docs/towards-road-freight-decarbonisation_0.pdf.
- $^{343}\ \ Data\ collected\ by\ SLOCAT,\ from\ Urban\ access\ regulations,\ http://urbanaccess regulations.eu/,\ World\ Resources\ Institute,\ and\ German\ Umweltbundesamt.$
- 344 Data collected by SLOCAT, from Urban access regulations, http://urbanaccessregulations.eu/, World Resources Institute, and German Umweltbundesamt.
- 345 G. Topham, "London prepares for launch of ultra-low emissions zone", The Guardian, 6 April 2019, https://www.theguardian.com/uk-news/2019/apr/06/london-prepares-for-launch-of-ultra-low-emissions-zone. In response, some London firms have retrofitted their vehicles to run on biogas in order to avoid the additional ULEZ charge, from K. Coyne, "Waste food firm runs biogas vehicles to meet new emissions rule ", mrw, 8 April 2019, https://www.mrw.co.uk/latest/waste-food-firm-runs-biogas-vehicles-to-meet-new-emissions-rule/10041819.article.
- 346 Sandra Wappelhorst, The end of the road? An overview of combustion engine car phase-out announcements across Europe (ICCT: March 2020), https://theicct.org/sites/default/files/publications/Combustion-engine-phase-out-briefing-mayl1.2020.pdf.
- BNEF, BNEF Executive Factbook: Power, transport, buildings and industry, commodities, food and agriculture, capital (22 April 2020).
- 348 OECD, OECD-FAO Agricultural Outlook 2019-2028 (Paris/Rome: FAO, 2019),http://www.fao.org/3/ca4076en/ca4076en.pdf.



- European Automobile Manufacturers Association (ACEA), CO2 based Motor Vehicle Taxes in the European Union (ACEA: June 2020), https://www.acea.be/uploads/publications/CO2-based_motor_vehicle_taxes_European_Union_2020.pdf.
- Statements/Decarbonisation_of_Tansport/EASAC_Decarbonisation of transport: Options and challenges (March 2019), https://easac.eu/fileadmin/PDF_s/reports_statements/Decarbonisation_of_Tansport/EASAC_Decarbonisation_of_Transport_FINAL_March_2019.pdf; Laura Cozzi and Apostolos Petropoulos, "Growing preference for SUVs challenges emissions reductions in passenger car market", IEA, 15 October 2019, https://www.iea.org/commentaries/growing-preference-for-suvs-challenges-emissions-reductions-in-passenger-car-market.
- Alternative Fuels Data Center, "Federal and State laws and incentives", https://afdc.energy.gov/laws, viewed 12 June 2020.
- West African Ministers adopt cleaner fuels and vehicle standards", UN Environment Programme, 27 February 2020, https://www.unenvironment.org/news-and-stories/story/west-african-ministers-adopt-cleaner-fuels-and-vehicles-standards.
- Initiative for Climate Action Transparency (ICAT), Transport Pricing Methodology: Assessing the greenhouse gas impacts of transport pricing policies (Switzerland: INFRAS; Washington, D.C.: Verra; Bonn: ICAT. April 2020), https://climateactiontransparency.org/wp-content/uploads/2020/04/Transport-Pricing-Assessment-Guide.pdf.
- ³⁵⁴ IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- S. Prateek, "National Electric Mobility Plan 2020 targets deployment of up to 7 million EVs across India", Mercom India, 9 July 2019, https://mercomindia.com/national-electric-mobility-plan/; IEA, Global EV Outlook 2019 (Paris: May 2019), p. 75, https://webstore.iea.org/download/direct/2807?fileName=Global_EV_Outlook_2019.pdf.
- Government of Canada, "Zero-emissions vehicles", 14 August 2019, https://www.tc.gc.ca/en/services/road/innovative-technologies/zero-emission-vehicles.html.
- M. Uddin, "Pakistan's National Electric Vehicle Policy: Charging towards the future", International Council on Clean Transportation, 10 January 2020, https://theicct.org/blog/staff/pakistan%E2%80%99s-national-electric-vehicle-policy-charging-towards-future.
- 358 Alternative Fuels Data Center, "Hydrogen Laws and Incentives in California", https://afdc.energy.gov/fuels/laws/HY?state=CA, viewed 3 June 2020.
- 359 Sandra Wappelhorst et al., Analyzing policies to grow the electric vehicle market in European cities (ICCT: February 2020), https://theicct.org/sites/default/files/publications/EV_city_policies_white_paper_fv_20200224.pdf.
- ³⁶⁰ Cities participating in the programme qualified for substantial central subsidies and implemented a comprehensive package of tax deductions, purchase rebates and other preferential policies (e.g. charging fee reduction, license plate/registration privilege, exemptions from road tolls and public parking charges, free access to bus lanes) to develop their local EV markets. As of the end of 2016, 88 cities had joined the program and accounted for nearly the entire Chinese EV market. From Hui He et al., Assessment of electric car promotion policies in Chinese cities (ICCT: October 2018), https://theicct.org/sites/default/files/publications/China_city_NEV_assessment_20181018.pdf.
- BNEF, BNEF Executive Factbook: Power, transport, buildings and industry, commodities, food and agriculture, capital (22 April 2020).
- ³⁶² IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- ³⁶³ ICCT, China's New Energy Vehicle Mandate Policy (Final rule) (January 2018), https://theicct.org/sites/default/files/publications/China_NEV_mandate_PolicyUpdate%20 20180525.pdf.
- $^{364}\,$ IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- ³⁶⁵ IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- Hongyang Cui and Hui He, China announced 2020-2022 subsidies for new energy vehicles (ICCT: July 2020), https://theicct.org/publications/china-2020-22-subsidies-new-energy-vehicles-jul2020.
- ³⁶⁷ IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- 368 Alternative Fuels Data Center, "Hydrogen Laws and Incentives in California", https://afdc.energy.gov/fuels/laws/HY?state=CA, viewed 3 June 2020.
- Shikha Rokadiya and Zifei Yang, Overview of global zero-emission vehicle mandate programs (ICCT: April 2019), https://theicct.org/sites/default/files/publications/Zero%20Emission%20Vehicle%20Mandate%20Briefing%20v2.pdf.
- Claire Buysse and Ben Sharpe, California's Advanced Clean Trucks regulation: Sales requirements for zero-emission heavy-duty trucks (ICCT: July 2020), https://theicct.org/sites/default/files/publications/CA-HDV-EV-policy-update-jul212020.pdf.
- 371 Government of Canada, "Zero-emissions vehicles", 14 August 2019, https://www.tc.gc.ca/en/services/road/innovative-technologies/zero-emission-vehicles.html.
- S. Prateek, "National Electric Mobility Plan 2020 targets deployment of up to 7 million EVs across India", Mercom India, 9 July 2019, https://mercomindia.com/national-electric-mobility-plan/; IEA, Global EV Outlook 2019 (Paris: May 2019), p. 75, https://webstore.iea.org/download/direct/2807?fileName=Global_EV_Outlook_2019.pdf.
- 373 M. Lorduy, "Ley 1964 de 2019: movilidad sostenible", Asuntos Legales, 7 September 2019, https://www.asuntoslegales.com.co/consultorio/ley-1964-de-2019-movilidad-sostenible-2905412.
- M. Uddin, "Pakistan's National Electric Vehicle Policy: Charging towards the future", International Council on Clean Transportation Blog, 10 January 2020, https://theicct.org/blog/staff/pakistan%E2%80%99s-national-electric-vehicle-policy-charging-towards-future.
- United Nations Framework Convention on Climate Change (UNFCCC), "Costa Rica commits to fully decarbonize by 2050", 4 March 2019, https://unfccc.int/news/costa-rica-commits-to-fully-decarbonize-by-2050; S. Rodriguez, "Costa Rica launches 'unprecedented' push for zero emissions by 2050", Reuters, 25 February 2019, https://www.reuters.com/article/us-costa-rica-climatechange-transportati/costa-rica-launches-unprecedented-push-for-zero-emissions-by-2050-idUSKCN1QE253.
- R. Shah, "Government finally wakes up: Sets a realistic goal of 30% electric vehicles by 2030 from existing 100% target", Financial Express, 8 March 2019, https://www.financialexpress.com/auto/car-news/government-finally-wakes-up-sets-a-realistic-goal-of-30-electric-vehicles-by-2030-from-existing-100-target/1091075/.
- Virginia Governor Ralph S. Northam, "Governor Northam announces \$20 million electric school bus initiative", press release (New York: 24 September 2019), https://www.governor.virginia.gov/newsroom/all-releases/2019/september/headline-847559-en.html; C. Crowe, "New York transit authority to invest \$1.1B for 500 electric buses", Utility Dive, 17 December 2019, https://www.utilitydive.com/news/new-york-mta-to-invest-11b-for-zero-emission-bus-fleet/569248/.
- United Nations Environment Programme, "Electric buses put Chile on the path to a healthier tomorrow", 27 May 2019, https://www.unenvironment.org/news-and-stories/story/electric-buses-put-chile-path-healthier-tomorrow.
- 379 IEA, "Hydrogen Tracking Energy Integration Analysis", https://www.iea.org/tcep/energyintegration/hydrogen/, viewed 2 June 2020.

- ³⁸⁰ IEA, "Hydrogen", https://www.iea.org/reports/hydrogen, viewed 12 June 2020.
- ³⁸¹ IEA, "Hydrogen", https://www.iea.org/reports/hydrogen, viewed 12 June 2020.
- 382 IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- 383 BNEF, BNEF Executive Factbook: Power, transport, buildings and industry, commodities, food and agriculture, capital (22 April 2020).
- Bundesministeriums für Wirtschaft und Energie, "Förderrichtlinie Ladeinfrastruktur für Elektrofahrzeuge", https://www.bmvi.de/DE/Themen/Mobilitaet/Elektromobilitaet/ Ladeinfrastruktur/Ladeinfrastruktur.html, viewed 12 October 2020.
- 385 IEA, Global EV Outlook 2019 (Paris: 2019), https://www.iea.org/reports/global-ev-outlook-2019.
- 386 Government of Canada, "Electric Vehicle and Alternative Fuel Infrastructure Deployment Initiative", https://www.nrcan.gc.ca/energy-efficiency/energy-efficiency-transportation/electric-vehicle-alternative-fuels-infrastructure-deployment-initiative/18352, updated 17 May 2019.
- ³⁸⁷ IEA, Global EV Outlook 2019 (Paris: 2019), https://www.iea.org/reports/global-ev-outlook-2019.
- Alternative Fuels Data Center, "Federal and State laws and incentives", https://afdc.energy.gov/laws, viewed 12 June 2020.
- For New York: New York State Energy Research and Development Authority, "New statewide initiatives to spur widespread adoption of electric vehicles and increase charging infrastructure", 19 November 2019, https://www.nyserda.ny.gov/About/Newsroom/2018-Announcements/2018-11-19-New-Statewide-Initiatives-to-Spur-Widespread-Adoption-of-Electric-Vehicles-and-Increase-Charging-Infrastructure; for Maryland: "Maryland Public Service Commission authorizes utilities to install 5,000 electric vehicle charging stations statewide", Baltimore Sun, 14 January 2019, https://www.baltimoresun.com/news/environment/bs-md-electric-vehicle-charging-stations-20190114-story.html.
- 390 REN21, Renewables in Cities 2019 Global Status Report (Paris: 2019), https://www.ren21.net/wp-content/uploads/2019/05/ REC-2019-GSR_Full_Report_web.pdf.
- New York State, "Governor Cuomo announces \$31.6 million in funding available to dramatically expand electric vehicle usage", 8 February 2019, https://www.nyserda. ny.gov/About/Newsroom/2019-Announcements/2019-02-08-Governor-Cuomo-Announces-Millions-in-Funding-Available-to-Dramatically-expand-Electric-Vehicle-Usage.
- Government of Scotland, Protecting Scotland's Future: The Government's Programme for Scotland 2019-2020 (Edinburgh, Scotland: 2019), https://www.gov.scot/publications/protecting-scotlands-future-governments-programme-scotland-2019-20/pages/5
- European Commission, "EU Strategy on Energy System Integration", https://ec.europa.eu/energy/topics/energy-system-integration/eu-strategy-energy-energy-system-integration/eu-strategy-energy-energy-energy-energy-energy-energy-energy-energy-energy-energy-energy-energy-energy-energy-energy-energy-ene
- 394 State of the Philippines, Federal Bill SB No. 1568, 29 August 2017, https://www.aseanlip.com/philippines/ transport/legislation/bill-of-the-sustainabletransportation-act-of-2017/AL19741.
- 395 UITP India, "MoHUA unveiled urban green mobility scheme 2017", https://oldindia.uitp.org/news/mohua-urban-green-mobility-scheme-2017, viewed 12 October 2020.
- REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- United Nations Framework Convention on Climate Change (UNFCCC), "Costa Rica commits to fully decarbonize by 2050", 4 March 2019, https://unfccc.int/news/costa-rica-commits-tofully-decarbonize-by-2050; S. Rodriguez, "Costa Rica launches 'unprecedented' push for zero emissions by 2050", Reuters, 25 February 2019, https://www.reuters.com/article/us-costa-rica-limatechange-transportati/costa-rica-launches-unprecedentedpush-for-zero-emissions-by-2050-idUSKCN1QE253.
- Transport & Environment, Recharge EU trucks: Time to act! (February 2020), https://www.transportenvironment.org/sites/te/files/publications/2020_02_RechargeEU_trucks_paper.pdf; FREVEU, "Amsterdam", https://frevue.eu/cities/amsterdam/, viewed 12 October 2020.
- IISD, "European Commission launches green deal to reset economic growth for carbon neutrality", 19 December 2019, https://sdg.iisd.org/news/europeancommission-launches-green-deal-to-reset-economic-growth-forcarbon-neutralit; "EU carbon neutrality: Leaders agree 2050 target without Poland", BBC News, 13 December 2019, https://www.bbc.com/news/world-europe-50778001.
- World Bank, "Carbon Pricing Dashboard", https://carbonpricingdashboard.worldbank.org, viewed 22 October 2019.
- 401 REN21, Renewables in Cities 2019 Global Status Report (Paris: 2019), https://www.ren21.net/wp-content/uploads/2019/05/ REC-2019-GSR_Full_Report_web.pdf.
- Erin Voegele, "Finland to require 30% biofuel, 10% advanced biofuel by 2030", BiomassMagazine, 28 May 2020, http://biomassmagazine.com/articles/15930/finland-to-require-30-biofuel-10-advanced-biofuel-by-203.
- 403 "National Policy on Biofuels 2018: Here are key things you should know," The Economic Times, 5 November 2019, https://economictimes.indiatimes.com/small-biz/productline/power-generation/national-policy-on-biofuels-2018-here-are-key-things-you-should-know/articleshow/71922729.cms?from=mdr.
- 404 R. Kotrba, "Minn. Grant funding available for biofuel blending infrastructure", Biodiesel Magazine, 29 April 2019, http://biodieselmagazine.com/articles/2516581/minngrant-funding-available-for-biofuel-blending-infrastructure.
- ⁴⁰⁵ IEA Bioenergy, Implementation Agendas: 2018-2019 Update. Compare and contrast transport biofuel policies (Paris: December 2019), https://www.ieabioenergy.com/wp-content/uploads/2020/03/IEA-Bioenergy-Task-39-Implementation-Agendas-Final-Draft-Feb-4-2020.pdf; IEA, "Transport Biofuels Analysis", https://www.iea.org/reports/transport-biofuels, updated June 2020, viewed 12 September 2020; Kristine Bitnere and Stefanie Searle, Effective policy design for promoting investment in advanced alternative fuels (ICCT: September 2017), https://theicct.org/sites/default/files/publications/Advanced-alternative-fuels_ICCT-white-paper_21092017_vF.pdf.
- 406 IEA Bioenergy, "DROP-IN" BIOFUELS: The Key Role That Co-Processing Will Play in Its Production (Paris: January 2019), https://www.ieabioenergy.com/wp-content/uploads/2019/09/Task-39-Drop-in-Biofuels-Full-Report-January-2019.pdf.
- 407 SUM4ALL, Global Roadmap of Action Toward Sustainable Mobility (2019), https://sum4all.org/global-roadmap-action.
- 408 REN21, Renewables in Cities 2019 Global Status Report (Paris: 2019), https://www.ren21.net/wp-content/uploads/2019/05/ REC-2019-GSR_Full_Report_web.pdf.
- 409 SLOCAT Partnership on Sustainable, Low Carbon Transport, Transport and Climate Change 2018 Global Status Report (Shanghai: 2018), https://slocat.net/tcc-gsr; REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.
- 410 IRENA, IEA and REN21, "Renewable Energy Policies in a Time of Transition" (Paris: April 2018), https://www.irena.org/publications/2018/Apr/Renewable-energy-policies-in-a-time-of-transition; Bundesministeriums für Wirtschaft und Energie, "500 Millionen Euro zusätzlich für Ladeinfrastruktur 6. Förderaufruf abgeschlossen", https://www.bmvi.de/SharedDocs/DE/Artikel/G/infopapier-sechster-foerderaufruf-ladeinfrastruktur.html, viewed 12 October 2020.

- 411 Bundesministerium Nachaltigkeit und Tourismus (BMNT), "#mission2030 'Mobilitätsoffensive", 3 January 2019, https://www.klimaaktiv.at/mobilitaet/elektromobilitaet/foerderaktion emob2019.html.
- SLOCAT, E-Mobility Trends and Targets, https://slocat.net/wp-content/uploads/2020/02/SLOCAT_2020_e-mobilityoverview.pdf, updated January 2020. National purchases for EVs include purchase subsidies and tax reduction, from IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020; REN21 policy database. See GSR 2020 data pack at www.ren21.net/GSR.
- 413 Chris Randall, "UK to bring ICE ban forward by 5 years to 2035", Electrive, 4 February 2020, https://www.electrive.com/2020/02/04/uk-aims-to-bring-ice-ban-forward-by-5-years/.
- James Gilboy, "California Bans the Sale of New Gas and Diesel Cars by 2035" The Drive, 23 September 2020, https://www.thedrive.com/news/36687/california-bans-the-sale-of-new-gas-and-diesel-cars-by-2035.
- For example, in Athens (Greece), Brussels (Belgium), London (UK), Lisbon (Portugal), Madrid (Spain), Mexico City (Mexico), Paris (France) and Rome (Italy). SLoCaT, E-Mobility Trends and Targets, January 2020; F. O'Sullivan, "Madrid takes its car ban to the next level", CityLab, 24 May 2018, https://www.citylab.com/transportation/2018/05/madrid-spain-car-ban-city-center/561155/; T. Leggett, "Polluted Paris steps up war on diesel", BBC, 30 May 2018, https://www.bbc.com/news/business-43925712; K. Lofgren, "Rome is banning all oil-burning cars by 2024", 3 January 2018, Inhabitat, https://inhabitat.com/rome-is-banning-all-oil-burning-cars-by-2024/; A. Bendix, "15 major cities around the world that are starting to ban cars", Business Insider, 12 January 2019, https://www.businessinsider.es/cities-going-car-free-ban-2018-12; T. Wenger, "7 cities that are banning cars from their city centers", Matador Network, 3 April 2019, https://matadornetwork.com/read/cities-banning-cars-city-centers/; L. Garfield, "13 cities that are starting to ban cars", Business Insider, 8 June 2018, https://www.businessinsider.es/cities-going-car-free-ban-2017-8?r=US&IR=T; M. Barber, "15 cities tackling pollution by curbing cars", Curbed, 14 August 2018, https://www.curbed.com/2017/4/10/15207926/car-ban-cities-pollution-traffic-paris-london-mexico-city; P. Ploetz et al., "Designing car bans for sustainable transportation", Nature Sustainability, vol. 2 (2019), pp. 534-36, https://www.nature.com/articles/s41893-019-0328-9; Dearman, "Global shift towards diesel bans continues", 30 July 2018, https://www.cntraveller.in/story/delhi-wont-first-city-ban-private-cars/.
- European Commission, Final report of the High-Level Panel of the European Decarbonisation Pathways Initiative (Publications Office of the European Union, 2018); IEA, "Status of Power System Transformation 2019: Power system flexibility", https://www.iea.org/reports/status-of-power-system-transformation-2019, viewed 4 June 2020.
- 417 IRENA, Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging.
- 418 "4 Emerging Ways to Pair Electric Vehicles and Renewable Energy," World Resources Institute, 19 November 2019, https://www.wri.org/blog/2019/11/4-emerging-ways-pair-electric-vehicles-and-renewable-energy.
- 419 "4 Emerging Ways to Pair Electric Vehicles and Renewable Energy," World Resources Institute, 19 November 2019, https://www.wri.org/blog/2019/11/4-emerging-ways-pair-electric-vehicles-and-renewable-energy.
- ⁴²⁰ OECD/IEA, Status of Power System Transformation 2019: System Flexibility (Paris: 2019), p. 9, https://webstore.iea.org/download/direct/2782?fileName=Status_of_Power_System_Transformation_2019.pdf.
- OECD/IEA, Status of Power System Transformation 2019: System Flexibility (Paris: 2019), p. 9, https://webstore.iea.org/download/direct/2782?fileName=Status_of_Power_System_Transformation_2019.pdf.
- OECD/IEA, Status of Power System Transformation 2019: System Flexibility (Paris: 2019), p. 3, https://webstore.iea.org/download/direct/2782?fileName=Status_of_Power_System_Transformation_2019.pdf.
- 423 California Independent System Operator (CAISO), "Initiative: Extended day-ahead market", 3 October 2019, http://www.caiso.com/informed/Pages/StakeholderProcesses/ ExtendedDay-AheadMarket.aspx; M. Lavillotti and Z. T. Smith, New York Independent System Operator (NYISO), "DER Energy & Capacity Market Design", presentation at NYISO, 17 April 2019, p. 7, https://www.nyiso.com/documents/20142/6006612/BIC%20DER%20Market%20Design%20Presentation.pdf/9cdc8700-ab90-d741-c28d-0c29h3468807
- 424 Montana State Legislature, "Bill HB0587", 16 May 2019, https://leg.mt.gov/bills/2019/billpdf/HB0597.pdf.
- 425 G. Andersen and M. Cleveland, "Meeting energy needs with demand response", National Conference of State Legislatures (NCSL), 9 July 2019, http://www.ncsl.org/research/energy/meeting-energy-needs-with-demand-response.aspx.
- European Commission, "Clean Energy for All Europeans: Commission welcomes European Parliament's adoption of new electricity market design proposals", https://ec.europa.eu/commission/presscorner/detail/en/IP_19_1836, viewed 12 October 2020.
- 427 Australian Energy Market Commission (AEMC), "Using demand management to take the pressure off the power system", AEMC Media Releases, 18 July 2019, https://www.aemc.gov.au/news-centre/media-releases/using-demand-management-take-pressure-power-system.
- $428 \quad IRENA, Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging. \\$
- 429 IRENA, Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging.
- 430 IRENA, Innovation Outlook: Smart Charging for Electric Vehicles (Abu Dhabi: 2019), https://irena.org/publications/2019/May/Innovation-Outlook-Smart-Charging.
- 431 SLOCAT, "Powering the sustainable, low carbon transport revolution with ambition, solutions and collaboration", https://slocat.net/, viewed 4 October 2020.
- 432 ITF, "Decarbonising Transport initiative", https://www.itf-oecd.org/decarbonising-transport#:~:text=The%20Decarbonising%20Transport%20initiative%20 promotes,deliver%20on%20their%20climate%20commitment, viewed 4 October 2020.
- Sustainable Mobility for All, "Action towards Climate-friendly Transport (ACT) Initiative is launched today!", https://sum4all.org/news/action-towards-climate-friendly-transport-act-initiative-launched-today#:~:text=Action%20towards%20Climate%2Dfriendly%20Transport%20(ACT)%20is%20the%20largest, Agenda%20and%20the%20Paris%20Agreement.&text=ACT%20shows%20how%20climate%20protection, linked%20in%20the%20transport%20sector, viewed 4 October 2020.
- 434 Paris Process on Mobility and Climate Change (PPMC), "What is the Paris Process on Mobility and Climate Change (PPMC)?", http://www.ppmc-transport.org/about/#:-:text=WHAT%20IS%20THE%20PARIS%20PROCESS%20ON%20MOBILITY%20AND%20CLIMATE%20(PPMC)%3F&text=The%20PPMC%20was%20 created%20in, Paris%20and%20the%20Paris%20Agreement, viewed 12 October 2020.

- 435 IRENA, Global Renewables Outlook: Energy Transformation 2050 (Abu Dhabi: April 2020), https://www.irena.org/publications/2020/Apr/Global-Renewables-Outlook-2020.
- 436 IEA, World Energy Model (Paris: 2020), https://www.iea.org/reports/world-energy-model#scenarios-in-weo-2019.
- 437 IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020.
- 438 Sven Teske (ed.), Achieving the Paris Climate Agreement Goals (Cham: Springer, 2019).
- 439 Shell, Shell scenarios: Sky. Meeting the Goals of the Paris Agreement (2018), https://www.shell.com/promos/business-customers-promos/download-latest-scenario-sky/ jcr content.stream/1530643931055/eca19f7fc0d20adbe830d3b0b27bcc9ef72198f5/shell-scenario-sky.pdf.
- Jörg Mühlenhoff and Jonathan Bonadio, Building a Paris Agreement Compatible (PAC) energy scenario (CAN & EEB: 2020), https://eeb.org/publications/113/categories/101856/a-paris-agreement-compatible-pac-energy-scenario.pdf.
- 441 Christian Hochfeld et al., Transport for under two degrees the way forward (Agora Verkehrswende, GIZ, World Economic Forum, 2020), https://www.t4under2.org/pdf/ T4under2_Global-foresight-study_FINAL.pdf.
- 442 IRENA, Global Renewables Outlook: Energy Transformation 2050 (Abu Dhabi: April 2020), https://www.irena.org/publications/2020/Apr/Global-Renewables-Outlook-2020.
- 443 IEA, Renewables 2019: Market analysis and forecasts from 2019 to 2024 (Paris: October 2019), https://www.iea.org/reports/renewables-2019/transport.
- 444 IEA, World Energy Outlook 2019 (Paris: 2019), https://www.iea.org/reports/world-energy-outlook-2019.
- 445 See Sven Teske (ed.), Achieving the Paris Climate Agreement Goals (Cham: Springer, 2019); Shell, Shell scenarios: Sky. Meeting the Goals of the Paris Agreement (2018), https://www.shell.com/promos/business-customers-promos/download-latest-scenario-sky/_jcr_content.stream/1530643931055/ecal9f7fc0d20adbe830d3b0b27bcc9ef72198f5/shell-scenario-sky.pdf; Jörg Mühlenhoff and Jonathan Bonadio, Building a Paris Agreement Compatible (PAC) energy scenario (CAN & EEB: 2020), https://eeb.org/publications/113/categories/101856/a-paris-agreement-compatible-pac-energy-scenario.pdf.
- 446 IRENA, "Potential of green hydrogen to drive energy transition beyond transport sector", IRENA Insights Webinar Series, 7 July 2020, https://www.irena.org/-/media/Files/IRENA/Agency/Events/2020/Jul/IRENAInsights Hydrogen.pdf?la=en&hash=4277D67B3D610A8A6772EF0C45E7DB4B94E6897D.
- 447 IRENA, Global Renewables Outlook: Energy Transformation 2050 (Abu Dhabi: April 2020), https://www.irena.org/publications/2020/Apr/Global-Renewables-Outlook-2020; IEA, World Energy Outlook 2019 (Paris: 2019), https://www.iea.org/reports/world-energy-outlook-2019.
- 448 BP, BP Energy Outlook 2020 (September 2020), https://www.bp.com/en/global/corporate/energy-economics/energy-outlook.html.
- Shell, Shell scenarios: Sky. Meeting the Goals of the Paris Agreement (2018), https://www.shell.com/promos/business-customers-promos/download-latest-scenario-sky_jcr_content.stream/1530643931055/eca19f7fc0d20adbe830d3b0b27bcc9ef72198f5/shell-scenario-sky.pdf.
- ⁴⁵⁰ Sven Teske (ed.), Achieving the Paris Climate Agreement Goals (Cham: Springer, 2019).
- 451 IRENA, Global Renewables Outlook: Energy Transformation 2050 (Abu Dhabi: April 2020), https://www.irena.org/publications/2020/Apr/Global-Renewables-Outlook-2020; ITF, Transport Outlook 2019, https://www.oecd-ilibrary.org/transport/itf-transport-outlook-2019_transp_outlook-en-2019-en; IEA, Global EV Outlook 2020 (Paris: 2020), https://www.iea.org/reports/global-ev-outlook-2020; IEA, World Energy Outlook 2019 (Paris: 2019), https://www.iea.org/reports/world-energy-outlook-2019; Hydrogen Council, Path to hydrogen competitiveness. A cost perspective (2020), https://hydrogencouncil.com/wp-content/uploads/2020/01/Path-to-Hydrogen-Competitiveness_Full-Study-1.pdf; Sven Teske (ed.), Achieving the Paris Climate Agreement Goals (Cham: Springer, 2019); Shell, Shell scenarios: Sky. Meeting the Goals of the Paris Agreement (2018), https://www.shell.com/promos/business-customers-promos/download-latest-scenario-sky/_jcr_content.stream/1530643931055/eca19f7fc0d20adbe830d3b0b27bcc9ef72198f5/shell-scenario-sky.pdf.
- 452 Amélie Lougsami, Shaping the Global Governance of Renewables: A Comparative Institutional Analysis (Études de l'Ifri, March 2019), https://www.ifri.org/sites/default/files/atoms/files/lougsami_international_governance_renewables_2019.pdf.
- Content mostly based on SUM4ALL, Global Roadmap of Action Toward Sustainable Mobility (2019), https://sum4all.org/global-roadmap-action.
- 454 Content mostly based on Global Bioenergy Partnership (GBEP), The Global Bioenergy Partnership Sustainability Indicators for Bioenergy (FAO, December 2011), http://www.globalbioenergy.org/fileadmin/user_upload/gbep/docs/Indicators/Report_HYPERLINK_updated_CM_25-05-2017.pdf.
- ⁴⁵⁵ This addresses both the pollution caused by the fossil fuel used and its effects (see for example: Amber Milne, "Air pollution kills more people than smoking, new research finds," Global News, 12 March 2019, http://globalnews.ca/news/5048256/air-pollution-kills-more-people-than-smoking-new-research-finds/) as well as possible pollution caused by the renewable alternatives
- 456 IRENA, Biogas for Road Vehicles: Technology Brief (Abu Dhabi: March 2017), https://www.irena.org/publications/2017/Mar/Biogas-for-road-vehicles-Technology-brief.
- 457 Royal Academy of Engineering, Sustainability of Liquid Biofuels (London: July 2017), https://www.raeng.org.uk/publications/reports/biofuels.
- 458 Chelsea Baldino et al., Advanced alternative fuel pathways: Technology overview and status (ICCT, 2019), https://theicct.org/publications/advanced-alternative-fuel-pathways; Danish Energy Agency and Energinet, Technology Data Renewable fuels (2019), https://ens.dk/sites/ens.dk/files/Analyser/technology_data_for_renewable_fuels.pdf; Ocean Energy Europe, Ocean Energy: Key trends and statistics 2019 (Brussels: 2020), https://www.oceanenergy-europe.eu/wp-content/uploads/2020/03/OEE_Trends-Stats_2019_Web.pdf; REN21, Renewable 2020 Global Status Report (Paris: 2020), https://www.ren21.net/reports/global-status-report/.

ABOUT THE FIA FOUNDATION



The FIA Foundation has an international reputation for innovative global road safety philanthropy; practical environmental research and interventions to improve air quality and tackle climate change; and high impact strategic advocacy in the areas of

road traffic injury prevention and motor vehicle fuel efficiency. Our aim is to ensure 'Safe, Clean, Fair and Green' mobility for all, playing our part to ensure a sustainable future.

www.fiafoundation.org

ABOUT REN21



REN21 is the only global renewable energy community of actors from science, governments, NGOs and industry. We provide up-to-date facts, figures and peer-reviewed analysis of global developments in technology, policies and markets to decision-makers.

Our goal: encourage and enable them to shift to renewable energy - now. www.ren21.net







Visit us online:

www.fiafoundation.org 🤟 @fiafdn

